

Table A.1

Number of Incidence Cases, 2002-2006

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	38,632	26,341	12,291	31,818	21,837	9,981	3,559	2,457	1,102
Esophagus	16,427	12,417	4,010	13,784	10,538	3,246	1,740	1,215	525
Stomach	28,709	17,321	11,388	20,809	12,799	8,010	3,532	1,988	1,544
Colon & Rectum	178,384	90,408	87,976	145,948	74,362	71,586	17,960	8,577	9,383
Colon	128,387	62,274	66,113	105,256	51,300	53,956	13,586	6,314	7,272
Rectum	49,997	28,134	21,863	40,692	23,062	17,630	4,374	2,263	2,111
Liver & IBD ^a	24,526	17,204	7,322	16,944	11,885	5,059	2,729	1,976	753
Pancreas	42,126	20,593	21,533	34,581	17,068	17,513	4,537	2,055	2,482
Larynx	12,815	10,264	2,551	10,486	8,368	2,118	1,803	1,439	364
Lung & Bronchus	226,241	120,932	105,309	190,656	100,376	90,280	22,443	12,886	9,557
Melanoma of the skin	72,796	41,453	31,343	68,882	39,465	29,417	314	137	177
Breast	249,622	1,840	247,782	207,650	1,538	206,112	22,644	207	22,437
Cervix uteri	16,058	-	16,058	12,245	-	12,245	2,092	-	2,092
Corpus & Uterus, NOS	46,758	-	46,758	39,322	-	39,322	3,690	-	3,690
Ovary ^b	26,372	-	26,372	22,448	-	22,448	1,866	-	1,866
Prostate	255,343	255,343	-	203,565	203,565	-	30,742	30,742	-
Testis	10,415	10,415	-	9,577	9,577	-	265	265	-
Urinary bladder	75,455	56,389	19,066	67,987	51,168	16,819	3,643	2,317	1,326
Kidney & Renal pelvis	49,970	30,899	19,071	42,214	26,147	16,067	4,851	2,972	1,879
Brain & ONS ^a	23,973	13,298	10,675	21,102	11,786	9,316	1,452	761	691
Thyroid	36,479	8,780	27,699	30,318	7,554	22,764	2,144	427	1,717
Hodgkin lymphoma	10,522	5,708	4,814	8,830	4,801	4,029	1,079	561	518
Non-Hodgkin lymphoma	71,464	38,275	33,189	61,074	32,721	28,353	5,039	2,749	2,290
Myeloma	20,399	11,132	9,267	15,541	8,680	6,861	3,515	1,762	1,753
Leukemia	44,690	25,513	19,177	38,109	21,892	16,217	3,208	1,755	1,453
Acute lymphocytic	6,116	3,505	2,611	5,107	2,939	2,168	408	233	175
Chronic lymphocytic	14,653	8,685	5,968	12,938	7,692	5,246	876	514	362
Acute myeloid	12,797	6,934	5,863	10,734	5,888	4,846	990	495	495
Chronic myeloid	5,407	3,102	2,305	4,485	2,573	1,912	457	256	201
All others	5,717	3,287	2,430	4,845	2,800	2,045	477	257	220
Kaposi Sarcoma	2,357	2,147	210	1,654	1,499	155	518	482	36
Mesothelioma	3,829	2,952	877	3,512	2,717	795	183	135	48
All Sites	1,692,617	870,291	822,326	1,409,260	722,655	686,605	155,532	82,345	73,187

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.1

Number of Incidence Cases, 2002-2006

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	2,604	1,639	965	156	99	57	2,666	1,822	844
Esophagus	727	530	197	79	56	23	1,079	844	235
Stomach	3,993	2,306	1,687	209	128	81	4,576	2,555	2,021
Colon & Rectum	12,236	6,325	5,911	789	375	414	14,976	8,064	6,912
Colon	8,104	3,943	4,161	563	248	315	10,140	5,212	4,928
Rectum	4,132	2,382	1,750	226	127	99	4,836	2,852	1,984
Liver & IBD ^c	4,470	3,079	1,391	199	133	66	4,239	2,997	1,242
Pancreas	2,665	1,302	1,363	170	81	89	3,855	1,810	2,045
Larynx	404	359	45	31	22	-	977	847	130
Lung & Bronchus	11,582	6,848	4,734	788	402	386	11,643	6,592	5,051
Melanoma of the skin	472	231	241	69	35	34	2,218	911	1,307
Breast	16,581	77	16,504	868	-	866	22,312	118	22,194
Cervix uteri	1,425	-	1,425	92	-	92	3,764	-	3,764
Corpus & Uterus, NOS	3,132	-	3,132	187	-	187	4,409	-	4,409
Ovary ^d	1,798	-	1,798	124	-	124	2,790	-	2,790
Prostate	11,717	11,717	-	600	600	-	21,503	21,503	-
Testis	322	322	-	75	75	-	1,957	1,957	-
Urinary bladder	2,681	2,036	645	133	99	34	4,053	2,985	1,068
Kidney & Renal pelvis	2,184	1,355	829	349	196	153	5,668	3,429	2,239
Brain & ONS ^c	1,163	608	555	85	44	41	3,108	1,718	1,390
Thyroid	3,409	670	2,739	151	33	118	4,992	925	4,067
Hodgkin lymphoma	465	254	211	27	17	-	1,544	891	653
Non-Hodgkin lymphoma	4,018	2,128	1,890	215	108	107	7,319	3,979	3,340
Myeloma	994	516	478	90	39	51	2,097	1,101	996
Leukemia	2,343	1,287	1,056	164	90	74	5,462	3,077	2,385
Acute lymphocytic	500	279	221	39	25	-	2,083	1,180	903
Chronic lymphocytic	267	149	118	31	18	-	680	394	286
Acute myeloid	954	494	460	46	19	27	1,537	830	707
Chronic myeloid	327	194	133	26	-	-	630	365	265
All others	295	171	124	22	-	-	532	308	224
Kaposi Sarcoma	70	64	-	-	-	-	553	516	37
Mesothelioma	106	81	25	-	-	-	374	271	103
All Sites	97,790	46,691	51,099	6,178	2,886	3,292	149,897	74,254	75,643

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a Incidence data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.^c Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.^d IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^e Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2002-2006

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	38,833	26,332	12,501	32,111	21,375	10,736	5,395	4,069	1,326
Esophagus	65,767	51,124	14,643	56,960	44,797	12,163	7,627	5,446	2,181
Stomach	59,026	34,551	24,475	44,961	26,511	18,450	10,095	5,826	4,269
Colon & Rectum	272,167	136,924	135,243	231,385	116,822	114,563	34,101	16,623	17,478
Liver & IBD ^a	76,674	49,632	27,042	60,859	38,994	21,865	9,929	6,746	3,183
Pancreas	159,024	78,418	80,606	136,445	67,896	68,549	18,434	8,552	9,882
Larynx	18,798	14,849	3,949	15,230	11,938	3,292	3,320	2,705	615
Lung & Bronchus	791,442	448,984	342,458	693,734	390,053	303,681	82,175	49,740	32,435
Melanoma of the skin	40,069	25,573	14,496	39,197	25,144	14,053	592	282	310
Breast	207,897	1,874	206,023	174,625	1,564	173,061	28,589	285	28,304
Cervix uteri	19,621	-	19,621	14,815	-	14,815	3,979	-	3,979
Corpus & Uterus, NOS	35,222	-	35,222	28,617	-	28,617	5,760	-	5,760
Ovary	73,699	-	73,699	65,940	-	65,940	6,017	-	6,017
Prostate	146,279	146,279	-	119,675	119,675	-	24,375	24,375	-
Testis	1,811	1,811	-	1,629	1,629	-	132	132	-
Urinary bladder	64,867	44,676	20,191	59,263	41,537	17,726	4,735	2,565	2,170
Kidney & Renal pelvis	61,660	38,376	23,284	54,826	34,181	20,645	5,569	3,399	2,170
Brain & ONS ^a	64,598	35,836	28,762	59,365	32,970	26,395	3,915	2,114	1,801
Thyroid	7,068	2,910	4,158	6,175	2,641	3,534	600	173	427
Hodgkin lymphoma	6,574	3,660	2,914	5,758	3,188	2,570	667	388	279
Non-Hodgkin lymphoma	105,789	56,056	49,733	96,235	51,015	45,220	7,126	3,754	3,372
Myeloma	53,770	28,083	25,687	43,796	23,279	20,517	8,934	4,291	4,643
Leukemia	108,393	60,912	47,481	97,092	54,824	42,268	8,981	4,775	4,206
Acute lymphocytic	7,085	4,013	3,072	6,190	3,492	2,698	606	357	249
Chronic lymphocytic	22,150	12,991	9,159	20,190	11,841	8,349	1,799	1,049	750
Acute myeloid	41,060	22,804	18,256	36,857	20,648	16,209	3,144	1,566	1,578
Chronic myeloid	5,908	3,255	2,653	5,044	2,751	2,293	713	407	306
All others	32,190	17,849	14,341	28,811	16,092	12,719	2,719	1,396	1,323
All Sites	2,787,217	1,444,050	1,343,167	2,406,846	1,247,148	1,159,698	314,013	162,787	151,226

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2002-2006

By Primary Cancer Site, Race and Sex
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,129	753	376	132	88	44	1,584	1,174	410
Esophagus	891	664	227	205	156	49	2,266	1,794	472
Stomach	3,548	1,963	1,585	350	212	138	6,339	3,593	2,746
Colon & Rectum	5,540	2,850	2,690	837	451	386	12,506	6,741	5,765
Liver & IBD ^c	5,291	3,523	1,768	430	252	178	8,037	5,290	2,747
Pancreas	3,520	1,670	1,850	421	206	215	7,872	3,919	3,953
Larynx	166	142	24	51	44	-	877	788	89
Lung & Bronchus	12,437	7,519	4,918	2,025	1,074	951	21,165	13,542	7,623
Melanoma of the skin	197	99	98	66	39	27	812	461	351
Breast	3,891	23	3,868	541	-	540	9,529	54	9,475
Cervix uteri	671	-	671	115	-	115	2,116	-	2,116
Corpus & Uterus, NOS	729	-	729	88	-	88	1,757	-	1,757
Ovary	1,456	-	1,456	205	-	205	3,441	-	3,441
Prostate	1,728	1,728	-	336	336	-	6,323	6,323	-
Testis	40	40	-	-	-	-	266	266	-
Urinary bladder	721	482	239	85	53	32	2,032	1,363	669
Kidney & Renal pelvis	831	516	315	332	206	126	3,621	2,301	1,320
Brain & ONS ^c	1,114	629	485	129	85	44	3,474	1,917	1,557
Thyroid	269	86	183	18	-	-	574	239	335
Hodgkin lymphoma	126	70	56	18	-	-	509	298	211
Non-Hodgkin lymphoma	2,088	1,115	973	254	126	128	5,421	2,930	2,491
Myeloma	783	383	400	187	93	94	2,784	1,420	1,364
Leukemia	1,947	1,104	843	260	150	110	5,905	3,348	2,557
Acute lymphocytic	230	123	107	46	31	-	1,312	756	556
Chronic lymphocytic	111	74	37	29	17	-	451	262	189
Acute myeloid	922	516	406	96	50	46	2,112	1,174	938
Chronic myeloid	117	73	44	23	18	-	354	208	146
All others	567	318	249	66	34	32	1,676	948	728
All Sites	54,725	28,187	26,538	8,145	4,078	4,067	124,150	65,457	58,693

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Mortality data for Hispanics are based on NHIA and exclude cases from District of Columbia, Minnesota, New Hampshire and North Dakota.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.