

Table A.1

Number of Incidence Cases, 2004-2008

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	40,659	27,902	12,757	33,634	23,270	10,364	3,504	2,405	1,099
Esophagus	16,975	13,022	3,953	14,321	11,134	3,187	1,664	1,170	494
Stomach	28,959	17,538	11,421	20,759	12,839	7,920	3,621	2,093	1,528
Colon & Rectum	176,815	90,265	86,550	143,120	73,517	69,603	18,177	8,804	9,373
Colon	126,629	61,843	64,786	102,934	50,642	52,292	13,542	6,344	7,198
Rectum	50,186	28,422	21,764	40,186	22,875	17,311	4,635	2,460	2,175
Liver & IBD ^a	27,949	19,881	8,068	19,353	13,818	5,535	3,222	2,349	873
Pancreas	44,804	22,078	22,726	36,536	18,189	18,347	4,827	2,219	2,608
Larynx	12,903	10,290	2,613	10,628	8,461	2,167	1,762	1,394	368
Lung & Bronchus	228,955	121,024	107,931	192,081	100,078	92,003	22,736	12,778	9,958
Melanoma of the skin	79,221	45,507	33,714	74,670	43,181	31,489	328	149	179
Breast	256,664	1,981	254,683	211,026	1,642	209,384	23,914	224	23,690
Cervix uteri	15,953	-	15,953	12,123	-	12,123	2,054	-	2,054
Corpus & Uterus, NOS	49,723	-	49,723	41,435	-	41,435	3,991	-	3,991
Ovary ^b	26,550	-	26,550	22,399	-	22,399	1,923	-	1,923
Prostate	262,238	262,238	-	207,324	207,324	-	31,955	31,955	-
Testis	10,726	10,726	-	9,808	9,808	-	269	269	-
Urinary bladder	78,104	58,689	19,415	69,887	52,876	17,011	3,856	2,546	1,310
Kidney & Renal pelvis	55,465	34,441	21,024	46,405	28,905	17,500	5,568	3,386	2,182
Brain & ONS ^a	24,633	13,725	10,908	21,579	12,127	9,452	1,486	764	722
Thyroid	42,389	10,174	32,215	35,012	8,671	26,341	2,476	507	1,969
Hodgkin lymphoma	10,880	5,885	4,995	9,038	4,885	4,153	1,182	633	549
Non-Hodgkin lymphoma	74,569	40,282	34,287	63,444	34,287	29,157	5,183	2,797	2,386
Myeloma	21,504	11,841	9,663	16,325	9,224	7,101	3,712	1,853	1,859
Leukemia	46,877	26,742	20,135	39,833	22,864	16,969	3,294	1,800	1,494
Acute lymphocytic	6,373	3,611	2,762	5,350	3,032	2,318	432	256	176
Chronic lymphocytic	15,761	9,362	6,399	13,842	8,198	5,644	897	547	350
Acute myeloid	13,240	7,084	6,156	11,014	6,007	5,007	1,031	484	547
Chronic myeloid	5,833	3,383	2,450	4,784	2,786	1,998	513	278	235
All others	5,670	3,302	2,368	4,843	2,841	2,002	421	235	186
Kaposi Sarcoma	2,293	2,087	206	1,601	1,460	141	505	459	46
Mesothelioma	3,913	2,985	928	3,575	2,741	834	195	142	53
All Sites	1,751,864	902,099	849,765	1,448,932	745,245	703,687	161,703	85,304	76,399

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.1

Number of Incidence Cases, 2004-2008

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	2,769	1,748	1,021	162	102	60	2,999	1,981	1,018
Esophagus	804	590	214	87	53	34	1,225	969	256
Stomach	4,166	2,360	1,806	213	132	81	4,967	2,814	2,153
Colon & Rectum	13,007	6,642	6,365	847	411	436	16,496	8,877	7,619
Colon	8,562	4,060	4,502	596	268	328	11,188	5,755	5,433
Rectum	4,445	2,582	1,863	251	143	108	5,308	3,122	2,186
Liver & IBD ^c	4,899	3,384	1,515	268	183	85	5,062	3,587	1,475
Pancreas	3,014	1,471	1,543	205	100	105	4,354	2,075	2,279
Larynx	371	321	50	37	27	-	1,030	883	147
Lung & Bronchus	12,429	7,281	5,148	836	423	413	12,658	6,905	5,753
Melanoma of the skin	492	243	249	87	38	49	2,451	1,037	1,414
Breast	18,338	89	18,249	977	-	971	25,053	129	24,924
Cervix uteri	1,438	-	1,438	106	-	106	3,819	-	3,819
Corpus & Uterus, NOS	3,596	-	3,596	213	-	213	5,079	-	5,079
Ovary ^d	1,923	-	1,923	127	-	127	3,121	-	3,121
Prostate	12,349	12,349	-	643	643	-	23,094	23,094	-
Testis	364	364	-	64	64	-	2,197	2,197	-
Urinary bladder	2,896	2,183	713	160	124	36	4,484	3,287	1,197
Kidney & Renal pelvis	2,611	1,610	1,001	383	221	162	6,814	4,104	2,710
Brain & ONS ^c	1,255	662	593	100	50	50	3,316	1,836	1,480
Thyroid	4,101	822	3,279	170	36	134	6,131	1,125	5,006
Hodgkin lymphoma	500	278	222	28	16	-	1,701	930	771
Non-Hodgkin lymphoma	4,418	2,402	2,016	244	127	117	8,204	4,420	3,784
Myeloma	1,100	580	520	92	46	46	2,311	1,218	1,093
Leukemia	2,490	1,352	1,138	185	101	84	6,017	3,370	2,647
Acute lymphocytic	485	269	216	40	23	17	2,301	1,283	1,018
Chronic lymphocytic	312	183	129	29	22	-	754	408	346
Acute myeloid	1,045	527	518	57	25	32	1,638	888	750
Chronic myeloid	355	219	136	33	17	16	728	430	298
All others	293	154	139	26	-	-	596	361	235
Kaposi Sarcoma	67	62	-	-	-	-	533	498	35
Mesothelioma	112	79	33	20	-	-	376	264	112
All Sites	106,280	50,068	56,212	6,785	3,164	3,621	166,328	81,439	84,889

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a Incidence data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.^c Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.^d IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^e Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2004-2008

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	39,405	26,849	12,556	32,703	21,944	10,759	5,308	3,965	1,343
Esophagus	67,513	53,011	14,502	58,889	46,792	12,097	7,332	5,251	2,081
Stomach	57,458	33,855	23,603	43,380	25,704	17,676	9,978	5,834	4,144
Colon & Rectum	265,857	134,400	131,457	224,587	113,839	110,748	34,053	16,859	17,194
Liver & IBD ^a	83,280	54,784	28,496	65,939	42,906	23,033	11,048	7,687	3,361
Pancreas	167,335	83,129	84,206	143,215	71,841	71,374	19,502	9,048	10,454
Larynx	18,679	14,747	3,932	15,131	11,859	3,272	3,257	2,643	614
Lung & Bronchus	793,097	445,827	347,270	693,818	386,660	307,158	82,225	49,149	33,076
Melanoma of the skin	41,822	27,063	14,759	40,905	26,612	14,293	625	296	329
Breast	206,011	1,934	204,077	172,101	1,604	170,497	28,986	300	28,686
Cervix uteri	19,779	-	19,779	14,950	-	14,950	3,960	-	3,960
Corpus & Uterus, NOS	36,601	-	36,601	29,547	-	29,547	6,115	-	6,115
Ovary	73,343	-	73,343	65,433	-	65,433	6,018	-	6,018
Prostate	143,843	143,843	-	117,553	117,553	-	23,831	23,831	-
Testis	1,758	1,758	-	1,569	1,569	-	126	126	-
Urinary bladder	67,636	47,032	20,604	61,816	43,722	18,094	4,865	2,663	2,202
Kidney & Renal pelvis	62,807	39,292	23,515	55,534	34,775	20,759	5,809	3,579	2,230
Brain & ONS ^a	65,825	36,590	29,235	60,467	33,681	26,786	3,954	2,117	1,837
Thyroid	7,600	3,200	4,400	6,541	2,864	3,677	668	200	468
Hodgkin lymphoma	6,317	3,529	2,788	5,520	3,075	2,445	666	376	290
Non-Hodgkin lymphoma	103,300	55,126	48,174	93,697	49,957	43,740	7,031	3,777	3,254
Myeloma	53,526	28,453	25,073	43,285	23,419	19,866	9,098	4,421	4,677
Leukemia	109,563	61,942	47,621	97,872	55,588	42,284	9,195	4,943	4,252
Acute lymphocytic	7,066	3,972	3,094	6,202	3,463	2,739	594	357	237
Chronic lymphocytic	22,097	13,113	8,984	20,076	11,885	8,191	1,840	1,110	730
Acute myeloid	42,550	23,718	18,832	38,035	21,425	16,610	3,307	1,622	1,685
Chronic myeloid	5,292	2,954	2,338	4,553	2,524	2,029	609	344	265
All others	32,558	18,185	14,373	29,006	16,291	12,715	2,845	1,510	1,335
All Sites	2,801,390	1,455,411	1,345,979	2,412,645	1,254,405	1,158,240	316,736	163,805	152,931

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2004-2008

By Primary Cancer Site, Race and Sex
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,180	784	396	135	98	37	1,707	1,253	454
Esophagus	984	729	255	213	167	46	2,484	2,008	476
Stomach	3,692	2,063	1,629	329	205	124	6,611	3,783	2,828
Colon & Rectum	5,963	3,027	2,936	901	479	422	13,443	7,274	6,169
Liver & IBD ^c	5,595	3,750	1,845	511	314	197	9,154	6,072	3,082
Pancreas	3,935	1,899	2,036	502	252	250	8,755	4,397	4,358
Larynx	198	170	28	58	49	-	907	814	93
Lung & Bronchus	13,645	8,152	5,493	2,228	1,197	1,031	22,451	14,138	8,313
Melanoma of the skin	205	104	101	63	38	25	889	522	367
Breast	4,085	24	4,061	572	-	567	10,170	60	10,110
Cervix uteri	697	-	697	123	-	123	2,286	-	2,286
Corpus & Uterus, NOS	802	-	802	98	-	98	1,970	-	1,970
Ovary	1,596	-	1,596	212	-	212	3,735	-	3,735
Prostate	1,905	1,905	-	372	372	-	6,773	6,773	-
Testis	51	51	-	-	-	-	296	296	-
Urinary bladder	789	536	253	105	75	30	2,201	1,507	694
Kidney & Renal pelvis	990	626	364	353	223	130	3,981	2,561	1,420
Brain & ONS ^c	1,179	661	518	152	90	62	3,838	2,099	1,739
Thyroid	360	121	239	23	-	-	646	265	381
Hodgkin lymphoma	112	62	50	-	-	-	566	325	241
Non-Hodgkin lymphoma	2,210	1,206	1,004	258	125	133	5,748	3,145	2,603
Myeloma	891	469	422	175	98	77	2,953	1,530	1,423
Leukemia	2,111	1,190	921	286	171	115	6,319	3,578	2,741
Acute lymphocytic	218	120	98	40	23	17	1,410	793	617
Chronic lymphocytic	122	84	38	38	24	-	478	277	201
Acute myeloid	1,063	586	477	111	68	43	2,268	1,267	1,001
Chronic myeloid	100	65	35	23	16	-	343	197	146
All others	608	335	273	74	40	34	1,820	1,044	776
All Sites	59,417	30,649	28,768	8,819	4,524	4,295	133,709	70,473	63,236

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Mortality data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Mortality data for Hispanics excludes deaths from District of Columbia and North Dakota.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.