

Table 4.11  
Cancer of the Female Breast (*In Situ*)

SEER Incidence<sup>a</sup> Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2002-2006</u>			
Age at Diagnosis:			
All ages	29.6	30.3	26.6
Under 65	22.2	22.7	18.4
65 and over	81.4	83.0	82.7
All ages (IARC world std) <sup>b</sup>	22.4	22.9	19.8
<u>Age-Specific Rates, 2002-2006</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.2	0.2	-
25-29	0.8	0.8	-
30-34	2.5	2.3	2.6
35-39	9.7	10.0	9.1
40-44	34.8	35.7	24.3
45-49	57.0	59.1	41.6
50-54	67.4	69.1	54.4
55-59	78.6	80.1	74.8
60-64	86.1	88.0	79.7
65-69	96.9	98.6	96.6
70-74	91.5	93.7	93.7
75-79	86.9	88.7	89.5
80-84	66.7	68.2	61.8
85+	34.0	33.6	41.7

<sup>a</sup> SEER 17 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

<sup>b</sup> Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.