


Figure 1.25

Partition of Trends in Incidence Rates For the Time Period 1999-2008 All Races, Both Sexes

Overall Decreasing Regression Coefficient : -3.25



Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia).


Percents may not add to 100 due to rounding.

* Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Figure 1.26

Partition of Trends in Incidence Rates For the Time Period 1999-2008 All Races, Males

Overall Decreasing Regression Coefficient : -5.71




Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia).
Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Figure 1.27

Partition of Trends in Incidence Rates For the Time Period 1999-2008 All Races, Females

Overall Decreasing Regression Coefficient : -1.77



Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia).


Percents may not add to 100 due to rounding.

* Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Figure 1.28

Partition of Trend in Death Rates For the Time Period 1999-2008 All Races, Both Sexes

Overall Decreasing Regression Coefficient : -2.85




Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Percents may not add to 100 due to rounding.

Figure 1.29

Partition of Trend in Death Rates For the Time Period 1999-2008 All Races, Males

Overall Decreasing Regression Coefficient : -4.19




Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Percents may not add to 100 due to rounding.

Figure 1.30

Partition of Trend in Death Rates For the Time Period 1999-2008 All Races, Females

Overall Decreasing Regression Coefficient : -2.15



Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Percents may not add to 100 due to rounding.