## 

## SEER<sup>a</sup> Relative Survival (Percent) By Year of Diagnosis

All Races, Females

Year of Diagnosis

		1980-							400=		4000				0001					2225	
	1979	1984	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Survival T	ime																				
1-year	96.8	97.6	98.0	97.6	98.5	98.4	98.0	98.5	98.0	97.8	98.1	98.4	98.7	98.5	98.4	98.6	98.9	98.5	98.9	98.9	99.0
2-year	91.0	91.5	92.8	93.1	94.0	94.6	94.3	93.6	93.8	93.8	94.8	95.2	95.2	95.7	94.9	95.9	96.1	96.0	96.0	96.7	
3-year	84.7	85.7	87.5	88.5	90.2	90.8	90.3	89.4	90.0	90.7	91.8	92.2	92.3	93.1	91.6	93.4	93.6	93.2	93.7		
4-year	80.1	81.0	83.5	85.0	86.9	86.5	87.2	86.3	86.7	88.2	88.8	89.5	90.0	90.6	89.3	90.7	91.8	91.2			
5-year	76.2	77.2	80.3	82.4	84.0	83.9	84.8	84.1	84.2	85.5	86.8	87.4	88.1	89.0	87.2	88.7	89.7				
6-year	73.4	74.2	77.9	80.2	81.8	81.7	83.0	82.0	82.3	83.3	84.8	85.5	86.1	87.4	85.2	86.7					
7-year	70.9	71.6	75.8	78.6	79.6	80.3	81.3	80.3	80.3	81.7	83.2	83.7	84.8	85.8	83.4						
8-year	69.0	69.5	74.2	76.6	78.2	78.6	79.7	79.0	78.7	80.0	81.4	82.4	83.5	83.8							
9-year	67.1	67.7	72.6	75.5	77.3	77.6	78.5	77.6	77.6	78.9	80.4	80.7	82.4								
10-year	65.6	66.3	71.4	74.4	76.3	76.8	77.3	76.5	76.3	77.6	79.1	79.7									
11-year	64.2	65.0	70.4	73.4	75.3	75.7	76.6	75.6	75.4	76.5	78.1										
12-year	62.8	64.0	69.3	72.5	73.9	75.1	76.0	74.2	74.5	75.8											
13-year	61.7	63.0	68.3	71.4	73.2	74.0	75.3	73.4	73.6												
14-year	61.0	61.8	67.6	70.8	72.4	73.4	74.2	72.6													
15-year	60.2	61.1	66.8	70.1	71.8	72.6	73.3														
16-year	59.5	60.3	66.1	69.7	70.7	72.1															
17-year	58.9	59.7	65.5	69.0	70.1																
18-year	58.3	59.1	64.9	68.6																	
19-year	57.7	58.6	64.3																		
20-year	57.0	58.0																			

Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).