

Table 4.13
Cancer of the Female Breast (*In Situ*)

SEER Incidence^a Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2006-2010</u>			
Age at Diagnosis:			
All ages	31.4	31.9	29.5
Under 65	23.5	23.9	20.6
65 and over	86.4	87.0	90.7
All ages (IARC world std) ^b	23.7	24.0	22.0
<u>Age-Specific Rates, 2006-2010</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.1	-	-
25-29	0.8	0.7	0.9
30-34	2.8	2.7	3.4
35-39	10.9	10.8	11.3
40-44	39.8	40.6	32.4
45-49	61.2	63.1	45.7
50-54	73.3	75.5	59.6
55-59	75.0	76.0	72.2
60-64	89.3	89.7	93.4
65-69	102.1	102.7	103.0
70-74	98.5	99.7	105.6
75-79	92.0	92.8	93.0
80-84	70.6	71.6	76.7
85+	35.1	34.3	45.4

^a SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.