


Table 5.14
Cancer of the Cervix Uteri (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2006-2010

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	2.35	0.02		
High Five States				
Mississippi	3.83	0.22	(01)	63.02 ^c
Arkansas	3.38	0.21	(02)	43.65 ^c
Louisiana	3.23	0.17	(03)	37.26 ^c
Oklahoma	2.93	0.17	(04)	24.42 ^c
Alabama	2.92	0.15	(05)	24.05 ^c
Low Five States				
Minnesota	1.47	0.10	(47)	-37.32 ^c
North Dakota	1.40	0.28	(48)	-40.61 ^c
Massachusetts	1.34	0.08	(49)	-43.10 ^c
Vermont	1.21	0.26	(50)	-48.36 ^c
Utah	1.20	0.15	(51)	-48.82 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	2.92	0.15	(05)	24.05 ^c	Montana	1.71	0.25	(43)	-27.38 ^c
Alaska	2.20	0.40	(27)	-6.60	Nebraska	1.77	0.20	(41)	-24.75 ^c
Arizona	1.90	0.11	(36)	-19.23 ^c	Nevada	2.44	0.19	(19)	3.63
Arkansas	3.38	0.21	(02)	43.65 ^c	New Hampshire	2.03	0.23	(32)	-13.64
California	2.36	0.05	(22)	0.45	New Jersey	2.38	0.10	(21)	1.12
Colorado	1.76	0.12	(42)	-25.32 ^c	New Mexico	2.40	0.21	(20)	1.91
Connecticut	1.59	0.12	(45)	-32.22 ^c	New York	2.33	0.06	(24)	-0.89
Delaware	2.57	0.33	(17)	9.22	North Carolina	2.16	0.09	(28)	-8.29
D.C.	2.58	0.42	(16)	9.73	North Dakota	1.40	0.28	(48)	-40.61 ^c
Florida	2.64	0.07	(13)	12.23	Ohio	2.67	0.09	(12)	13.59
Georgia	2.73	0.11	(11)	16.32 ^c	Oklahoma	2.93	0.17	(04)	24.42 ^c
Hawaii	1.79	0.22	(39)	-23.85 ^c	Oregon	1.85	0.14	(38)	-21.15 ^c
Idaho	2.07	0.24	(31)	-11.92	Pennsylvania	2.21	0.08	(26)	-6.20
Illinois	2.60	0.09	(15)	10.47	Rhode Island	1.61	0.23	(44)	-31.66 ^c
Indiana	2.36	0.12	(23)	0.42	South Carolina	2.88	0.15	(06)	22.37 ^c
Iowa	2.08	0.16	(30)	-11.43	South Dakota	1.92	0.30	(35)	-18.27 ^c
Kansas	1.94	0.17	(34)	-17.56 ^c	Tennessee	2.62	0.12	(14)	11.64
Kentucky	2.81	0.15	(09)	19.71 ^c	Texas	2.85	0.07	(07)	21.09 ^c
Louisiana	3.23	0.17	(03)	37.26 ^c	Utah	1.20	0.15	(51)	-48.82 ^c
Maine	1.78	0.21	(40)	-24.46 ^c	Vermont	1.21	0.26	(50)	-48.36 ^c
Maryland	2.26	0.12	(25)	-3.80	Virginia	2.10	0.10	(29)	-10.77
Massachusetts	1.34	0.08	(49)	-43.10 ^c	Washington	1.89	0.10	(37)	-19.70 ^c
Michigan	2.02	0.09	(33)	-13.92	West Virginia	2.77	0.24	(10)	17.98 ^c
Minnesota	1.47	0.10	(47)	-37.32 ^c	Wisconsin	1.57	0.10	(46)	-33.19 ^c
Mississippi	3.83	0.22	(01)	63.02 ^c	Wyoming	2.82	0.46	(08)	19.98 ^c
Missouri	2.54	0.13	(18)	7.96					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.