

Table 6.11  
Cancer of the Colon (Invasive) and Cancer of the Rectum (Invasive)  
SEER Incidence<sup>a</sup> Rates, Age-Adjusted and Age-Specific Rates, by Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>Cancer of the Colon</u>									
<u>Age at Diagnosis</u>									
Age-Adjusted Rates, 2008-2012									
All ages	30.1	33.5	27.4	29.5	32.9	26.8	39.1	44.6	35.3
Under 65	11.1	12.2	10.1	10.6	11.6	9.5	16.0	17.2	15.0
65 and over	161.5	181.1	146.6	160.9	179.6	146.5	198.5	234.2	175.4
All ages (IARC world std) <sup>b</sup>	18.3	20.4	16.4	17.7	19.8	15.9	24.8	28.1	22.4
Age-Specific Rates, 2008-2012									
<1	-	-	-	-	-	-	-	-	-
1-4	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	0.1	-	-	-	-	-	-	-	-
15-19	0.3	0.3	0.3	0.3	0.2	0.3	-	-	-
20-24	0.7	0.8	0.6	0.7	0.8	0.6	0.5	-	-
25-29	1.4	1.4	1.5	1.5	1.4	1.5	1.3	1.0	1.5
30-34	2.9	2.9	2.9	3.1	3.1	3.0	2.8	2.4	3.3
35-39	5.4	5.2	5.5	5.4	5.4	5.4	5.9	5.0	6.6
40-44	10.1	10.1	10.1	9.7	9.9	9.4	13.3	12.4	14.1
45-49	18.2	18.7	17.6	17.1	17.7	16.6	26.1	27.1	25.3
50-54	34.3	37.4	31.3	32.1	35.7	28.5	49.3	51.6	47.3
55-59	44.1	49.9	38.7	41.1	46.5	35.9	67.9	77.1	60.1
60-64	64.5	75.5	54.4	60.9	71.3	51.0	98.2	112.5	86.6
65-69	96.9	113.6	82.2	93.1	109.3	78.5	139.2	164.5	119.6
70-74	137.9	158.4	120.7	135.8	155.4	119.1	185.2	223.5	157.5
75-79	178.8	197.9	164.1	179.3	196.7	165.6	220.0	252.9	198.9
80-84	220.9	242.5	206.5	223.5	242.8	210.3	243.7	311.3	207.1
85+	254.0	276.9	242.5	257.7	281.8	245.7	267.0	289.1	258.1
<u>Cancer of the Rectum</u>									
<u>Age at Diagnosis</u>									
Age-Adjusted Rates, 2008-2012									
All ages	12.3	15.3	9.7	12.0	15.0	9.5	13.2	16.6	10.7
Under 65	6.8	8.1	5.6	6.6	7.8	5.4	7.5	9.1	6.2
65 and over	49.9	65.1	38.5	49.2	64.3	37.7	52.3	68.1	42.0
All ages (IARC world std) <sup>b</sup>	8.4	10.4	6.6	8.2	10.1	6.5	9.2	11.4	7.4
Age-Specific Rates, 2008-2012									
<1	-	-	-	-	-	-	-	-	-
1-4	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-
15-19	0.1	-	0.1	0.1	-	-	-	-	-
20-24	0.3	0.4	0.3	0.4	0.4	0.3	-	-	-
25-29	0.9	1.0	0.8	0.9	1.1	0.8	0.9	0.9	0.9
30-34	1.9	2.1	1.7	1.9	2.1	1.6	1.7	1.5	1.8
35-39	3.6	3.7	3.5	3.7	3.6	3.9	3.1	3.5	2.7
40-44	7.0	7.7	6.2	7.0	7.6	6.4	6.4	7.5	5.5
45-49	12.5	14.5	10.6	12.4	14.2	10.5	12.3	14.8	10.0
50-54	23.5	27.1	20.0	22.2	25.6	18.9	27.4	31.0	24.2
55-59	25.8	32.3	19.8	24.6	31.0	18.5	30.3	37.0	24.5
60-64	31.9	41.5	23.0	30.5	39.4	22.1	39.7	53.3	28.6
65-69	41.2	53.5	30.3	39.9	51.9	29.0	44.7	56.9	35.3
70-74	47.5	62.4	35.1	46.9	61.3	34.7	48.6	68.3	34.2
75-79	53.2	68.4	41.5	52.7	68.0	40.6	56.8	68.3	49.4
80-84	59.1	77.3	46.9	58.3	76.3	46.1	62.6	83.4	51.4
85+	57.9	76.8	48.5	58.1	77.2	48.5	56.7	74.8	49.4

<sup>a</sup> SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

<sup>b</sup> Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.