Table 15.21 Lung and Bronchus (Invasive)

SEER Incidence and U.S. Mortality Age-Adjusted Rates and Trends^a By Race/Ethnicity and Sex

SEER Incidence	SEER 18 Areas ^b Rate 2008-2012 Rate per 100,000 persons			SEER 13 Areas ^b Trend 2003-2012 ^c AAPC (%)			SEER 9 Areas ^b Trend 2003-2012 ^d AAPC (%)		
RACE/ETHNICITY	Total	Males	Females	Total	Males	Females	Total	Males	Females
IACE/EIIIVICIII									
All Races	58.7	70.1	50.2	-2.0*	-2.7*	-1.3*	-1.7*	-2.4*	-1.0*
White	60.2	70.3	52.7	-2.0*	-2.6*	-1.3*	-1.7*	-2.4*	-1.0*
White Hispanic ^e	31.4	39.3	25.9	-1.3*	-2.1*	-0.4*	_	_	_
White Non-Hispanic ^e	64.6	74.8	56.9	-1.8*		-1.2*	-	-	-
Black	67.0	90.9	50.8	-2.3*	-2.6*	-1.3*	-1.7*	-2.7*	0.1
Asian/Pacific Islander	37.1	49.0	28.5	-1.3*	-2.3*	0.3	-	-	_
Amer Ind/Alaska Nat ^f	39.9	47.6	34.5	-0.7	-1.5*	0.5	-	-	-
Hispanic ^e	30.4	37.9	25.1	-1.3*	-2.1*	-0.4*	-	-	-
<u>U.S. Mortality</u>									
		2008-2	012 0 persons		d 2003- AAPC (%)				
		100,00			AAPC (%				
RACE/ETHNICITY	Rate per	100,00	0 persons		AAPC (%)			
RACE/ETHNICITY All Races	Rate per	100,00	0 persons		AAPC (%	Females			
	Rate per	100,00 Males	0 persons Females 37.8	Total	Males -2.7*	Females -1.4*			
All Races White	Rate per Total 47.2	100,00 Males 59.8	0 persons Females		Males -2.7* -2.6*	Females -1.4* -1.3*			
All Races	Rate per	100,00 Males 59.8 59.7	0 persons Females 37.8 39.1	Total -2.0* -1.9*	AAPC (%) Males -2.7* -2.6* -2.8*	Females -1.4* -1.3* -1.2*			
All Races White White Hispanice	Total 47.2 47.9 21.3	100,00 Males 59.8 59.7 30.9	0 persons Females 37.8 39.1 14.4	Total -2.0* -1.9* -2.3*	AAPC (%) Males -2.7* -2.6* -2.8*	Females -1.4* -1.3* -1.2*			
All Races White White Hispanice White Non-Hispanice	Total 47.2 47.9 21.3 50.4	59.8 59.7 30.9 62.2	0 persons Females 37.8 39.1 14.4 41.4	Total -2.0* -1.9* -2.3* -1.8*	Males -2.7* -2.6* -2.5*	-1.4* -1.3* -1.2* -1.7*			
All Races White White Hispanice White Non-Hispanice Black	A7.2 47.9 21.3 50.4	59.8 59.7 30.9 62.2	0 persons Females 37.8 39.1 14.4 41.4 35.8	Total -2.0* -1.9* -2.3* -1.8* -2.5*	Males -2.7* -2.6* -2.8* -2.5*	-1.4* -1.3* -1.2* -1.7*			
All Races White White Hispanice White Non-Hispanice Black Asian/Pacific Islander	A7.2 47.9 21.3 50.4	59.8 59.7 30.9 62.2	0 persons Females 37.8 39.1 14.4 41.4 35.8	Total -2.0* -1.9* -2.3* -1.8* -2.5*	-2.7* -2.6* -2.5* -3.4* -1.6*	-1.4* -1.3* -1.2* -1.2* -1.7* -0.4*			
All Races White White Hispanice White Non-Hispanice Black Asian/Pacific Islander Amer Ind/Alaska Nat	A7.2 47.9 21.3 50.4 50.6 24.8	100,00 Males 59.8 59.7 30.9 62.2 73.1 34.0	0 persons Females 37.8 39.1 14.4 41.4 35.8 18.2	Total -2.0* -1.9* -2.3* -1.8* -2.5* -1.2*	-2.7* -2.6* -2.5* -3.4* -1.6*	Females -1.4* -1.3* -1.2* -1.2* -1.7* -0.4*			
All Races White White Hispanice White Non-Hispanice Black Asian/Pacific Islander Amer Ind/Alaska Nat Total U.S.	Rate per Total 47.2 47.9 21.3 50.4 50.6 24.8	59.8 59.7 30.9 62.2 73.1 34.0	0 persons Females 37.8 39.1 14.4 41.4 35.8 18.2	Total -2.0* -1.9* -2.3* -1.8* -2.5* -1.2*	-2.7* -2.6* -2.5* -3.4* -1.6*	-1.4* -1.3* -1.2* -1.7* -0.4*			

The AAPC is the Average Annual Percent Change over the time interval. The AAPCs are calculated by the Joinpoint Regression Program Version 4.2.0, April 2015, National Cancer Institute. Statistic not shown. Rate based on less than 16 cases for the time interval.

Trend based on less than 10 cases for at least one year within the time interval.
Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130). Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130). The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, b Utah, and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry, and $\bar{\text{R}}\text{ural Georgia.}$

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky,

- Louisiana, New Jersey, and Georgia excluding ATL/RG.
 The 2003-2012 AAPC estimates are based on a Joinpoint analysis with up to 3 Joinpoints over diagnosis years 1992-2012.
- The 2003-2012 AAPC estimates are based on a Joinpoint analysis with up to 5 Joinpoints over d diagnosis years 1975-2012.
- Hispanic and Non-Hispanic are not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics and Non-Hispanics are based on NHIA and exclude cases from the Alaska Native Registry. The 200 Non-Hispanic mortality trends exclude deaths from New Hampshire and Oklahoma. The 2003-2012 Hispanic and
- Incidence data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.
- US Mortality Files, National Center for Health Statistics, CDC.
- The 2003-2012 mortality AAPCs are based on a Joinpoint analysis using years of death 1992-2012. The APC is significantly different from zero (p<.05).