

Table I-10  
SEER INCIDENCE AND U.S. MORTALITY TRENDS BY PRIMARY CANCER SITE AND SEX  
Blacks, 1992-99

Site	Incidence§			US Mortalityä		
	Total EAPC	Males EAPC	Females EAPC	Total EAPC	Males EAPC	Females EAPC
All Sites	-1.3★	-2.7★	0.1	-1.2★	-1.9★	-0.4★
Oral Cavity & Pharynx:	-3.0★	-3.4★	-1.5	-3.7★	-4.2★	-2.0
Lip	-3.5	-	-			-
Tongue	-3.2	-5.5	2.4	-5.3★	-5.7★	-4.1★
Salivary gland	-0.4	-1.3	1.2	0.8	-1.5	5.0
Floor of mouth	-5.4	-7.5	0.9	-8.1★	-7.7★	-9.0★
Gum & other oral cavity	-3.9	-3.0	-5.0	-5.2★	-5.6★	-3.4
Nasopharynx	-0.6	-2.1	4.1	0.2	-2.4	5.7
Tonsil	1.1	1.5	1.2	-4.0★	-4.9★	-0.4
Oropharynx	-1.5	-1.4	-1.3	-1.6	-1.3	-2.1
Hypopharynx	-5.7	-4.6	-8.1	-6.2★	-7.3★	-0.8
Other oral cavity & pharynx	-6.0	-2.3	-	-2.8★	-2.6★	-2.9
Digestive System:	-0.8★	-1.8★	0.0	-1.0★	-1.5★	-0.6★
Esophagus	-5.8★	-7.1★	-3.5★	-4.1★	-4.4★	-3.4★
Stomach	-0.7	-2.9	2.1	-2.1★	-2.3★	-1.9★
Small intestine	3.7	0.5	7.6★	0.2	-0.3	0.6
Colon & Rectum:	-0.5	-1.1	0.0	-0.5★	-1.0★	-0.3
Colon	-0.6	-1.2	-0.3	-0.4	-0.9★	-0.1
Rectum	0.1	-0.7	0.9	-1.2	-1.0	-1.6
Anus, anal canal & anorectum	-0.4	-1.0	0.1	-0.6	-2.8	-0.3
Liver & Intrahep:	3.1	2.6	3.6	1.9★	1.6	1.7
Liver	3.2★	3.0★	3.1	1.4	1.4	0.7
Intrahep bile duct	2.1	-0.1	4.7	5.4★	3.6	7.3★
Gallbladder	1.5	1.4	1.4	0.0	1.0	-0.2
Other biliary	-3.6	-5.5	-2.9	-2.4	0.5	-4.1★
Pancreas	-2.3★	-2.1★	-2.5	-0.8	-1.4★	-0.5
Retroperitoneum	-3.4	7.3	-10.1	-3.7	3.0	-8.0
Peritoneum, omentum & mesentery	11.2★	-	12.2★	7.4★	1.9	8.9★
Other digestive system	0.8	0.1	4.2	3.8	6.9	1.0
Respiratory System:	-1.5★	-2.9★	0.6	-1.3★	-2.4★	1.0★
Nose, nasal cavity & middle ear	-1.2	0.7	-3.2	-5.4	-7.6	-3.7
Larynx	-3.2	-4.2★	0.0	-2.7★	-2.6★	-3.3★
Lung & bronchus	-1.4★	-2.8★	0.7	-1.2★	-2.4★	1.1★
Pleura	-1.7	-2.9	2.0	-5.1	-7.1★	0.5
Trachea & other respiratory organs	12.3	17.8★	13.7	-7.6★	-4.8	-11.5★
Bones & joints	-3.0	-4.2	-4.5	-3.5	-3.4	-4.6
Soft tissue (incl heart)	0.3	1.3	-0.1	-1.2	2.2	-3.3★
Skin (ex basal & squam):	-6.3★	-8.0★	2.1	-5.0★	-4.7★	-5.1
Melanoma of skin	4.9	9.2	2.7	-1.1	-0.5	-1.0
Other non-epithelial skin	-9.1★	-11.1★	1.8	-7.4★	-6.2★	-10.4★
Breast	0.2	3.6	0.3	-0.7	2.0	-0.7

§ The EAPC is the Estimated Annual Percent Change over the time interval. SEER 12 areas. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

ä NCHS public use data file. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

\* The EAPC is significantly different from zero ( $p<.05$ ).  
- Statistic could not be calculated.

Table I-10 - continued  
 SEER INCIDENCE AND U.S. MORTALITY TRENDS BY PRIMARY CANCER SITE AND SEX  
 Blacks, 1992-99

Site	Incidence§			US Mortalityä		
	Total EAPC	Males EAPC	Females EAPC	Total EAPC	Males EAPC	Females EAPC
Female Genital System:	-0.9	-	-0.7	-2.1★	-	-2.0★
Cervix uteri	-2.0★	-	-1.9★	-4.9★	-	-4.9★
Corpus uteri	0.8	-	1.1	-1.3	-	-1.3
Uterus, NOS	-4.9	-	-5.0	0.2	-	0.4
Ovary	-1.1	-	-1.0	-1.1	-	-0.9
Vagina	-1.9	-	-1.9	-2.8	-	-2.7
Vulva	-2.6	-	-2.6	-3.8	-	-3.8
Other female genital system	-4.2	-	-3.3	3.2	-	3.2
Male Genital System:	-2.6★	-3.4★	-	-2.1★	-2.3★	-
Prostate	-2.7★	-3.5★	-	-2.1★	-2.3★	-
Testis	8.0	8.6★	-	2.4	2.4	-
Penis	-3.1	-1.8	-	-5.3	-6.4	-
Other male genital system	-	-	-	3.5	6.1	-
Urinary System:	0.7	0.0	1.9	-0.4	-1.1★	0.0
Urinary bladder	0.3	-0.1	0.8	-1.1★	-2.3★	-0.1
Kidney & renal pelvis	1.5	0.2	3.2	0.4	0.4	0.2
Ureter	-4.4	-2.8	-	-4.1★	-13.7★	1.6
Other urinary system	-3.3	-2.1	-3.9	-3.8	-7.7	-1.7
Eye & Orbit	2.1	3.0	2.3	3.6	4.1	5.4
Brain & Nervous System:	0.1	0.8	-0.2	-0.1	-0.5	0.2
Brain	0.4	1.5	-0.5	-0.3	-0.6	0.0
Cranial nerves & other nervous system	-1.5	-4.8	2.2	4.0	2.6	3.4
Endocrine System:	1.2	-3.2	2.7★	0.2	1.0	-0.1
Thyroid	1.9	-4.1	3.7★	1.4	3.9	0.7
Other endocrine & thymus	-2.0	-0.3	-3.3	-1.2	-1.2	-1.2
Lymphoma:	0.5	-0.8	2.4	0.6	0.6	0.7
Hodgkin lymphoma	-2.2	-1.3	-3.3	-3.7★	-4.2★	-3.7
Non-Hodgkin lymphoma	0.9	-0.8	3.6	1.0	1.0	1.1
Multiple myeloma	-1.7	-1.5	-1.8	0.0	-0.6	0.5
Leukemia:	-2.0★	-1.7	-2.1	-0.7	-1.0	-0.4
Lymphocytic:	-2.7	-2.1	-3.1	-1.4	-2.6★	0.1
Acute lymphocytic	-0.9	1.7	-4.3	-1.8	-1.4	-2.2
Chronic lymphocytic	-3.7	-3.2	-3.5	-1.2	-2.9★	1.4
Other lymphocytic	8.2	-	-	-3.6	0.1	-7.5
Myeloid:	0.0	1.1	-0.9	0.2	0.8	-0.5
Acute myeloid	1.2	4.2★	-1.2	2.1★	2.3★	1.8
Chronic myeloid	-2.3	-3.0	-0.8	-4.0	-2.5	-6.0★
Other myeloid	2.7	-	11.1	7.3★	9.4	3.9
Monocytic:	3.6	2.0	-	-2.5	-5.5	-0.2
Acute monocytic	3.7	5.2	-	-6.1	-	-1.4
Chronic monocytic	-	-	-	-	-	-
Other monocytic	-	-	-	-	-	-
Other:	-8.8★	-12.8★	-5.7	-1.3	-1.7	-0.7
Other acute	-11.8★	-12.5	-15.1	-2.6	-4.3★	-0.8
Other chronic	-	-	-	0.9	5.3	-6.4
Aleukemic, subleuk & NOS	-6.5★	-13.7★	1.4	-0.4	-0.2	-0.4
Ill-defined & unspecified	-3.3★	-3.7★	-3.0★	-0.4	-0.9	0.1

§ The EAPC is the Estimated Annual Percent Change over the time interval. SEER 12 areas. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

ä NCHS public use data file. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

\* The EAPC is significantly different from zero ( $p<.05$ ).  
 - Statistic could not be calculated.