# Partition of Trend in Incidence Rates for the Time Period 1994-2003 All Races, Both Sexes


**Overall Net Trend** % of decreasing **Overall Decreasing Trend** Lung & Bronchus 30.8% Colon & Rectum 20.8% Breast (Female) 13.0% Oral Cavity & Pharynx 6.8% Cervix Uteri 6.4% Stomach 5.6% 4.7% Leukemia **Corpus & Uterus** 4.5% Ovary\* 3.2% All Other Sites 1.6% Non-Hodgkin Lymphoma 1.2% Pancreas 1.0% Brain & ONS 0.7% % of increasing **Overall Increasing Trend** Urinary Bladder 1.6% Melanoma of the Skin 41.6% 56.8% Prostate -1.5 -3 -2.5 -2 -1 -0.5 0 0.5 1 Change in Incidence Rate (Cases/100,000/Year)

**Overall Decreasing Regression Coefficient : -1.78** 

Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia). Percents may not add to 100 due to rounding.

\* Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

# Partition of Trend in Incidence Rates for the Time Period 1994-2003 All Races, Males




**Overall Decreasing Regression Coefficient : -3.71** 

Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia). Percents may not add to 100 due to rounding.

# Partition of Trend in Incidence Rates for the Time Period 1994-2003 All Races, Females

**Overall Decreasing Regression Coefficient : -0.92** 




Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia). Percents may not add to 100 due to rounding.

\* Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

# Partition of Trend in Death Rates for the Time Period 1994-2003 All Races, Both Sexes


**Overall Decreasing Regression Coefficient : -2.29** 



Source: NCHS public-use file for the total US. Percents may not add to 100 due to rounding.

# Partition of Trend in Death Rates for the Time Period 1994-2003 All Races, Males


**Overall Decreasing Regression Coefficient : -4.05** 



Source: NCHS public-use file for the total US. Percents may not add to 100 due to rounding.

# Partition of Trend in Death Rates for the Time Period 1994-2003 All Races, Females

**Overall Decreasing Regression Coefficient : -1.44** 



Source: NCHS public-use file for the total US. Percents may not add to 100 due to rounding.