Table I-19 AGE-ADJUSTED SEER INCIDENCE RATES AND TRENDS FOR THE TOP 15 CANCER SITES BY RACE/ETHNICITY

Both Sexes

All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC°
	2000-2003	1994-2003		2000-2003	1994-2003		2000-2003	1994-2003
All Sites	471.3	-0.4	All Sites	478.4	-0.3	All Sites	504.4	-0.9*
Prostate ^f	74.8	0.5	Breast	72.4	-0.4	Prostate ^f	106.6	-0.9
Breast	70.4	-0.5	Prostate ^f	72.4	0.7	Lung and Bronchus	76.9	-1.3*
Lung and Bronchus	64.8	-1.2*	Lung and Bronchus	66.0	-1.1*	Breast	67.9	-0.4
Colon and Rectum	52.4	-1.0*	Colon and Rectum	52.0	-1.1*	Colon and Rectum	62.8	-0.3
Urinary Bladder	20.9	0.0	Urinary Bladder	22.8	0.2	Pancreas	14.9	-2.0*
Non-Hodgkin Lymphoma	19.1	-0.1	Melanoma of the Skin	21.1	2.1*	Non-Hodgkin Lymphoma	14.3	-0.1
Melanoma of the Skin	18.2	1.6*	Non-Hodgkin Lymphoma	19.9	-0.1	Kidney and Renal Pelvis	14.1	1.1
Corpus and Uterus, NOSf	12.6	-0.9*	Corpus and Uterus, NOS ^f	13.1	-1.0*	Stomach	12.8	-2.3*
Kidney and Renal Pelvis	12.6	1.9*	Kidney and Renal Pelvis	13.0	2.2*	Urinary Bladder	12.4	0.7
Leukemia	12.2	-0.9*	Leukemia	12.7	-0.9*	Corpus and Uterus, NOSf	11.3	1.2
Pancreas	11.3	-0.2	Pancreas	11.1	0.1	Oral Cavity and Pharynx	11.1	-2.9*
Oral Cavity and Pharynx	10.5	-1.5*	Oral Cavity and Pharynx	10.5	-1.3*	Myeloma	10.9	-1.5*
Thyroid	8.2	5.0*	Thyroid	8.6	5.4*	Leukemia	10.1	-0.5
Stomach	8.1	-1.5*	Ovary ^{fh}	7.8	-1.0*	Liver & IBD ^g	7.2	3.5*
Ovary ^{fh}	7.4	-1.0*	Stomach	7.1	-1.5*	Cervix Uteri ^f	6.4	-4.5*

Asian/Pacific Islander			American Indian/Alaska Native			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^d	APC ^d		Rate ^b	APC ^c
	2000-2003	1994-2003		1999-2002	1994-2002		2000-2003	1994-2003
All Sites	315.6	-0.6*	All Sites	325.8	-1.4	All Sites	353.1	-0.7
Breast	48.5	0.9	Colon and Rectum	46.5	-1.4	Prostate ^f	60.9	-0.2
Colon and Rectum	42.4	-0.7	Lung and Bronchus	43.1	-3.9*	Breast	48.1	-0.5
Prostate ^f	41.8	-0.7	Breast	40.0	-3.0	Colon and Rectum	39.0	-0.7
Lung and Bronchus	39.6	-0.8*	Prostate ^f	30.7	-3.4	Lung and Bronchus	32.6	-1.9*
Stomach	14.4	-3.2*	Stomach	16.2	4.7	Non-Hodgkin Lymphoma	16.1	-0.8*
Liver & IBD ^g	13.8	0.1	Kidney and Renal Pelvis	14.9	-2.0	Stomach	12.3	-1.9*
Non-Hodgkin Lymphoma	13.2	-0.1	Non-Hodgkin Lymphoma	12.4	3.3	Kidney and Renal Pelvis	12.1	2.7*
Urinary Bladder	9.3	0.6	Pancreas	10.8	1.5	Urinary Bladder	11.5	-0.2
Pancreas	8.9	-0.9	Liver & IBD ^g	9.9	-0.8	Pancreas	10.3	-1.1
Corpus and Uterus, NOSf	8.6	0.4	Corpus and Uterus, NOSf	8.4	-	Leukemia	9.5	-2.2*
Thyroid	8.4	2.3*	Oral Cavity and Pharynx	8.2	-8.4*	Liver & IBD ^g	9.5	1.3
Oral Cavity and Pharynx	7.9	-1.7	Urinary Bladder	7.2	-	Corpus and Uterus, NOSf	9.2	-0.5
Leukemia	7.3	-1.4*	Ovary ^{fh}	7.1	-0.2	Cervix Uteri ^f	7.3	-3.7*
Kidney and Renal Pelvis	6.3	1.4	Leukemia	7.1	2.0	Thyroid	7.2	4.1*
Ovary ^{fh}	5.3	0.2	Thyroid	6.4	1.3	Ovary ^{fh}	6.2	-0.2

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.
- a Top 15 cancer sites selected based on 2000-2003 age-adjusted rates for the race/ethnic group.
- Incidence data used in calculating the rates are from the 17 SEER areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey). Rates are age-adjusted to the 2000 US Std Population (19 age groups Census P25-1130).
- The APC is the Annual Percent Change over the time interval. Incidence data used in calculating the trends are from the 13 SEER areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia). Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups Census P25-1130).
- d Incidence data for American Indians/Alaska Natives include cases from Connecticut, Detroit, Iowa, New Mexico, Seattle, Utah, Atlanta, and the Alaska Native Registry for the time period 1994-2002.
- Hispanic is not mutually exclusive from Whites, Blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.
- Incidence data for Hispanics are based on NHIA and exclude cases from Hawaii, Seattle, Alaska Native Registry and Kentucky.
- f The rates for sex-specific cancer sites are calculated using the population for both sexes combined.
- g IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.
- h Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.
- * The APC is significantly different from zero (p<.05).