

Table 16.5  
Melanoma of the Skin (Invasive)

Age-adjusted SEER Incidence<sup>a</sup> Rates by Year, Race and Sex

Year of Diagnosis:	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
1975-2010	16.38	20.21	13.78	19.26	23.55	16.41	1.02	1.21	0.90
1975	7.89	8.54	7.44	8.70	9.42	8.21	-	-	-
1976	8.16	8.68	7.69	9.01	9.55	8.53	1.69	-	-
1977	8.86	9.78	8.15	9.87	10.85	9.14	-	-	-
1978	8.95	9.49	8.72	10.12	10.72	9.90	-	-	-
1979	9.55	10.56	8.91	10.79	11.93	10.10	-	-	-
1980	10.52	11.80	9.63	12.03	13.41	11.12	-	-	-
1981	11.09	12.09	10.44	12.58	13.55	12.00	1.35	-	-
1982	11.18	12.50	10.27	12.80	14.19	11.88	-	-	-
1983	11.09	12.67	10.03	12.64	14.40	11.47	-	-	-
1984	11.40	12.92	10.42	13.10	14.82	12.02	-	-	-
1985	12.78	15.18	11.16	14.51	17.24	12.70	-	-	-
1986	13.31	15.69	11.61	15.21	17.87	13.34	-	-	-
1987	13.67	15.93	12.16	15.61	18.12	13.97	1.30	-	-
1988	12.87	14.96	11.45	14.93	17.37	13.30	1.07	-	-
1989	13.74	16.39	11.91	15.92	18.93	13.88	1.13	-	-
1990	13.85	16.68	11.84	16.16	19.33	13.93	1.16	-	-
1991	14.63	17.63	12.54	17.11	20.49	14.77	1.17	-	-
1992	14.78	18.33	12.22	17.23	21.25	14.37	-	-	-
1993	14.64	18.19	12.08	17.05	21.03	14.21	-	-	-
1994	15.65	19.84	12.60	18.38	23.23	14.87	1.03	-	-
1995	16.44	20.24	13.81	19.32	23.50	16.47	1.73	3.08	-
1996	17.34	21.73	14.17	20.49	25.38	16.98	1.06	-	-
1997	17.73	21.70	14.87	20.96	25.24	17.92	1.10	-	-
1998	17.93	22.14	14.99	21.44	26.22	18.15	1.19	-	-
1999	18.30	22.91	15.07	21.92	27.05	18.35	1.14	-	-
2000	18.94	23.87	15.50	22.84	28.32	19.08	0.83	-	-
2001	19.67	24.53	16.27	23.88	29.29	20.14	0.81	-	-
2002	19.31	23.99	16.11	23.37	28.50	19.92	1.11	-	-
2003	19.54	24.21	16.25	23.78	28.90	20.23	0.84	-	-
2004	20.65	25.52	17.29	25.23	30.80	21.39	0.82	-	-
2005	22.44	28.15	18.41	27.65	34.07	23.14	1.07	-	1.03
2006	22.09	27.69	18.08	27.14	33.30	22.77	0.98	-	-
2007	21.73	27.52	17.73	26.75	33.18	22.32	1.16	-	-
2008	23.09	29.23	18.77	28.50	35.36	23.67	1.25	1.42	-
2009	22.88	29.18	18.39	28.03	35.04	23.01	1.07	1.11	0.98
2010	23.57	29.62	19.30	28.85	35.41	24.23	1.02	-	0.92

<sup>a</sup> SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta). Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).  
- Statistic not shown. Rate based on less than 16 cases for the time interval.