

Table 11.5
Cancer of the Kidney and Renal Pelvis (Invasive)
Age-adjusted SEER Incidence^a Rates by Year, Race and Sex

Year of Diagnosis:	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
1975-2012	11.70	16.37	8.00	11.79	16.51	8.05	13.80	19.60	9.53
1975	7.08	10.34	4.52	7.33	10.82	4.63	6.17	8.24	4.31
1976	7.97	11.20	5.48	8.13	11.48	5.59	7.75	11.68	4.69
1977	8.06	11.42	5.49	8.13	11.68	5.48	8.51	11.10	6.39
1978	7.84	11.82	4.83	7.97	12.09	4.88	8.01	11.01	5.65
1979	7.63	11.12	5.05	7.85	11.59	5.10	7.26	8.22	6.30
1980	8.06	11.69	5.38	8.36	12.21	5.55	5.97	7.95	4.36
1981	8.49	12.83	5.30	8.57	13.03	5.32	10.00	15.77	5.82
1982	8.36	11.82	5.73	8.53	12.02	5.88	7.59	11.20	4.90
1983	8.94	13.25	5.66	9.24	13.78	5.80	8.81	13.53	5.52
1984	9.19	13.13	6.20	9.48	13.62	6.34	8.96	12.01	6.79
1985	8.94	13.12	5.75	9.22	13.59	5.92	8.62	11.69	6.21
1986	9.66	13.83	6.55	9.83	14.10	6.66	9.95	14.74	6.49
1987	9.90	14.07	6.73	10.08	14.35	6.87	11.06	15.60	7.51
1988	9.94	13.99	6.97	10.11	14.31	7.06	11.60	15.36	8.79
1989	10.31	14.49	7.15	10.59	15.05	7.22	10.78	15.06	7.82
1990	10.44	14.72	7.14	10.70	14.98	7.44	10.51	15.94	6.61
1991	10.65	15.07	7.18	10.82	15.25	7.34	12.24	18.19	7.79
1992	10.80	15.34	7.41	11.09	15.63	7.73	10.98	16.39	7.18
1993	10.76	14.70	7.63	10.86	14.76	7.74	12.77	17.29	9.44
1994	11.30	15.67	7.86	11.56	16.01	8.05	12.68	17.94	8.66
1995	11.12	15.48	7.66	11.13	15.40	7.71	14.21	21.51	9.19
1996	11.35	15.82	7.91	11.46	16.21	7.78	13.89	17.38	11.30
1997	10.96	15.12	7.64	11.01	15.11	7.71	13.69	19.65	9.37
1998	11.81	16.41	8.19	12.09	16.71	8.44	12.70	17.43	9.03
1999	11.45	15.98	7.82	11.62	16.22	7.89	13.79	19.08	9.95
2000	12.51	17.51	8.53	12.74	18.04	8.41	14.83	19.16	12.00
2001	12.60	17.57	8.61	12.81	17.79	8.77	15.58	22.94	10.31
2002	12.93	17.85	8.92	13.19	18.11	9.13	15.35	22.51	10.34
2003	13.56	18.29	9.72	13.90	18.49	10.14	14.60	21.70	9.36
2004	13.63	18.52	9.67	13.97	18.93	9.87	16.02	22.54	11.16
2005	14.03	19.35	9.72	14.24	19.56	9.85	17.06	25.01	11.52
2006	14.65	19.29	10.79	14.98	19.72	10.95	16.14	21.16	12.36
2007	15.57	21.36	10.74	15.72	21.39	10.93	18.90	26.73	13.09
2008	15.93	21.75	11.10	15.91	21.50	11.17	20.56	30.44	13.67
2009	15.31	21.21	10.35	15.44	21.29	10.38	19.22	28.68	12.51
2010	14.92	20.76	9.99	14.99	20.63	10.13	19.41	28.21	12.70
2011	15.43	21.26	10.48	15.69	21.54	10.60	18.28	25.34	12.95
2012	15.34	20.81	10.70	15.53	20.78	10.98	18.46	26.13	12.60

^a SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta). Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- Statistic not shown. Rate based on less than 16 cases for the time interval.