Cancer of the Stomach (Invasive)

Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2009-2013 Both Sexes by Race

Black

Count Percent

Asian/Pacific

Islander

Count Percent

American Indian/

Alaska Native^b

Percent

95.9%

86.5%

Count

234

211

Hispanic^c

Percent

95.2%

0.5%

0.5%

85.0%

Count

5,450

4,867

31

27

arcinoma	29,687	92.4%	21,230	93.1%	3,839	87.7%	4,120	93.2%
Epidermoid carcinoma ^d	296	0.9%	210	0.9%	52	1.2%	28	0.6%
(8051-8131)								
Squamous cell carcinoma (8070-8078,8083-8084)	286	0.9%	202	0.9%	51	1.2%	27	0.6%
Adenocarcinoma	26,528	82.5%	18,844	82.6%	3,384	77.3%	3,900	88.2%
(8050,8140-8147,								
8160-8162,8180-8221,								
8250-8507,8514,8520-8551,								
8560,8570-8574,								
8576,8940-8941)								
Adenocarcinoma, NOS (8140)	15,228	47.4%	11,307	49.6%	1,879	42.9%	1,834	41.5%
Adenocarcinoma,	2,730	8.5%	1,607	7.0%	431	9.8%	646	14.6%

White

Count Percent

8560,8570-8574,												
8576,8940-8941)												
Adenocarcinoma, NOS (8140)	15,228	47.4%	11,307	49.6%	1,879	42.9%	1,834	41.5%	115	47.1%	2,316	40.5%
Adenocarcinoma, intestinal type (8144)	2,730	8.5%	1,607	7.0%	431	9.8%	646	14.6%	29	11.9%	534	9.3%
Carcinoma, diffuse type (8145)	1,269	3.9%	781	3.4%	155	3.5%	305	6.9%	_	-	306	5.3%
Linitus plastica (8142)	183	0.6%	136	0.6%	19	0.4%	26	0.6%	-	-	48	0.8%
Mucinous adenocarcinoma (8470-8473,8480,8482)	436	1.4%	304	1.3%	68	1.6%	57	1.3%	_	-	67	1.2%
Mucin-producing adenocarcinoma (8481)	127	0.4%	98	0.4%	21	0.5%	_	-	_	-	26	0.5%
Signet ring adenocarcinoma (8490)	5,286	16.4%	3,749	16.4%	644	14.7%	799	18.1%	45	18.4%	1,329	23.2%
Other adenocarcinomas ^e	1,269	3.9%	862	3.8%	167	3.8%	225	5.1%	-	-	241	4.2%
Other specific carcinomas (8012-8015,8030-8046, 8150-8155,8170-8175, 8230-8249,8508,8510-8513, 8561-8562,8575,8580-8671)	2,204	6.9%	1,713	7.5%	301	6.9%	113	2.6%	_	-	454	7.9%
Unspecified, Carcinoma, NOS	659	2.1%	463	2.0%	102	2.3%	79	1.8%	-	-	98	1.7%

(8010-8011,8020-8022)

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

Percents may not sum to 100 due to rounding.

а Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

b Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties. С

Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

d

- Epidermoid carcinoma includes squamous, basal, and transitional cell carcinomas. P
- Other adenocarcinomas includes histologies 8050, 8141, 8143, 8146-8147, 8160-8162, 8180-8221, 8250-8469, 8474-8479, 8483-8489, 8491-8507, 8514, 8520-8551, 8560, 8570-8574, 8576, 8940-8941.

Statistic not shown due to fewer than 16 cases during the time period.

All Races

Percent

Count

Histologya

Carcinoma

Table 24.22 - continued

Cancer of the Stomach (Invasive)

Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2009-2013

Both Sexes by Race

	All Races		Wh	White		Black		Asian/Pacific Islander		American Indian/ _Alaska Native ^b		Hispanic ^c	
Histology ^a	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	
Sarcoma and other soft tissue tumors (8680-8713,8800-8921, 8990-8991,9040-9044, 9120-9136,9150-9252, 9370-9373,9540-9582)	79	0.2%	61	0.3%	-	-	-	-	-	-	_	-	
Other specific types (8720-8790,8930-8936, 8950-8983,9000-9030, 9060-9110,9260-9365, 9380-9539)	2,205	6.9%	1,397	6.1%	507	11.6%	277	6.3%	-	-	221	3.9%	
Unspecified (8000-8005)	166	0.5%	119	0.5%	21	0.5%	19	0.4%	-	-	41	0.7%	
Total ^d	32,137	100.0%	22,807	100.0%	4,379	100.0%	4,420	100.0%	244	100.0%	5,724	100.0%	

- Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).
 - Percents may not sum to 100 due to rounding.
- ^a Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.
- ^b Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.
- ^c Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.
- ^d Total includes carcinoma cases from the previous page.
- Statistic not shown due to fewer than 16 cases during the time period.