

Adult Men and Women Reporting Colorectal Cancer Screening*

State	All Races						White						Black					
	FOBT within Past 2 Years			% Sig/Col Ever			FOBT within Past 2 Years			% Sig/Col Ever			FOBT within Past 2 Years			% Sig/Col Ever		
	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†
Alabama	11.9	9.6	14.5	44.7	41.4	48.0	12.8	10.1	15.8	46.4	42.7	50.2	8.1	4.1	14.0	37.7	30.7	45.1
Alaska	21.5	17.6	25.8	44.7	39.7	49.8	23.7	19.1	28.8	47.4	41.8	53.0	~	~	~	~	~	~
Arizona	34.4	30.9	38.0	50.0	46.2	53.7	35.8	32.0	39.7	52.3	48.3	56.3	25.7	9.6	48.6	49.0	25.1	73.2
Arkansas	25.9	23.3	28.7	44.6	41.6	47.7	26.7	23.9	29.7	45.1	41.9	48.3	17.9	10.0	28.4	38.0	27.4	49.6
California	30.0	27.3	32.8	48.5	45.4	51.6	32.9	30.0	36.0	50.8	47.6	54.1	20.1	11.1	32.0	52.7	40.4	64.8
Colorado	36.2	32.3	40.2	47.1	43.0	51.3	37.4	33.2	41.7	50.1	45.7	54.5	29.4	11.2	54.2	29.5	10.7	55.6
Connecticut	37.1	35.1	39.2	53.7	51.6	55.8	37.7	35.6	39.8	54.3	52.1	56.5	35.8	26.0	46.6	44.8	34.4	55.6
Delaware	29.5	26.6	32.6	58.4	55.1	61.6	29.8	26.7	33.0	59.2	55.7	62.6	28.3	18.5	39.9	54.1	42.4	65.4
District of Columbia	37.9	33.7	42.1	56.0	51.5	60.3	50.7	43.8	57.5	59.7	52.8	66.3	31.2	25.9	36.8	53.9	47.9	59.9
Florida	36.6	34.3	39.1	48.0	45.5	50.5	38.3	35.8	41.0	50.5	47.8	53.1	39.1	29.1	49.8	44.5	34.2	55.2
Georgia	32.4	29.6	35.3	48.9	45.9	51.9	35.1	31.9	38.5	51.3	47.9	54.6	24.1	18.4	30.7	42.7	35.9	49.8
Hawaii	38.9	35.7	42.1	49.8	46.6	53.1	38.8	34.1	43.6	50.9	46.0	55.8	~	~	~	~	~	~
Idaho	26.5	24.1	29.0	43.4	40.7	46.2	26.5	24.1	29.1	43.3	40.5	46.2	~	~	~	~	~	~
Illinois	28.9	25.6	32.4	40.9	37.2	44.6	30.6	26.9	34.5	42.6	38.6	46.7	26.1	16.7	37.3	35.2	24.8	46.7
Indiana	29.1	26.6	31.6	45.5	42.8	48.3	29.6	27.1	32.2	45.9	43.1	48.7	23.6	14.0	35.5	41.1	28.6	54.5
Iowa	33.8	31.2	36.6	45.5	42.7	48.3	33.8	31.1	36.5	45.8	43.0	48.6	~	~	~	~	~	~
Kansas	34.4	31.9	36.9	44.4	41.8	47.0	34.4	31.8	37.0	45.1	42.4	47.7	29.8	18.3	43.6	34.9	22.0	49.7
Kentucky	29.2	27.0	31.5	39.3	36.8	41.8	29.6	27.3	32.0	39.2	36.7	41.8	26.8	17.3	38.1	39.0	27.7	51.3
Louisiana	28.6	26.3	31.0	39.4	36.9	41.9	29.3	26.6	32.2	41.6	38.7	44.6	26.9	22.1	32.1	35.5	30.3	40.9
Maine	42.4	39.1	45.7	47.7	44.3	51.0	42.1	38.8	45.5	48.0	44.6	51.4	~	~	~	~	~	~
Maryland	42.6	39.6	45.6	52.4	49.4	55.5	43.8	40.6	47.0	52.1	48.9	55.3	43.5	35.2	52.0	52.5	44.0	60.9
Massachusetts	38.8	36.8	40.8	53.2	51.2	55.3	39.2	37.1	41.3	54.0	51.9	56.2	38.2	27.6	49.6	43.5	32.6	55.0
Michigan	36.5	33.8	39.2	55.2	52.4	57.9	37.4	34.5	40.3	56.1	53.1	59.1	30.9	22.9	39.8	52.4	43.3	61.5
Minnesota	34.7	32.2	37.2	62.0	59.4	64.5	34.6	32.1	37.2	61.8	59.2	64.4	~	~	~	~	~	~
Mississippi	21.5	18.9	24.2	40.8	37.7	44.0	22.9	19.9	26.1	42.9	39.3	46.6	17.8	12.9	23.6	36.6	30.4	43.3
Missouri	30.9	28.0	33.9	43.0	39.9	46.2	31.1	28.1	34.3	43.3	40.1	46.6	31.2	17.0	48.6	41.9	27.1	57.8
Montana	29.9	26.8	33.1	43.2	39.8	46.6	29.8	26.6	33.2	43.3	39.8	46.8	~	~	~	~	~	~
Nebraska	34.6	31.9	37.3	38.4	35.7	41.2	34.7	32.0	37.5	38.7	36.0	41.5	60.7	33.4	83.9	38.4	11.6	71.7
Nevada	28.8	23.9	34.2	45.3	40.7	50.0	29.7	24.2	35.5	45.1	40.2	50.2	24.6	7.8	49.9	57.0	34.5	77.6
New Hampshire	40.7	38.0	43.4	52.0	49.3	54.7	41.1	38.4	43.8	52.5	49.8	55.3	~	~	~	~	~	~
New Jersey	31.6	29.2	34.2	46.3	43.7	49.0	33.1	30.4	35.9	49.4	46.5	52.3	27.5	19.5	36.8	40.7	32.1	49.7
New Mexico	26.2	23.5	29.0	44.6	41.6	47.5	28.3	25.2	31.5	46.7	43.4	50.0	48.3	24.5	72.7	46.6	23.6	70.6
New York	33.5	30.7	36.5	47.3	44.2	50.3	35.6	32.6	38.8	49.7	46.5	52.9	28.4	18.9	39.5	36.0	25.3	47.7
North Carolina	43.1	40.2	45.9	47.6	44.7	50.5	43.7	40.7	46.9	49.0	45.8	52.2	41.7	34.2	49.6	43.0	35.5	50.8
North Dakota	25.6	22.6	28.7	50.5	47.0	54.0	25.8	22.8	29.0	50.8	47.2	54.3	~	~	~	~	~	~
Ohio	32.2	29.3	35.2	45.8	42.7	49.0	32.8	29.7	35.9	46.4	43.1	49.7	29.9	20.7	40.4	38.8	28.6	49.8
Oklahoma	24.4	22.1	26.9	38.7	36.0	41.4	25.5	22.9	28.2	38.4	35.4	41.3	23.9	12.2	39.3	51.9	36.5	67.0
Oregon	38.7	35.4	42.0	53.5	50.1	56.9	39.3	35.9	42.7	53.9	50.5	57.4	~	~	~	~	~	~
Pennsylvania	30.7	28.2	33.3	47.7	45.0	50.4	31.3	28.7	34.1	47.9	45.1	50.8	28.2	19.1	38.8	41.4	30.4	53.1
Rhode Island	34.2	31.6	36.9	52.1	49.3	54.9	34.7	32.1	37.5	52.7	49.8	55.5	31.8	15.0	53.1	46.3	23.6	70.3
South Carolina	31.6	28.7	34.6	46.7	43.5	49.9	33.4	30.1	36.7	48.4	44.9	52.0	26.8	20.2	34.3	39.2	31.6	47.1
South Dakota	31.0	28.9	33.2	45.1	42.9	47.4	31.4	29.3	33.7	45.8	43.5	48.1	~	~	~	~	~	~
Tennessee	28.2	25.2	31.3	40.1	36.9	43.4	30.0	26.8	33.4	41.5	38.1	45.1	17.5	10.1	27.3	26.2	17.6	36.3
Texas	24.3	22.4	26.4	42.9	40.6	45.2	26.1	23.9	28.3	44.9	42.4	47.5	22.0	15.8	29.2	38.3	30.0	47.0
Utah	20.9	17.9	24.1	46.2	42.4	50.0	21.3	18.2	24.7	46.8	42.9	50.6	~	~	~	~	~	~
Vermont	43.2	40.6	45.7	49.2	46.7	51.8	43.5	40.9	46.1	49.1	46.5	51.7	~	~	~	~	~	~
Virginia	33.3	30.3	36.4	51.5	48.3	54.7	33.8	30.5	37.3	52.4	48.8	55.9	32.1	23.7	41.5	47.3	38.3	56.5
Washington	41.0	38.3	43.7	52.0	49.3	54.8	41.2	38.4	44.0	52.5	49.7	55.3	56.6	34.8	76.7	56.3	33.7	77.1
West Virginia	26.6	24.1	29.1	39.0	36.2	41.7	26.5	24.1	29.1	39.2	36.5	42.1	22.0	9.5	39.9	43.4	25.3	62.9
Wisconsin	32.5	29.6	35.5	57.3	54.1	60.4	32.8	29.8	35.9	57.4	54.2	60.7	29.5	15.2	47.5	36.6	22.1	53.0
Wyoming	22.0	19.6	24.6	46.3	43.3	49.4	22.2	19.7	24.8	47.0	43.9	50.2	~	~	~	~	~	~

* FOBT is defined as fecal occult blood test in preceding two years; ever sigmoidoscopy is defined as ever having had a sigmoidoscopy or colonoscopy; estimates are based on CDC's Behavioral Risk Factor Surveillance System (BRFSS), 2001, for people 50 years of age or older.

† Exact 95% confidence intervals were calculated by using SAS and SUDAAN and were weighted to the age, sex, and racial distribution of the state's adult population in 2001 according to the sampling design.

~ Statistic could not be calculated; for BRFSS estimate of FOBT and sigmoidoscopy screening, percent and confidence intervals were not calculated if there were 20 or fewer respondents.

Adult Men Reporting Colorectal Cancer Screening*

State	All Races						White						Black					
	FOBT within Past 2 Years			% Sig/Col Ever			FOBT within Past 2 Years			% Sig/Col Ever			FOBT within Past 2 Years			% Sig/Col Ever		
	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†
Alabama	12.7	9.1	17.1	42.2	36.9	47.6	14.3	10.1	19.5	44.5	38.4	50.7	4.7	0.6	15.8	32.0	20.8	45.1
Alaska	24.6	18.5	31.6	47.6	40.4	54.8	26.1	19.1	34.0	50.1	42.1	58.1	~	~	~	~	~	~
Arizona	32.5	27.3	38.0	49.7	43.9	55.6	33.5	28.0	39.4	52.7	46.5	58.9	~	~	~	~	~	~
Arkansas	27.8	23.4	32.5	40.7	35.9	45.7	28.3	23.7	33.2	41.3	36.3	46.4	21.5	6.1	46.5	33.4	14.4	57.3
California	28.2	24.1	32.5	46.9	41.9	51.9	30.3	25.9	35.0	48.6	43.2	53.9	23.1	8.5	44.7	56.4	35.7	75.5
Colorado	36.5	30.5	42.9	47.8	41.4	54.2	37.7	31.2	44.6	52.8	45.8	59.6	~	~	~	~	~	~
Connecticut	36.2	33.0	39.4	56.9	53.5	60.3	36.7	33.4	40.1	58.0	54.5	61.5	29.5	14.0	49.5	39.2	21.1	59.9
Delaware	30.3	25.5	35.4	62.6	57.2	67.8	30.5	25.5	36.0	63.5	57.9	68.9	28.4	13.3	48.2	55.9	33.6	76.6
District of Columbia	40.6	34.0	47.6	52.4	45.4	59.4	58.7	48.8	68.1	57.8	47.6	67.6	29.7	21.2	39.4	48.4	38.2	58.8
Florida	38.2	34.4	42.1	47.8	43.8	51.8	39.7	35.6	44.0	50.5	46.2	54.8	41.0	24.3	59.4	41.5	24.8	59.7
Georgia	32.2	27.7	37.0	49.1	44.2	54.0	34.3	29.1	39.8	51.1	45.7	56.5	23.8	14.8	35.1	43.5	31.5	56.2
Hawaii	37.7	33.0	42.5	51.8	46.9	56.7	38.8	31.9	46.0	53.1	45.8	60.3	~	~	~	~	~	~
Idaho	23.1	19.6	26.9	42.3	37.9	46.8	23.1	19.4	27.0	41.6	37.0	46.2	~	~	~	~	~	~
Illinois	28.1	22.7	33.9	40.0	33.9	46.2	29.6	23.6	36.1	42.8	36.2	49.6	24.3	10.3	43.8	27.2	12.7	46.4
Indiana	29.5	25.6	33.6	45.2	40.8	49.7	30.9	26.8	35.2	44.8	40.3	49.3	12.7	3.0	31.6	41.0	21.4	62.9
Iowa	31.5	27.4	35.9	44.1	39.6	48.6	31.3	27.1	35.7	44.1	39.6	48.7	~	~	~	~	~	~
Kansas	33.8	29.9	37.8	42.1	38.0	46.3	33.0	29.0	37.2	43.1	38.9	47.4	38.0	17.6	62.1	~	~	~
Kentucky	29.1	25.5	32.9	40.4	36.2	44.6	29.5	25.8	33.5	40.4	36.1	44.8	26.0	13.3	42.6	41.0	24.7	59.0
Louisiana	28.5	24.7	32.5	36.0	32.0	40.2	28.1	23.6	32.9	38.3	33.5	43.2	31.2	22.5	40.9	32.0	23.3	41.8
Maine	40.9	35.7	46.1	45.2	39.9	50.5	40.4	35.1	45.8	45.7	40.3	51.2	~	~	~	~	~	~
Maryland	42.2	37.7	46.8	55.9	51.2	60.5	45.1	40.3	49.9	55.6	50.7	60.4	38.0	25.8	51.5	55.8	41.9	69.0
Massachusetts	39.6	36.4	42.9	55.3	52.0	58.6	40.0	36.7	43.5	56.6	53.1	60.0	33.0	18.0	51.0	36.7	21.4	54.2
Michigan	36.3	32.2	40.5	57.0	52.7	61.2	36.9	32.5	41.5	59.0	54.3	63.5	32.2	18.5	48.6	42.7	27.6	58.9
Minnesota	30.8	27.2	34.7	61.9	57.8	65.9	30.6	26.9	34.5	61.4	57.3	65.5	~	~	~	~	~	~
Mississippi	24.9	20.5	29.8	34.4	29.4	39.6	25.7	20.6	31.2	38.5	32.6	44.7	22.8	13.4	34.7	23.3	14.3	34.5
Missouri	33.1	28.3	38.1	42.9	37.8	48.2	32.8	27.9	38.1	43.0	37.6	48.5	43.5	20.5	68.8	44.6	21.4	69.7
Montana	29.3	24.6	34.3	43.1	38.0	48.3	29.0	24.1	34.3	43.5	38.2	49.1	~	~	~	~	~	~
Nebraska	36.2	31.9	40.6	38.0	33.7	42.5	36.3	31.9	40.8	38.9	34.4	43.5	~	~	~	~	~	~
Nevada	29.8	21.5	39.3	44.1	37.0	51.4	30.1	20.9	40.7	44.2	36.4	52.1	~	~	~	~	~	~
New Hampshire	41.0	36.9	45.1	56.0	51.7	60.1	41.3	37.2	45.6	56.8	52.5	61.0	~	~	~	~	~	~
New Jersey	33.1	29.2	37.2	50.8	46.5	55.1	35.6	31.1	40.2	55.8	51.1	60.5	23.8	13.3	37.3	40.5	27.3	54.9
New Mexico	29.6	25.0	34.4	45.4	40.7	50.3	31.5	26.3	37.1	48.9	43.5	54.3	~	~	~	~	~	~
New York	34.5	30.0	39.1	48.0	43.3	52.8	35.7	31.1	40.6	50.7	45.8	55.6	35.9	17.9	57.4	36.6	17.6	59.2
North Carolina	41.1	36.6	45.8	48.6	43.9	53.4	40.2	35.4	45.2	48.6	43.5	53.7	48.6	34.7	62.6	48.8	34.8	63.0
North Dakota	20.6	16.4	25.5	50.8	45.1	56.4	20.9	16.6	25.8	51.0	45.3	56.7	~	~	~	~	~	~
Ohio	31.7	27.2	36.5	46.7	41.7	51.8	32.6	27.8	37.6	47.4	42.2	52.7	25.5	12.1	43.4	33.7	18.0	52.5
Oklahoma	24.8	21.0	28.9	34.9	30.6	39.3	25.7	21.6	30.1	33.5	29.0	38.3	25.2	7.0	53.4	52.2	27.3	76.3
Oregon	35.3	30.4	40.5	53.0	47.7	58.3	36.1	30.9	41.5	53.5	48.0	59.0	~	~	~	~	~	~
Pennsylvania	31.6	27.7	35.8	50.8	46.5	55.2	32.4	28.2	36.8	51.9	47.3	56.5	29.7	15.7	47.1	34.6	20.0	51.6
Rhode Island	37.1	32.7	41.6	55.6	50.9	60.1	38.1	33.6	42.8	56.6	51.8	61.3	~	~	~	~	~	~
South Carolina	33.4	28.7	38.3	47.0	41.9	52.1	32.8	27.7	38.3	49.0	43.3	54.7	37.4	25.0	51.1	39.8	27.3	53.4
South Dakota	31.5	28.1	35.0	45.6	42.1	49.2	31.9	28.4	35.5	46.5	42.8	50.1	~	~	~	~	~	~
Tennessee	30.5	25.3	36.1	37.3	31.8	43.1	32.9	27.2	38.9	39.9	33.9	46.1	17.5	5.9	36.5	13.7	4.6	29.4
Texas	24.5	21.5	27.8	41.8	38.2	45.5	26.3	22.9	30.1	43.7	39.6	47.8	22.4	13.2	34.0	37.6	25.3	51.2
Utah	18.5	14.5	23.2	47.5	41.8	53.2	18.8	14.6	23.6	48.2	42.4	54.1	~	~	~	~	~	~
Vermont	43.1	39.1	47.2	52.5	48.5	56.5	43.7	39.6	47.8	52.5	48.4	56.5	~	~	~	~	~	~
Virginia	34.5	29.9	39.3	51.4	46.5	56.3	35.5	30.4	40.8	54.1	48.7	59.5	33.4	19.9	49.2	29.1	16.4	44.7
Washington	37.0	32.9	41.2	52.0	47.6	56.3	37.1	32.9	41.5	52.5	48.0	56.9	~	~	~	~	~	~
West Virginia	30.3	26.3	34.6	38.5	34.1	42.9	30.3	26.2	34.7	39.1	34.6	43.7	~	~	~	~	~	~
Wisconsin	31.2	26.8	35.9	56.6	51.6	61.5	31.4	26.8	36.2	57.6	52.4	62.6	~	~	~	~	~	~
Wyoming	21.1	17.4	25.2	48.6	43.8	53.4	20.7	16.9	24.8	49.6	44.8	54.5	~	~	~	~	~	~

* FOBT is defined as fecal occult blood test in preceding two years; ever sigmoidoscopy is defined as ever having had a sigmoidoscopy or colonoscopy; estimates are based on CDC's Behavioral Risk Factor Surveillance System (BRFSS), 2001, for people 50 years of age or older.

† Exact 95% confidence intervals were calculated by using SAS and SUDAAN and were weighted to the age, sex, and racial distribution of the state's adult population in 2001 according to the sampling design.

~ Statistic could not be calculated; for BRFSS estimate of FOBT and sigmoidoscopy screening, percent and confidence intervals were not calculated if there were 20 or fewer respondents.

Adult Women Reporting Colorectal Cancer Screening*

State	All Races						White						Black					
	FOBT within Past 2 Years			% Sig/Col Ever			FOBT within Past 2 Years			% Sig/Col Ever			FOBT within Past 2 Years			% Sig/Col Ever		
	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†
Alabama	11.2	8.4	14.5	46.6	42.6	50.7	11.6	8.3	15.5	48.0	43.4	52.7	10.5	5.1	18.6	41.3	32.6	50.4
Alaska	18.3	13.8	23.6	41.8	34.9	48.9	21.0	15.7	27.1	44.2	36.6	51.9	~	~	~	~	~	~
Arizona	36.0	31.3	40.9	50.1	45.2	55.1	37.6	32.5	43.0	52.0	46.7	57.3	~	~	~	~	~	~
Arkansas	24.4	21.3	27.8	47.8	44.0	51.6	25.4	21.9	29.0	48.3	44.3	52.4	16.0	8.7	26.1	40.4	28.7	53.0
California	31.5	28.0	35.1	49.8	45.9	53.6	35.1	31.3	39.1	52.7	48.7	56.7	17.8	8.4	31.3	49.9	35.3	64.5
Colorado	35.9	30.8	41.1	46.6	41.2	52.1	37.1	31.8	42.7	47.8	42.2	53.6	~	~	~	~	~	~
Connecticut	37.8	35.2	40.5	51.2	48.5	53.9	38.4	35.7	41.2	51.4	48.5	54.2	39.0	27.1	51.9	47.6	35.3	60.1
Delaware	28.9	25.3	32.8	55.1	51.0	59.2	29.1	25.4	33.1	55.7	51.4	60.0	28.3	16.2	43.2	53.1	39.7	66.1
District of Columbia	35.9	30.6	41.4	58.4	52.8	64.0	44.1	34.7	53.7	61.2	51.7	70.2	32.1	25.7	39.1	57.3	49.8	64.6
Florida	35.4	32.4	38.5	48.1	45.0	51.3	37.2	33.9	40.5	50.4	47.0	53.9	37.7	26.0	50.6	46.7	34.2	59.5
Georgia	32.5	29.0	36.2	48.7	45.0	52.5	35.8	31.8	40.1	51.4	47.1	55.6	24.3	17.1	32.8	42.2	34.0	50.7
Hawaii	40.0	35.7	44.3	48.1	43.8	52.5	38.7	32.5	45.3	48.4	41.9	55.0	~	~	~	~	~	~
Idaho	29.4	26.3	32.7	44.4	41.0	47.8	29.5	26.3	32.8	44.8	41.4	48.3	~	~	~	~	~	~
Illinois	29.5	25.3	33.9	41.5	36.9	46.2	31.4	26.8	36.3	42.5	37.5	47.6	27.1	15.5	41.4	39.7	26.6	53.9
Indiana	28.7	25.6	31.9	45.8	42.4	49.2	28.5	25.4	31.8	46.8	43.3	50.4	31.0	17.7	47.1	41.2	25.9	57.9
Iowa	35.8	32.4	39.3	46.6	43.1	50.1	35.9	32.5	39.4	47.1	43.6	50.7	~	~	~	~	~	~
Kansas	34.9	31.8	38.2	46.3	43.1	49.6	35.5	32.2	38.8	46.7	43.3	50.1	23.9	11.6	40.4	47.7	30.0	65.7
Kentucky	29.3	26.5	32.2	38.4	35.5	41.5	29.6	26.7	32.7	38.3	35.3	41.4	27.2	14.9	42.8	37.8	23.1	54.4
Louisiana	28.7	25.9	31.7	41.9	38.8	45.0	30.3	26.9	33.9	44.3	40.6	48.1	24.3	18.9	30.4	37.6	31.4	44.2
Maine	43.6	39.5	47.9	49.7	45.4	54.0	43.5	39.2	47.9	49.8	45.5	54.2	~	~	~	~	~	~
Maryland	42.9	38.9	47.0	49.7	45.6	53.7	42.7	38.5	47.0	49.3	45.0	53.5	47.3	36.6	58.2	50.2	39.3	61.1
Massachusetts	38.1	35.5	40.7	51.6	48.9	54.2	38.5	35.8	41.2	52.0	49.3	54.8	43.3	29.7	57.6	50.7	36.4	65.0
Michigan	36.7	33.2	40.2	53.7	50.0	57.3	37.8	34.0	41.6	53.7	49.7	57.6	30.3	20.8	41.2	56.6	45.5	67.2
Minnesota	38.0	34.7	41.4	62.0	58.6	65.4	38.0	34.6	41.5	62.1	58.7	65.5	~	~	~	~	~	~
Mississippi	18.8	16.0	22.0	45.6	41.8	49.5	20.8	17.3	24.7	46.3	41.8	50.9	14.6	9.8	20.6	45.3	37.4	53.3
Missouri	29.1	25.6	32.8	43.0	39.2	47.0	29.8	26.1	33.6	43.6	39.6	47.7	22.3	6.6	47.4	39.8	22.2	59.7
Montana	30.3	26.3	34.7	43.2	38.8	47.7	30.5	26.3	34.9	43.1	38.5	47.7	~	~	~	~	~	~
Nebraska	33.3	29.9	36.8	38.7	35.3	42.2	33.4	30.0	36.9	38.6	35.1	42.1	~	~	~	~	~	~
Nevada	28.0	22.7	33.7	46.5	40.4	52.6	29.2	23.6	35.4	46.0	39.6	52.6	~	~	~	~	~	~
New Hampshire	40.5	37.0	44.0	48.6	45.0	52.1	40.9	37.3	44.4	48.9	45.4	52.5	~	~	~	~	~	~
New Jersey	30.5	27.4	33.7	42.8	39.6	46.2	31.2	27.9	34.7	44.5	40.9	48.1	29.8	19.0	42.6	40.8	29.7	52.6
New Mexico	23.3	20.2	26.7	43.8	40.1	47.6	25.7	22.1	29.4	44.9	40.8	49.0	~	~	~	~	~	~
New York	32.8	29.1	36.7	46.7	42.7	50.7	35.6	31.5	39.8	48.9	44.7	53.2	24.6	14.4	37.5	35.6	23.7	49.0
North Carolina	44.6	41.1	48.2	46.8	43.2	50.4	46.7	42.7	50.7	49.3	45.3	53.3	37.3	28.9	46.3	39.4	31.0	48.3
North Dakota	29.8	25.8	33.9	50.3	45.9	54.7	30.0	26.0	34.3	50.6	46.1	55.1	~	~	~	~	~	~
Ohio	32.6	29.0	36.5	45.1	41.1	49.1	33.0	29.0	37.1	45.5	41.3	49.9	32.3	20.7	45.7	41.6	28.9	55.2
Oklahoma	24.2	21.2	27.4	41.7	38.2	45.2	25.3	22.0	28.8	42.3	38.5	46.1	22.7	10.8	39.2	51.6	33.3	69.5
Oregon	41.4	37.2	45.8	53.9	49.6	58.2	41.9	37.6	46.4	54.3	49.8	58.7	~	~	~	~	~	~
Pennsylvania	30.0	26.8	33.3	45.3	41.8	48.8	30.6	27.2	34.0	44.9	41.3	48.6	27.1	16.0	40.9	46.3	31.2	61.9
Rhode Island	32.1	28.9	35.4	49.5	46.0	53.0	32.3	29.0	35.7	49.8	46.2	53.3	32.4	14.4	55.3	45.5	21.5	71.1
South Carolina	30.2	26.7	34.0	46.5	42.5	50.5	33.8	29.7	38.1	48.0	43.5	52.5	19.9	13.1	28.4	38.8	29.5	48.7
South Dakota	30.6	27.9	33.4	44.7	41.8	47.6	31.1	28.3	33.9	45.1	42.2	48.1	~	~	~	~	~	~
Tennessee	26.3	23.1	29.9	42.4	38.7	46.2	27.7	24.1	31.5	42.9	39.0	46.9	17.5	9.8	27.7	36.8	25.6	49.3
Texas	24.2	21.7	26.8	43.7	40.8	46.7	25.9	23.1	28.8	45.9	42.7	49.1	21.6	13.7	31.4	38.8	28.0	50.4
Utah	22.8	18.7	27.5	45.1	40.1	50.1	23.4	19.1	28.2	45.5	40.4	50.6	~	~	~	~	~	~
Vermont	43.2	40.0	46.5	46.5	43.2	49.8	43.4	40.1	46.7	46.4	43.0	49.7	~	~	~	~	~	~
Virginia	32.3	28.3	36.4	51.5	47.3	55.8	32.5	28.1	37.1	50.9	46.2	55.7	31.3	20.9	43.2	59.2	48.1	69.7
Washington	44.4	40.9	48.0	52.1	48.5	55.6	44.7	41.1	48.4	52.5	48.9	56.2	~	~	~	~	~	~
West Virginia	23.7	20.8	26.8	39.3	35.9	42.9	23.6	20.7	26.8	39.4	35.8	43.0	22.5	8.6	43.1	44.3	22.8	67.5
Wisconsin	33.6	29.8	37.6	57.8	53.7	61.8	34.0	30.0	38.1	57.3	53.1	61.5	25.0	11.3	43.8	38.4	23.5	55.1
Wyoming	22.8	19.5	26.2	44.4	40.4	48.4	23.4	20.1	27.0	44.8	40.8	48.9	~	~	~	~	~	~

* FOBT is defined as fecal occult blood test in preceding two years; ever sigmoidoscopy is defined as ever having had a sigmoidoscopy or colonoscopy; estimates are based on CDC's Behavioral Risk Factor Surveillance System (BRFSS), 2001, for people 50 years of age or older.

† Exact 95% confidence intervals were calculated by using SAS and SUDAAN and were weighted to the age, sex, and racial distribution of the state's adult population in 2001 according to the sampling design.

~ Statistic could not be calculated; for BRFSS estimate of FOBT and sigmoidoscopy screening, percent and confidence intervals were not calculated if there were 20 or fewer respondents.