

Table I-9
SEER INCIDENCE AND U.S. MORTALITY TRENDS BY PRIMARY CANCER SITE AND SEX
Whites, 1992-2000

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
All Sites	-0.6 ^c	-1.8 ^c	0.4	-0.9 ^c	-1.3 ^c	-0.6 ^c
Oral Cavity & Pharynx:	-1.9 ^c	-2.2 ^c	-1.7 ^c	-2.4 ^c	-2.7 ^c	-2.3 ^c
Lip	-4.6 ^c	-5.6 ^c	-1.8	-5.8 ^c	-6.7 ^c	-5.5
Tongue	-0.2	-0.1	-1.0	-1.4 ^c	-1.9 ^c	-0.8
Salivary gland	1.3	1.1	1.3	-2.0 ^c	-2.1 ^c	-2.0
Floor of mouth	-4.8 ^c	-5.8 ^c	-3.0	-8.5 ^c	-8.8 ^c	-8.6 ^c
Gum & other oral cavity	-3.9 ^c	-4.8 ^c	-2.5 ^c	-3.2 ^c	-4.1 ^c	-2.5 ^c
Nasopharynx	-1.4	-1.5	-2.1	-3.1 ^c	-2.8 ^c	-3.8 ^c
Tonsil	0.8	2.3 ^c	-4.3 ^c	-1.4 ^c	-1.5	-2.5 ^c
Oropharynx	-2.1	-3.0	0.0	-0.2	-0.5	0.2
Hypopharynx	-2.4 ^c	-2.6	-2.8	-4.9 ^c	-5.4 ^c	-3.9 ^c
Other oral cavity & pharynx	-5.7 ^c	-6.9 ^c	-3.5	-2.2 ^c	-2.0 ^c	-2.9 ^c
Digestive System:	-0.2	-0.5	-0.1	-0.9 ^c	-1.0 ^c	-1.0 ^c
Esophagus	1.5 ^c	1.8 ^c	0.1	1.7 ^c	1.7 ^c	0.9 ^c
Stomach	-1.5 ^c	-2.1 ^c	-0.8	-3.1 ^c	-3.5 ^c	-2.8 ^c
Small intestine	0.5	-0.2	1.3	-1.0	-0.3	-1.6 ^c
Colon & Rectum:	-0.6	-1.0 ^c	-0.3	-1.8 ^c	-2.1 ^c	-1.8 ^c
Colon	-0.8 ^c	-1.2 ^c	-0.5	-2.0 ^c	-2.3 ^c	-1.9 ^c
Rectum	-0.2	-0.5	0.1	-0.7 ^c	-1.0 ^c	-0.6 ^c
Anus, anal canal & anorectum	2.5 ^c	3.2 ^c	2.0	1.0	1.2	1.2
Liver & Intrahep:	4.5 ^c	4.1 ^c	4.5 ^c	2.1 ^c	2.2 ^c	1.4 ^c
Liver	5.1 ^c	4.6 ^c	5.2 ^c	1.6 ^c	1.9 ^c	0.2
Intrahep bile duct	2.3 ^c	1.8	2.4	4.0 ^c	3.3 ^c	4.4 ^c
Gallbladder	-2.7 ^c	-2.0	-2.6 ^c	-2.5 ^c	-1.9 ^c	-2.5 ^c
Other biliary	-0.4	-0.4	-0.5	-3.1 ^c	-3.1 ^c	-3.1 ^c
Pancreas	-0.3	-0.2	-0.5	0.0	-0.1	0.0
Retroperitoneum	-0.4	2.1 ^c	-2.5	-2.8 ^c	-2.9	-2.4
Peritoneum, omentum & mesentery	8.6 ^c	-3.5	11.5 ^c	7.8 ^c	-2.8	11.5 ^c
Other digestive system	0.7	-0.8	2.1	9.3 ^c	9.4 ^c	8.9 ^c
Respiratory System:	-1.2 ^c	-2.3 ^c	0.1	-0.7 ^c	-1.8 ^c	0.7 ^c
Nose, nasal cavity & middle ear	-0.3	-0.3	-0.8	-2.1 ^c	-1.5	-3.6 ^c
Larynx	-2.4 ^c	-3.1 ^c	-0.7	-1.8 ^c	-2.3 ^c	-1.1
Lung & bronchus	-1.1 ^c	-2.3 ^c	0.1	-0.6 ^c	-1.7 ^c	0.7 ^c
Pleura	-0.8	-1.4	0.2	-5.8 ^c	-5.5 ^c	-7.8 ^c
Trachea & other respiratory organs	-3.5	-5.4 ^c	-1.6	-4.1 ^c	-5.1 ^c	-2.9
Bones & joints	-1.0	-1.8 ^c	0.0	-0.7 ^c	-0.8	-0.6
Soft tissue (incl heart)	1.2 ^c	0.7	1.9 ^c	-0.6	-0.4	-1.0
Skin (ex basal & squam):	0.0	-1.3 ^c	2.7 ^c	-0.2	-0.1	-0.3
Melanoma of the skin	3.0 ^c	3.1 ^c	2.9 ^c	0.0	0.3	-0.3
Other non-epithelial skin	-12.8 ^c	-15.3 ^c	1.1	-0.8	-1.0	-0.4
Breast	0.7 ^c	1.9	0.9 ^c	-2.7 ^c	0.3	-2.6 ^c
Breast (<i>in situ</i>)	6.4 ^c	9.4 ^c	6.5 ^c	-	-	-

^a The APC is the Annual Percent Change over the time interval.
SEER 12 areas. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^b NCHS public use data file. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^c The APC is significantly different from zero (p<.05).

- Statistic could not be calculated.

Table I-9 - continued
 SEER INCIDENCE AND U.S. MORTALITY TRENDS BY PRIMARY CANCER SITE AND SEX
 Whites, 1992-2000

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
Female Genital System:	-0.8 ^c	-	-0.5 ^c	-1.0 ^c	-	-0.8 ^c
Cervix uteri	-2.2 ^c	-	-2.1 ^c	-2.6 ^c	-	-2.4 ^c
Corpus uteri	-0.3	-	0.0	-1.8 ^c	-	-1.5 ^c
Uterus, NOS	1.0	-	1.7	0.4	-	0.8
Ovary	-0.9 ^c	-	-0.7 ^c	-0.9 ^c	-	-0.7 ^c
Vagina	-1.1	-	-0.7	-1.1	-	-0.6
Vulva	1.1	-	1.7	-0.4	-	-0.1
Other female genital system	-1.4	-	-1.4	3.6	-	3.6
Male Genital System:	-2.5	-3.3 ^c	-	-3.2 ^c	-3.5 ^c	-
Prostate	-2.6	-3.4 ^c	-	-3.2 ^c	-3.5 ^c	-
Testis	1.4 ^c	1.3 ^c	-	-0.9	-1.1	-
Penis	-2.7	-3.1	-	-0.1	-0.3	-
Other male genital system	-0.1	-0.4	-	4.0	3.5	-
Urinary System:	0.5 ^c	0.3	0.3	-0.2	-0.3 ^c	-0.4
Urinary bladder	0.0	0.0	-0.4 ^c	-0.2	-0.4 ^c	-0.4
Kidney & renal pelvis	1.4 ^c	1.3 ^c	1.3 ^c	-0.2	-0.3	-0.5
Ureter	-1.0	-1.3	-0.3	-1.0	-1.6	-0.5
Other urinary system	0.5	-0.3	2.1	7.3 ^c	11.0 ^c	3.6
Eye & Orbit	-1.3	-2.1	-0.9	-3.0 ^c	-3.3 ^c	-2.9
Brain & Nervous System: ^d	-0.3	-0.4	-0.2	-0.6 ^c	-0.5 ^c	-0.7 ^c
Brain	-0.1	-0.2	-0.1	-	-	-
Cranial nerves & other nervous system	-2.1	-3.2	-1.3	-	-	-
Endocrine System:	3.5 ^c	1.9 ^c	4.3 ^c	-0.1	1.0	-0.8
Thyroid	3.8 ^c	2.3 ^c	4.5 ^c	0.2	2.3 ^c	-0.7
Other endocrine & thymus	0.8	0.3	1.3	-0.7	-0.5	-1.0
Lymphoma:	0.0	-0.5	0.7	-0.1	-0.1	-0.1
Hodgkin lymphoma	-0.1	-0.1	-0.1	-3.6 ^c	-3.9 ^c	-3.0 ^c
Non-Hodgkin lymphoma	0.0	-0.5	0.9 ^c	0.1	0.1	0.0
Myeloma	-0.6	-0.4	-1.2	-0.3	-0.3	-0.3
Leukemia:	-1.2 ^c	-1.6 ^c	-0.7	-0.4 ^c	-0.6 ^c	-0.4
Lymphocytic:	-2.3 ^c	-3.0 ^c	-1.5	-1.1 ^c	-1.3 ^c	-1.0 ^c
Acute lymphocytic	1.0	-0.8	3.5 ^c	-1.3 ^c	-1.5 ^c	-1.2
Chronic lymphocytic	-3.8 ^c	-3.9 ^c	-4.2 ^c	-0.7	-1.0 ^c	-0.6
Other lymphocytic	-0.4	-1.6	2.7	-3.6 ^c	-3.6 ^c	-4.1 ^c
Myeloid & Monocytic:	0.5	0.6	0.3	0.5 ^c	0.4	0.5 ^c
Acute myeloid	1.7 ^c	1.7 ^c	1.5 ^c	1.9 ^c	1.8 ^c	2.0 ^c
Chronic myeloid	-2.0 ^c	-1.6	-2.6 ^c	-4.2 ^c	-4.3 ^c	-4.1 ^c
Acute monocytic	2.9	3.4	3.0	-7.2 ^c	-5.2 ^c	-9.8 ^c
Other myeloid & monocytic	-1.7	-1.7	-1.2	8.6	9.9	6.6
Other:	-4.1 ^c	-5.8 ^c	-1.9	-1.2 ^c	-1.4 ^c	-1.3 ^c
Other acute	-5.3 ^c	-7.3 ^c	-2.8	-3.2 ^c	-3.1 ^c	-3.5 ^c
Aleukemic, subleuk & NOS	-2.3	-3.6 ^c	-0.5	1.0 ^c	0.5	1.4 ^c
Ill-defined & unspecified	-2.9 ^c	-3.3 ^c	-2.6 ^c	0.9	0.9	0.8

^a The APC is the Annual Percent Change over the time interval.
 SEER 12 areas. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^b NCHS public use data file. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^c The APC is significantly different from zero (p<.05).

^d Due to coding changes, Brain & Nervous System mortality are no longer shown separately.

- Statistic could not be calculated.