

Table IV-9  
 FEMALE BREAST CANCER (*In Situ*)

SEER INCIDENCE<sup>a</sup> RATES, AGE-ADJUSTED AND AGE-SPECIFIC RATES, BY RACE

	All Races, Females	White Females	Black Females
<u>AGE-ADJUSTED RATES, 2001-2005</u>			
AGE AT DIAGNOSIS:			
All ages	29.6	30.3	26.1
Under 65	22.0	22.7	18.0
65 and over	81.6	83.3	81.9
All ages(IARC world std) <sup>b</sup>	22.3	22.9	19.4
<u>AGE-SPECIFIC RATES, 2001-2005</u>			
AGE AT DIAGNOSIS:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.2	-	-
25-29	0.8	0.7	1.0
30-34	2.5	2.4	2.7
35-39	9.9	10.2	8.7
40-44	34.1	35.1	23.5
45-49	54.8	56.9	40.6
50-54	67.1	68.7	53.8
55-59	80.0	82.0	72.5
60-64	87.6	90.1	76.8
65-69	96.7	99.1	94.9
70-74	91.8	93.9	96.3
75-79	87.4	89.1	88.9
80-84	66.7	68.2	59.0
85+	34.6	34.4	37.6

<sup>a</sup> SEER 17 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

<sup>b</sup> Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.