

Table 1.23
Age-Adjusted SEER Incidence Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity
Both Sexes

	All Races		White		Black	
	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009
All Sites	465.2	-0.6*	471.7	-0.6*	489.5	-0.8*
Prostate ^f	69.4	-1.5*	68.1	-1.2*	98.0	-1.9*
Breast	67.2	-0.9*	66.6	-1.8*	71.3	-1.3*
Lung and Bronchus	62.6	-1.2*	64.1	-1.2*	69.7	0.4
Colon and Rectum	46.3	-2.4*	45.4	-2.6*	57.0	-1.9*
Melanoma of the Skin	21.0	1.9*	24.7	1.8*	17.2	3.4*
Urinary Bladder	20.8	-0.5	22.5	-0.6*	15.8	0.5
Non-Hodgkin Lymphoma	19.6	0.2	20.5	0.1	14.3	0.0
Kidney and Renal Pelvis	15.1	2.9*	15.5	2.8*	12.6	-0.3
Corpus and Uterus, NOS ^f	12.9	0.4	13.2	0.1	12.6	2.1*
Leukemia	12.5	-0.9*	13.1	-1.0*	11.9	-1.4*
Pancreas	12.1	1.0*	12.2	6.6*	11.7	0.4
Thyroid	11.6	6.6*	12.0	1.1*	9.8	-2.3*
Oral Cavity and Pharynx	10.8	0.1	11.0	0.4	9.7	-1.7*
Stomach	7.6	-1.2*	7.2	-1.9*	9.0	4.6*
Liver & IBD ^g	7.5	3.7*	7.1	-0.2	6.9	5.9*
	Asian/Pacific Islander		American Indian/Alaska Native ^d		Hispanic ^e	
	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009
All Sites	315.0	-0.6*	328.9	0.0	353.7	-0.9*
Breast	51.7	0.7	43.7	0.2	55.9	-2.2*
Colon and Rectum	38.9	-1.9*	43.6	-1.5	49.1	-0.6*
Lung and Bronchus	38.7	-0.9*	41.4	-1.0	37.6	-1.7*
Prostate ^f	37.2	-2.8*	34.5	-0.8	31.9	-1.6*
Liver & IBD ^g	14.6	0.0	19.7	4.9*	17.3	0.3
Non-Hodgkin Lymphoma	13.2	-0.2	12.8	5.7*	14.8	2.9*
Stomach	12.6	-2.9*	12.5	-0.1	11.6	2.5*
Thyroid	11.8	6.0*	10.8	0.8	11.4	-1.7*
Corpus and Uterus, NOS ^f	10.1	2.7*	10.3	2.3	11.0	-2.2*
Pancreas	9.5	0.5	10.0	-3.5	10.9	0.0
Urinary Bladder	9.2	-0.8	8.4	0.5	10.2	1.0*
Kidney and Renal Pelvis	8.0	3.6*	7.9	1.9	10.0	5.5*
Oral Cavity and Pharynx	7.8	-1.1	7.4	-0.4	9.9	-0.6
Leukemia	7.4	-0.4	7.1	5.3*	6.3	0.0
Ovary ^{fh}	5.3	-0.8	6.2	-2.4	6.0	-1.7

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^f The rates for sex-specific cancer sites are calculated using the population for both sexes combined.

^g IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

^h Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.24
Age-Adjusted SEER Incidence Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

			Males					
All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	541.8	-1.0*	All Sites	542.7	-1.0*	All Sites	627.1	-1.5*
Prostate	154.8	-1.9*	Prostate	146.9	-2.2*	Prostate	236.0	-2.2*
Lung and Bronchus	76.4	-2.0*	Lung and Bronchus	76.4	-2.0*	Lung and Bronchus	99.9	-2.3*
Colon and Rectum	54.0	-2.7*	Colon and Rectum	53.1	-2.9*	Colon and Rectum	66.9	-1.8*
Urinary Bladder	37.0	-0.5	Urinary Bladder	40.0	-0.6*	Kidney and Renal Pelvis	24.3	3.1*
Melanoma of the Skin	27.2	2.1*	Melanoma of the Skin	31.6	2.1*	Urinary Bladder	21.2	0.4
Non-Hodgkin Lymphoma	23.8	0.3	Non-Hodgkin Lymphoma	24.8	0.3	Pancreas	17.7	1.0*
Kidney and Renal Pelvis	20.7	2.7*	Kidney and Renal Pelvis	21.2	2.6*	Non-Hodgkin Lymphoma	17.5	-0.2
Oral Cavity and Pharynx	16.1	0.1	Leukemia	16.8	-1.2*	Stomach	17.0	-1.2*
Leukemia	16.0	-1.1*	Oral Cavity and Pharynx	16.5	0.4*	Oral Cavity and Pharynx	15.4	-3.0*
Pancreas	13.8	1.0*	Pancreas	13.7	1.0*	Liver & IBD ^f	14.9	4.4*
Liver & IBD ^f	11.6	3.9*	Liver & IBD ^f	10.0	4.3*	Myeloma	14.3	0.3
Stomach	10.5	-1.6*	Stomach	9.3	-1.6*	Leukemia	12.5	-1.6
Esophagus	7.8	-0.5	Brain and ONS ^f	8.4	-0.1	Larynx	9.9	-3.5*
Brain and ONS ^f	7.7	-0.2	Esophagus	8.0	0.2	Esophagus	8.9	-4.6*
Myeloma	7.4	0.1	Myeloma	6.9	0.0	Brain and ONS ^f	4.7	-0.5
<hr/>			<hr/>			<hr/>		
Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	342.6	-1.6*	All Sites	352.7	-0.2	All Sites	402.0	-1.5*
Prostate	85.4	-3.0*	Prostate	78.4	-1.0	Prostate	125.9	-2.7*
Lung and Bronchus	52.2	-1.6*	Lung and Bronchus	51.9	-2.3*	Colon and Rectum	45.2	-1.6*
Colon and Rectum	44.9	-2.5*	Colon and Rectum	45.2	-0.5	Lung and Bronchus	40.5	-2.7*
Liver & IBD ^f	22.1	0.2	Kidney and Renal Pelvis	24.7	5.0*	Urinary Bladder	19.6	-1.9*
Stomach	16.4	-3.3*	Liver & IBD ^f	18.3	6.0	Kidney and Renal Pelvis	19.5	2.7*
Non-Hodgkin Lymphoma	16.3	0.1	Urinary Bladder	14.8	-	Non-Hodgkin Lymphoma	19.5	-0.3
Urinary Bladder	16.2	-0.8	Non-Hodgkin Lymphoma	14.6	-0.2	Liver & IBD ^f	17.3	2.5*
Oral Cavity and Pharynx	11.1	-0.3	Stomach	13.6	-4.5*	Stomach	14.4	-1.9*
Kidney and Renal Pelvis	10.9	3.3*	Pancreas	11.5	-	Leukemia	11.7	-1.4*
Pancreas	10.5	0.2	Oral Cavity and Pharynx	10.1	-0.8	Pancreas	11.6	0.4
Leukemia	8.8	-1.2	Leukemia	9.7	-	Oral Cavity and Pharynx	9.1	-0.6
Thyroid	5.3	6.2*	Esophagus	5.8	-	Myeloma	6.3	-2.7*
Myeloma	4.2	0.4	Myeloma	4.9	-	Brain and ONS ^f	5.9	-1.0
Brain and ONS ^f	4.1	0.1	Testis	4.5	-	Esophagus	5.0	-1.5
Esophagus	3.7	-2.5	Melanoma of the Skin	4.3	-	Melanoma of the Skin	4.7	-0.2

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^f IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.26
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity
Both Sexes

	All Races		White		Black	
	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009
All Sites	178.7	-1.5*	177.6	-1.5*	216.4	-2.0*
Lung and Bronchus	50.6	-1.6*	51.2	-1.4*	55.4	-2.2*
Colon and Rectum	16.7	-3.0*	16.2	-3.1*	23.7	-2.6*
Breast	12.9	-2.2*	12.5	-2.3*	18.8	-1.5*
Pancreas	10.8	0.4*	10.7	0.5*	18.4	-3.6*
Prostate ^f	9.1	-2.9*	8.4	-2.8*	13.8	0.0
Leukemia	7.1	-1.1*	7.3	-1.0*	7.3	2.7*
Non-Hodgkin Lymphoma	6.6	-3.0*	6.8	-3.0*	6.9	-3.3*
Liver & IBD ^g	5.5	2.4*	5.0	2.5*	6.4	-2.1*
Ovary ^f	4.6	-1.7*	4.8	-1.7*	6.2	-1.2*
Urinary Bladder	4.4	0.0	4.6	-0.5*	4.6	-4.8*
Esophagus	4.3	-0.5*	4.5	0.2	4.6	-2.4*
Brain and ONS ^g	4.3	-0.6*	4.4	0.1	4.4	0.3
Kidney and Renal Pelvis	4.0	-0.9*	4.1	-0.9*	4.1	-1.5*
Stomach	3.6	-3.1*	3.2	-1.8*	4.0	-0.6*
Myeloma	3.4	-1.8*	3.1	-3.3*	3.7	-0.6
	Asian/Pacific Islander		American Indian/Alaska Native ^d		Hispanic ^e	
	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009	Rate ^b 2005-2009	APC ^c 2000-2009
All Sites	109.5	-1.3*	156.2	-0.7	119.3	-1.8*
Lung and Bronchus	25.8	-1.1*	39.6	-0.2	21.2	-2.3*
Colon and Rectum	11.1	-2.2*	16.4	-0.4	12.4	-1.9*
Liver & IBD ^g	9.9	-1.4*	9.3	0.4	8.3	-0.1
Pancreas	7.5	0.4	8.8	1.8	8.3	1.5*
Stomach	6.8	-3.7*	8.6	0.7	8.2	-1.9*
Breast	6.6	-1.3*	7.8	-2.5	7.1	-3.1*
Non-Hodgkin Lymphoma	4.2	-2.5*	6.2	-0.7	5.6	-3.4*
Prostate ^f	4.0	-3.1*	5.7	-4.6*	5.2	-2.2*
Leukemia	3.9	-0.3	4.7	-3.7	4.8	-1.4*
Ovary ^f	2.8	-0.1	4.6	-1.0	3.5	-1.0
Oral Cavity and Pharynx	2.0	-2.8*	3.8	-1.6	3.3	-1.5*
Kidney and Renal Pelvis	2.0	1.8	3.6	-1.1	2.8	-0.5
Brain and ONS ^g	1.9	-0.8	3.0	-3.9	2.7	-2.6*
Esophagus	1.8	0.0	2.4	2.6	2.3	-1.1*
Myeloma	1.7	0.1	2.2	-2.9*	2.3	-1.3*

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire,

North Dakota and South Carolina.

^f The rates for sex-specific cancer sites are calculated using the population for both sexes combined.

^g IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.27
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

			Males					
All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	219.4	-1.8*	All Sites	216.7	-1.7*	All Sites	288.3	-2.4*
Lung and Bronchus	65.7	-2.3*	Lung and Bronchus	65.3	-2.2*	Lung and Bronchus	82.6	-3.0*
Prostate	23.6	-3.5*	Prostate	21.7	-3.4*	Prostate	53.1	-3.7*
Colon and Rectum	20.2	-3.1*	Colon and Rectum	19.5	-3.2*	Colon and Rectum	29.8	-2.3*
Pancreas	12.5	0.4*	Pancreas	12.4	0.5*	Pancreas	15.5	-0.1
Leukemia	9.6	-0.9*	Leukemia	9.9	-0.9*	Liver & IBD ^f	11.9	3.4*
Non-Hodgkin Lymphoma	8.4	-2.7*	Non-Hodgkin Lymphoma	8.7	-2.7*	Stomach	10.3	-2.9*
Liver & IBD ^f	8.1	2.6*	Urinary Bladder	8.0	0.2	Leukemia	8.5	-0.8
Esophagus	7.7	-0.3	Esophagus	7.9	0.3	Esophagus	8.2	-4.5*
Urinary Bladder	7.7	0.1	Liver & IBD ^f	7.4	2.6*	Myeloma	8.0	-1.2*
Kidney and Renal Pelvis	5.8	-0.9*	Kidney and Renal Pelvis	5.9	-0.9*	Non-Hodgkin Lymphoma	6.1	-1.8*
Brain and ONS ^f	5.2	-0.7*	Brain and ONS ^f	5.6	-0.6*	Kidney and Renal Pelvis	6.0	-0.7
Stomach	5.0	-3.3*	Melanoma of the Skin	4.6	1.1*	Oral Cavity and Pharynx	5.7	-3.6*
Myeloma	4.4	-1.2*	Stomach	4.3	-3.5*	Urinary Bladder	5.6	-0.1
Melanoma of the Skin	4.1	1.0*	Myeloma	4.1	-1.2*	Larynx	4.2	-3.4*
Oral Cavity and Pharynx	3.8	-1.3*	Oral Cavity and Pharynx	3.6	-0.8*	Brain and ONS ^f	3.1	-0.8
<hr/>			<hr/>			<hr/>		
Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	132.6	-1.5*	All Sites	184.9	-0.8	All Sites	146.3	-2.3*
Lung and Bronchus	35.9	-1.5*	Lung and Bronchus	48.3	-0.4	Lung and Bronchus	30.8	-3.3*
Liver & IBD ^f	14.5	-1.2*	Prostate	19.7	-2.9*	Prostate	17.8	-3.8*
Colon and Rectum	13.1	-2.8*	Colon and Rectum	18.8	-2.3	Colon and Rectum	15.3	-2.1*
Prostate	10.0	-2.8*	Liver & IBD ^f	11.9	1.6	Liver & IBD ^f	11.8	1.5*
Stomach	9.0	-3.6*	Pancreas	10.1	3.8	Pancreas	9.2	0.2
Pancreas	8.4	1.0*	Kidney and Renal Pelvis	8.8	-1.1	Stomach	7.3	-4.0*
Non-Hodgkin Lymphoma	5.2	-2.2*	Stomach	8.3	-3.7	Non-Hodgkin Lymphoma	6.3	-2.3*
Leukemia	4.9	-0.9	Esophagus	6.4	-1.0	Leukemia	5.9	-2.0*
Esophagus	3.0	-0.2	Leukemia	6.3	1.9	Kidney and Renal Pelvis	5.0	-1.5
Oral Cavity and Pharynx	3.0	-2.8*	Non-Hodgkin Lymphoma	5.0	-4.0	Esophagus	4.1	-0.7
Kidney and Renal Pelvis	2.9	2.7	Myeloma	3.8	-1.7	Urinary Bladder	3.8	-1.5
Urinary Bladder	2.7	-0.7	Urinary Bladder	3.6	-	Myeloma	3.3	-2.5*
Brain and ONS ^f	2.3	-1.4	Oral Cavity and Pharynx	3.5	-3.1	Brain and ONS ^f	3.3	-1.0
Myeloma	2.1	2.5*	Brain and ONS ^f	2.9	2.7	Oral Cavity and Pharynx	2.4	-2.9*
Soft Tissue including Heart	1.0	1.5	Larynx	2.0	-	Larynx	1.6	-3.2*

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire, North Dakota and South Carolina.

^f IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.28
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

Females

All Races	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	151.1	-1.4*		All Sites	150.8	-1.4*		All Sites	174.6	-1.6*	
Lung and Bronchus	39.6	-0.7*		Lung and Bronchus	40.8	-0.6*		Lung and Bronchus	38.0	-1.0*	
Breast	23.0	-2.1*		Breast	22.4	-2.1*		Breast	31.6	-1.4*	
Colon and Rectum	14.1	-3.1*		Colon and Rectum	13.6	-3.1*		Colon and Rectum	19.8	-3.0*	
Pancreas	9.5	0.4*		Pancreas	9.3	0.5*		Pancreas	12.6	0.0	
Ovary	8.2	-1.6*		Ovary	8.6	-1.5*		Corpus and Uterus, NOS	7.3	0.5	
Leukemia	5.3	-1.4*		Leukemia	5.5	-1.4*		Ovary	6.8	-1.4*	
Non-Hodgkin Lymphoma	5.2	-3.4*		Non-Hodgkin Lymphoma	5.4	-3.4*		Myeloma	5.4	-2.9*	
Corpus and Uterus, NOS	4.2	0.2		Corpus and Uterus, NOS	3.9	0.1		Leukemia	4.8	-1.6*	
Brain and ONS ^f	3.5	-0.5*		Brain and ONS ^f	3.8	-0.4		Stomach	4.8	-3.8*	
Liver & IBD ^f	3.3	1.5*		Liver & IBD ^f	3.1	1.7*		Cervix Uteri	4.3	-2.6*	
Myeloma	2.7	-2.6*		Kidney and Renal Pelvis	2.7	-1.2*		Liver & IBD ^f	4.0	1.0	
Kidney and Renal Pelvis	2.6	-1.2*		Myeloma	2.5	-2.5*		Non-Hodgkin Lymphoma	3.6	-2.9*	
Stomach	2.6	-3.1*		Stomach	2.2	-3.2*		Kidney and Renal Pelvis	2.6	-0.8	
Cervix Uteri	2.4	-1.7*		Urinary Bladder	2.2	-0.5		Urinary Bladder	2.6	-1.4	
Urinary Bladder	2.2	-0.7*		Cervix Uteri	2.2	-1.6*		Esophagus	2.2	-5.3*	

Asian/Pacific Islander	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	93.2	-1.1*		All Sites	135.9	-0.8		All Sites	100.5	-1.4*	
Lung and Bronchus	18.5	-0.3		Lung and Bronchus	33.2	0.0		Breast	14.9	-1.6*	
Breast	11.9	-1.3*		Breast	16.6	0.4		Lung and Bronchus	14.0	-1.0*	
Colon and Rectum	9.6	-1.6*		Colon and Rectum	14.6	1.1		Colon and Rectum	10.2	-2.0*	
Pancreas	6.9	-0.2		Pancreas	7.9	0.1		Pancreas	7.5	-0.3	
Liver & IBD ^f	6.1	-2.1*		Ovary	6.8	-1.5		Ovary	5.9	-1.1*	
Stomach	5.3	-3.9*		Liver & IBD ^f	5.9	-0.5		Liver & IBD ^f	5.3	1.0*	
Ovary	5.0	-0.1		Non-Hodgkin Lymphoma	4.5	-3.3		Non-Hodgkin Lymphoma	4.3	-2.3*	
Non-Hodgkin Lymphoma	3.4	-2.7*		Kidney and Renal Pelvis	4.1	0.1		Stomach	4.3	-3.0*	
Leukemia	3.1	0.5		Stomach	3.8	-6.4*		Leukemia	3.9	-0.8	
Corpus and Uterus, NOS	2.6	1.5*		Cervix Uteri	3.5	-0.6		Corpus and Uterus, NOS	3.3	0.6	
Cervix Uteri	2.0	-4.4*		Leukemia	3.3	-3.8		Cervix Uteri	3.0	-2.6*	
Brain and ONS ^f	1.5	-0.2		Corpus and Uterus, NOS	3.0	-		Brain and ONS ^f	2.4	-0.1	
Myeloma	1.4	-2.3		Myeloma	2.5	-5.1		Myeloma	2.3	-2.9*	
Kidney and Renal Pelvis	1.3	0.4		Gallbladder	2.1	-3.1		Kidney and Renal Pelvis	2.3	-0.7	
Oral Cavity and Pharynx	1.3	-2.8		Brain and ONS ^f	2.0	-		Gallbladder	1.3	-2.1	

American Indian/Alaska Native ^d	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	93.2	-1.1*		All Sites	135.9	-0.8		All Sites	100.5	-1.4*	
Lung and Bronchus	18.5	-0.3		Lung and Bronchus	33.2	0.0		Breast	14.9	-1.6*	
Breast	11.9	-1.3*		Breast	16.6	0.4		Lung and Bronchus	14.0	-1.0*	
Colon and Rectum	9.6	-1.6*		Colon and Rectum	14.6	1.1		Colon and Rectum	10.2	-2.0*	
Pancreas	6.9	-0.2		Pancreas	7.9	0.1		Pancreas	7.5	-0.3	
Liver & IBD ^f	6.1	-2.1*		Ovary	6.8	-1.5		Ovary	5.9	-1.1*	
Stomach	5.3	-3.9*		Liver & IBD ^f	5.9	-0.5		Liver & IBD ^f	5.3	1.0*	
Ovary	5.0	-0.1		Non-Hodgkin Lymphoma	4.5	-3.3		Non-Hodgkin Lymphoma	4.3	-2.3*	
Non-Hodgkin Lymphoma	3.4	-2.7*		Kidney and Renal Pelvis	4.1	0.1		Stomach	4.3	-3.0*	
Leukemia	3.1	0.5		Stomach	3.8	-6.4*		Leukemia	3.9	-0.8	
Corpus and Uterus, NOS	2.6	1.5*		Cervix Uteri	3.5	-0.6		Corpus and Uterus, NOS	3.3	0.6	
Cervix Uteri	2.0	-4.4*		Leukemia	3.3	-3.8		Cervix Uteri	3.0	-2.6*	
Brain and ONS ^f	1.5	-0.2		Corpus and Uterus, NOS	3.0	-		Brain and ONS ^f	2.4	-0.1	
Myeloma	1.4	-2.3		Myeloma	2.5	-5.1		Myeloma	2.3	-2.9*	
Kidney and Renal Pelvis	1.3	0.4		Gallbladder	2.1	-3.1		Kidney and Renal Pelvis	2.3	-0.7	
Oral Cavity and Pharynx	1.3	-2.8		Brain and ONS ^f	2.0	-		Gallbladder	1.3	-2.1	

Hispanic ^e	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c	All Sites	Rate ^b		APC ^c
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	93.2	-1.1*		All Sites	135.9	-0.8		All Sites	100.5	-1.4*	
Lung and Bronchus	18.5	-0.3		Lung and Bronchus	33.2	0.0		Breast	14.9	-1.6*	
Breast	11.9	-1.3*		Breast	16.6	0.4		Lung and Bronchus	14.0	-1.0*	
Colon and Rectum	9.6	-1.6*		Colon and Rectum	14.6	1.1		Colon and Rectum	10.2	-2.0*	
Pancreas	6.9	-0.2		Pancreas	7.9	0.1		Pancreas	7.5	-0.3	
Liver & IBD ^f	6.1	-2.1*		Ovary	6.8	-1.5		Ovary	5.9	-1.1*	
Stomach	5.3	-3.9*		Liver & IBD ^f	5.9	-0.5		Liver & IBD ^f	5.3	1.0*	
Ovary	5.0	-0.1		Non-Hodgkin Lymphoma	4.5	-3.3		Non-Hodgkin Lymphoma	4.3	-2.3*	
Non-Hodgkin Lymphoma	3.4	-2.7*		Kidney and Renal Pelvis	4.1	0.1		Stomach	4.3	-3.0*	
Leukemia	3.1	0.5		Stomach	3.8	-6.4*		Leukemia	3.9	-0.8	
Corpus and Uterus, NOS	2.6	1.5*		Cervix Uteri	3.5	-0.6		Corpus and Uterus, NOS	3.3	0.6	
Cervix Uteri	2.0	-4.4*		Leukemia	3.3	-3.8		Cervix Uteri	3.0	-2.6*	
Brain and ONS ^f	1.5	-0.2		Corpus and Uterus, NOS	3.0	-		Brain and ONS ^f	2.4	-0.1	
Myeloma	1.4	-2.3		Myeloma	2.5	-5.1		Myeloma	2.3	-2.9*	
Kidney and Renal Pelvis	1.3	0.4		Gallbladder	2.1	-3.1		Kidney and Renal Pelvis	2.3	-0.7	
Oral Cavity and Pharynx	1.3	-2.8		Brain and ONS ^f	2.0	-		Gallbladder	1.3	-2.1	

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire,

North Dakota and South Carolina.

^f IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.