


Table 2.18
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	166.12	0.10		
High Five States				
Kentucky	201.52	0.91	01(01,01)	21.32 ^c
Mississippi	197.26	1.12	02(02,03)	18.75 ^c
West Virginia	194.47	1.28	03(02,04)	17.07 ^c
Louisiana	190.96	0.90	04(03,06)	14.96 ^c
Arkansas	189.15	1.06	05(04,07)	13.87 ^c
Low Five States				
Arizona	147.45	0.63	47(46,48)	-11.24 ^c
New Mexico	146.55	1.14	48(46,48)	-11.78 ^c
Colorado	142.31	0.77	49(49,49)	-14.33 ^c
Hawaii	137.61	1.31	50(50,50)	-17.16 ^c
Utah	128.56	1.09	51(51,51)	-22.61 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	184.43	0.83	08(07,10)	11.03 ^c	Montana	157.81	1.61	38(34,44)	-5.00 ^c
Alaska	172.16	2.72	19(12,31)	3.64	Nebraska	162.96	1.26	34(28,37)	-1.90
Arizona	147.45	0.63	47(46,48)	-11.24 ^c	Nevada	167.25	1.11	28(21,32)	0.68
Arkansas	189.15	1.06	05(04,07)	13.87 ^c	New Hampshire	166.10	1.48	30(21,35)	-0.01
California	149.72	0.28	46(45,47)	-9.87 ^c	New Jersey	161.27	0.57	36(33,37)	-2.92
Colorado	142.31	0.77	49(49,49)	-14.33 ^c	New Mexico	146.55	1.14	48(46,48)	-11.78 ^c
Connecticut	153.38	0.85	45(42,45)	-7.67 ^c	New York	157.75	0.38	40(38,43)	-5.04 ^c
Delaware	174.66	1.80	16(12,23)	5.15 ^c	North Carolina	171.98	0.57	20(17,22)	3.53
D.C.	179.01	2.48	12(08,20)	7.76 ^c	North Dakota	154.03	1.96	43(37,46)	-7.28 ^c
Florida	157.56	0.35	41(38,43)	-5.15 ^c	Ohio	181.65	0.52	10(09,12)	9.35 ^c
Georgia	169.67	0.61	23(20,26)	2.14	Oklahoma	187.17	0.95	07(05,08)	12.67 ^c
Hawaii	137.61	1.31	50(50,50)	-17.16 ^c	Oregon	167.26	0.87	27(22,32)	0.69
Idaho	156.05	1.38	42(37,45)	-6.06 ^c	Pennsylvania	174.34	0.47	17(15,20)	4.95
Illinois	173.76	0.51	18(15,20)	4.60	Rhode Island	169.76	1.65	22(16,31)	2.19
Indiana	183.21	0.72	09(08,11)	10.29 ^c	South Carolina	177.81	0.82	14(11,16)	7.04 ^c
Iowa	168.93	0.96	24(20,29)	1.70	South Dakota	163.40	1.84	32(24,39)	-1.64
Kansas	167.51	1.03	26(21,32)	0.84	Tennessee	188.16	0.73	06(04,07)	13.27 ^c
Kentucky	201.52	0.91	01(01,01)	21.32 ^c	Texas	159.47	0.37	37(36,39)	-4.00
Louisiana	190.96	0.90	04(03,06)	14.96 ^c	Utah	128.56	1.09	51(51,51)	-22.61 ^c
Maine	178.14	1.43	13(10,18)	7.24 ^c	Vermont	170.76	2.13	21(14,31)	2.80
Maryland	165.34	0.74	31(26,33)	-0.47	Virginia	166.21	0.63	29(25,32)	0.06
Massachusetts	162.98	0.65	33(31,36)	-1.89	Washington	161.82	0.67	35(32,37)	-2.59
Michigan	175.52	0.56	15(13,18)	5.66 ^c	West Virginia	194.47	1.28	03(02,04)	17.07 ^c
Minnesota	157.79	0.73	39(37,43)	-5.01 ^c	Wisconsin	168.09	0.72	25(21,30)	1.19
Mississippi	197.26	1.12	02(02,03)	18.75 ^c	Wyoming	153.57	2.27	44(37,48)	-7.55 ^c
Missouri	180.48	0.72	11(09,13)	8.65 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 2.19
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	200.49	0.17		
High Five States				
Mississippi	252.33	1.97	01(01,02)	25.85 ^c
Kentucky	249.61	1.57	02(01,02)	24.50 ^c
Louisiana	237.81	1.55	03(03,07)	18.61 ^c
Arkansas	237.08	1.80	04(03,07)	18.25 ^c
West Virginia	236.63	2.15	05(03,07)	18.02 ^c
Low Five States				
New Mexico	176.20	1.88	47(44,48)	-12.12 ^c
Arizona	174.22	1.02	48(45,48)	-13.11 ^c
Hawaii	167.34	2.14	49(48,50)	-16.54 ^c
Colorado	166.46	1.27	50(49,50)	-16.97 ^c
Utah	151.04	1.76	51(51,51)	-24.67 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	235.78	1.45	07(03,07)	17.60 ^c	Montana	182.59	2.57	44(38,47)	-8.93 ^c
Alaska	203.77	4.51	23(13,38)	1.63	Nebraska	197.23	2.10	30(23,37)	-1.63
Arizona	174.22	1.02	48(45,48)	-13.11 ^c	Nevada	194.09	1.79	35(27,39)	-3.19
Arkansas	237.08	1.80	04(03,07)	18.25 ^c	New Hampshire	197.42	2.45	29(23,38)	-1.53
California	176.86	0.47	46(44,48)	-11.79 ^c	New Jersey	191.42	0.96	37(34,40)	-4.53
Colorado	166.46	1.27	50(49,50)	-16.97 ^c	New Mexico	176.20	1.88	47(44,48)	-12.12 ^c
Connecticut	182.70	1.43	43(41,45)	-8.88 ^c	New York	187.26	0.64	41(39,43)	-6.60 ^c
Delaware	208.39	3.01	21(12,28)	3.94	North Carolina	215.13	1.00	14(12,16)	7.30 ^c
D.C.	210.07	4.24	17(10,29)	4.78	North Dakota	189.71	3.27	38(27,44)	-5.38 ^c
Florida	189.43	0.57	39(36,41)	-5.52 ^c	Ohio	219.70	0.88	11(10,13)	9.58 ^c
Georgia	212.42	1.09	15(13,20)	5.95 ^c	Oklahoma	227.29	1.59	08(08,10)	13.36 ^c
Hawaii	167.34	2.14	49(48,50)	-16.54 ^c	Oregon	196.37	1.41	33(26,36)	-2.05
Idaho	185.40	2.24	42(36,45)	-7.53 ^c	Pennsylvania	210.62	0.79	16(14,21)	5.05 ^c
Illinois	208.46	0.86	20(16,23)	3.98	Rhode Island	209.37	2.82	18(12,26)	4.43
Indiana	224.97	1.23	09(08,10)	12.21 ^c	South Carolina	223.11	1.43	10(08,11)	11.28 ^c
Iowa	206.72	1.60	22(16,25)	3.11	South Dakota	196.84	3.02	31(22,40)	-1.82
Kansas	201.02	1.71	27(21,32)	0.26	Tennessee	236.32	1.26	06(03,07)	17.87 ^c
Kentucky	249.61	1.57	02(01,02)	24.50 ^c	Texas	195.22	0.63	34(29,36)	-2.63
Louisiana	237.81	1.55	03(03,07)	18.61 ^c	Utah	151.04	1.76	51(51,51)	-24.67 ^c
Maine	215.71	2.38	13(10,20)	7.59 ^c	Vermont	202.53	3.51	24(15,35)	1.02
Maryland	198.15	1.25	28(25,34)	-1.17	Virginia	201.97	1.08	26(22,29)	0.74
Massachusetts	196.65	1.11	32(26,35)	-1.92	Washington	191.47	1.11	36(33,40)	-4.50
Michigan	209.29	0.93	19(15,23)	4.39	West Virginia	236.63	2.15	05(03,07)	18.02 ^c
Minnesota	188.82	1.22	40(36,42)	-5.82 ^c	Wisconsin	202.10	1.19	25(22,29)	0.80
Mississippi	252.33	1.97	01(01,02)	25.85 ^c	Wyoming	177.97	3.64	45(40,49)	-11.24 ^c
Missouri	216.71	1.21	12(11,15)	8.09 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 2.20
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	141.53	0.12		
High Five States				
Kentucky	167.15	1.12	01(01,03)	18.10 ^c
West Virginia	163.34	1.60	02(01,04)	15.41 ^c
D.C.	159.98	3.10	03(01,13)	13.04 ^c
Mississippi	158.58	1.34	04(02,09)	12.05 ^c
Oklahoma	157.45	1.18	05(03,10)	11.25 ^c
Low Five States				
Arizona	126.29	0.80	47(46,49)	-10.77 ^c
Colorado	125.10	0.96	48(46,49)	-11.60 ^c
New Mexico	123.87	1.42	49(46,49)	-12.47 ^c
Hawaii	114.99	1.64	50(50,51)	-18.75 ^c
Utah	111.23	1.37	51(50,51)	-21.41 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	148.25	0.99	17(13,22)	4.75	Montana	138.20	2.08	37(22,44)	-2.35
Alaska	146.66	3.39	19(05,38)	3.63	Nebraska	138.33	1.58	36(25,41)	-2.26
Arizona	126.29	0.80	47(46,49)	-10.77 ^c	Nevada	145.38	1.42	22(15,31)	2.72
Arkansas	153.78	1.29	10(05,15)	8.66 ^c	New Hampshire	143.34	1.85	26(16,37)	1.28
California	130.43	0.36	45(43,46)	-7.84 ^c	New Jersey	141.67	0.71	30(23,36)	0.10
Colorado	125.10	0.96	48(46,49)	-11.60 ^c	New Mexico	123.87	1.42	49(46,49)	-12.47 ^c
Connecticut	133.58	1.07	41(38,45)	-5.62 ^c	New York	138.14	0.47	38(34,39)	-2.39
Delaware	150.48	2.25	13(05,24)	6.33 ^c	North Carolina	142.07	0.69	29(22,34)	0.38
D.C.	159.98	3.10	03(01,13)	13.04 ^c	North Dakota	128.13	2.45	46(39,49)	-9.46 ^c
Florida	132.68	0.44	43(40,45)	-6.25 ^c	Ohio	155.06	0.65	07(05,12)	9.56 ^c
Georgia	140.57	0.74	32(26,37)	-0.68	Oklahoma	157.45	1.18	05(03,10)	11.25 ^c
Hawaii	114.99	1.64	50(50,51)	-18.75 ^c	Oregon	145.98	1.10	20(16,27)	3.14
Idaho	132.65	1.74	44(37,46)	-6.27 ^c	Pennsylvania	149.39	0.58	16(13,19)	5.55 ^c
Illinois	150.33	0.63	15(11,18)	6.22 ^c	Rhode Island	143.55	2.03	24(15,37)	1.43
Indiana	153.75	0.89	11(06,14)	8.64 ^c	South Carolina	145.84	1.00	21(16,27)	3.04
Iowa	142.23	1.20	28(20,37)	0.50	South Dakota	138.55	2.32	35(21,44)	-2.11
Kansas	143.08	1.29	27(18,36)	1.10	Tennessee	153.91	0.88	09(06,14)	8.75 ^c
Kentucky	167.15	1.12	01(01,03)	18.10 ^c	Texas	133.27	0.46	42(39,45)	-5.84 ^c
Louisiana	157.16	1.09	06(03,10)	11.05 ^c	Utah	111.23	1.37	51(50,51)	-21.41 ^c
Maine	150.40	1.78	14(07,22)	6.27 ^c	Vermont	146.89	2.66	18(08,35)	3.79
Maryland	143.37	0.91	25(19,33)	1.30	Virginia	141.31	0.78	31(24,36)	-0.15
Massachusetts	140.27	0.81	33(26,38)	-0.89	Washington	140.13	0.85	34(26,38)	-0.99
Michigan	151.68	0.70	12(09,16)	7.17 ^c	West Virginia	163.34	1.60	02(01,04)	15.41 ^c
Minnesota	135.81	0.92	39(36,42)	-4.04	Wisconsin	144.05	0.90	23(19,30)	1.78
Mississippi	158.58	1.34	04(02,09)	12.05 ^c	Wyoming	134.99	2.93	40(24,46)	-4.62
Missouri	154.50	0.90	08(05,13)	9.16 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.


- Statistic not shown. Rate based on less than 16 cases for the time interval.

Table 3.18
 Cancer of the Brain and Other Nervous System (Invasive)
 Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.33	0.02		
High Five States				
Vermont	5.59	0.39	01(01,26)	29.09 ^c
South Dakota	5.42	0.34	02(01,25)	25.00 ^c
Kansas	5.17	0.18	03(01,20)	19.34 ^c
Oregon	5.10	0.15	04(01,19)	17.66 ^c
Nebraska	5.06	0.23	05(01,30)	16.72 ^c
Low Five States				
New Jersey	3.89	0.09	47(37,49)	-10.16
New York	3.80	0.06	48(43,49)	-12.33
New Mexico	3.62	0.18	49(36,50)	-16.56 ^c
D.C.	2.98	0.32	50(44,51)	-31.31 ^c
Hawaii	2.55	0.18	51(50,51)	-41.10 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	5.01	0.14	08(01,20)	15.53 ^c	Montana	4.76	0.29	16(01,46)	9.77
Alaska	4.39	0.40	28(01,50)	1.32	Nebraska	5.06	0.23	05(01,30)	16.72 ^c
Arizona	4.32	0.11	31(17,45)	-0.29	Nevada	4.24	0.17	35(15,48)	-2.07
Arkansas	4.84	0.17	13(02,31)	11.69	New Hampshire	4.78	0.25	15(01,43)	10.29
California	4.28	0.05	33(25,41)	-1.23	New Jersey	3.89	0.09	47(37,49)	-10.16
Colorado	4.45	0.13	25(12,44)	2.62	New Mexico	3.62	0.18	49(36,50)	-16.56 ^c
Connecticut	4.17	0.14	41(19,48)	-3.77	New York	3.80	0.06	48(43,49)	-12.33
Delaware	4.03	0.28	45(12,50)	-6.94	North Carolina	4.45	0.09	24(15,39)	2.79
D.C.	2.98	0.32	50(44,51)	-31.31 ^c	North Dakota	4.26	0.34	34(03,50)	-1.75
Florida	4.17	0.06	40(28,46)	-3.71	Ohio	4.46	0.08	23(15,37)	2.97
Georgia	4.19	0.09	38(23,46)	-3.23	Oklahoma	4.64	0.15	20(05,39)	7.09
Hawaii	2.55	0.18	51(50,51)	-41.10 ^c	Oregon	5.10	0.15	04(01,19)	17.66 ^c
Idaho	4.97	0.25	09(01,33)	14.74	Pennsylvania	4.23	0.08	36(24,45)	-2.40
Illinois	4.12	0.08	42(28,47)	-4.88	Rhode Island	4.31	0.27	32(05,49)	-0.51
Indiana	4.51	0.11	22(12,39)	4.18	South Carolina	4.43	0.13	27(12,44)	2.25
Iowa	4.87	0.17	12(02,29)	12.49	South Dakota	5.42	0.34	02(01,25)	25.00 ^c
Kansas	5.17	0.18	03(01,20)	19.34 ^c	Tennessee	4.79	0.12	14(04,27)	10.46
Kentucky	4.73	0.14	17(04,32)	9.09	Texas	4.06	0.06	43(34,47)	-6.20
Louisiana	4.22	0.13	37(18,48)	-2.67	Utah	4.44	0.19	26(07,47)	2.37
Maine	4.97	0.25	10(01,35)	14.72	Vermont	5.59	0.39	01(01,26)	29.09 ^c
Maryland	4.06	0.12	44(26,49)	-6.32	Virginia	4.03	0.10	46(30,49)	-6.96
Massachusetts	4.19	0.11	39(22,47)	-3.37	Washington	5.02	0.12	07(02,19)	15.78 ^c
Michigan	4.64	0.09	19(09,30)	7.18	West Virginia	4.34	0.20	30(09,48)	0.11
Minnesota	4.54	0.13	21(10,39)	4.85	Wisconsin	4.92	0.13	11(02,22)	13.48
Mississippi	5.05	0.18	06(01,23)	16.64 ^c	Wyoming	4.65	0.40	18(01,49)	7.38
Missouri	4.36	0.11	29(16,44)	0.67					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
 SE Standard error of the rate.
 PD Percent difference between state rate and total U.S. rate.
 - Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 3.19
Cancer of the Brain and Other Nervous System (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	5.30	0.03		
High Five States				
Vermont	7.10	0.64	01(01,32)	34.11 ^c
Idaho	6.80	0.42	02(01,23)	28.27 ^c
South Dakota	6.74	0.55	03(01,34)	27.14 ^c
Maine	6.36	0.41	04(01,36)	20.11 ^c
Kansas	6.34	0.30	05(01,26)	19.69 ^c
Low Five States				
New York	4.60	0.10	47(42,50)	-13.22
Delaware	4.54	0.44	48(12,50)	-14.25
New Mexico	4.30	0.29	49(34,50)	-18.80 ^c
D.C.	3.87	0.56	50(18,51)	-26.94 ^c
Hawaii	2.85	0.27	51(50,51)	-46.28 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	6.14	0.23	08(02,26)	16.00 ^c	Montana	5.30	0.44	29(02,50)	0.13
Alaska	5.64	0.69	20(01,50)	6.40	Nebraska	6.15	0.37	07(01,38)	16.15 ^c
Arizona	5.10	0.17	41(19,48)	-3.66	Nevada	5.25	0.28	32(09,49)	-0.98
Arkansas	6.03	0.29	11(02,35)	13.84	New Hampshire	6.10	0.42	10(01,43)	15.20 ^c
California	5.25	0.08	31(23,41)	-0.95	New Jersey	4.89	0.15	45(28,49)	-7.67
Colorado	5.14	0.21	38(16,48)	-2.90	New Mexico	4.30	0.29	49(34,50)	-18.80 ^c
Connecticut	5.08	0.24	42(15,49)	-4.03	New York	4.60	0.10	47(42,50)	-13.22
Delaware	4.54	0.44	48(12,50)	-14.25	North Carolina	5.47	0.15	24(12,41)	3.16
D.C.	3.87	0.56	50(18,51)	-26.94 ^c	North Dakota	5.41	0.55	27(01,50)	2.20
Florida	5.15	0.10	37(24,44)	-2.86	Ohio	5.53	0.14	23(11,37)	4.42
Georgia	5.21	0.16	33(17,46)	-1.69	Oklahoma	5.61	0.24	21(05,44)	5.84
Hawaii	2.85	0.27	51(50,51)	-46.28 ^c	Oregon	6.23	0.25	06(01,24)	17.52 ^c
Idaho	6.80	0.42	02(01,23)	28.27 ^c	Pennsylvania	5.11	0.12	39(23,46)	-3.57
Illinois	5.08	0.13	43(23,47)	-4.12	Rhode Island	5.42	0.45	26(02,50)	2.29
Indiana	5.57	0.19	22(08,40)	5.13	South Carolina	5.78	0.23	15(04,38)	9.13
Iowa	6.14	0.28	09(01,30)	15.88 ^c	South Dakota	6.74	0.55	03(01,34)	27.14 ^c
Kansas	6.34	0.30	05(01,26)	19.69 ^c	Tennessee	5.86	0.19	14(04,31)	10.53
Kentucky	5.66	0.23	19(04,41)	6.86	Texas	4.90	0.10	44(33,48)	-7.51
Louisiana	5.16	0.22	36(15,48)	-2.58	Utah	5.46	0.32	25(04,48)	3.13
Maine	6.36	0.41	04(01,36)	20.11 ^c	Vermont	7.10	0.64	01(01,32)	34.11 ^c
Maryland	5.10	0.19	40(18,48)	-3.65	Virginia	4.68	0.16	46(34,50)	-11.73
Massachusetts	5.18	0.18	35(18,47)	-2.17	Washington	5.99	0.19	13(03,27)	13.11
Michigan	5.68	0.15	18(08,33)	7.26	West Virginia	5.20	0.31	34(08,49)	-1.80
Minnesota	5.74	0.21	17(04,36)	8.30	Wisconsin	5.78	0.20	16(05,35)	9.12
Mississippi	6.01	0.30	12(01,36)	13.42	Wyoming	5.27	0.61	30(01,50)	-0.43
Missouri	5.32	0.19	28(13,45)	0.49					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.



- Statistic not shown. Rate based on less than 16 cases for the time interval.

Table 3.20
Cancer of the Brain and Other Nervous System (Invasive)
Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.51	0.02		
High Five States				
Mississippi	4.35	0.22	01(01,20)	23.84 ^c
South Dakota	4.24	0.42	02(01,47)	20.63 ^c
Vermont	4.23	0.47	03(01,49)	20.45 ^c
Montana	4.22	0.37	04(01,46)	20.09 ^c
Kansas	4.20	0.23	05(01,28)	19.48 ^c
Low Five States				
New York	3.16	0.07	47(33,49)	-10.16
New Jersey	3.07	0.11	48(33,50)	-12.57
New Mexico	3.00	0.23	49(20,51)	-14.53
D.C.	2.35	0.38	50(25,51)	-33.11 ^c
Hawaii	2.27	0.24	51(47,51)	-35.35 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.06	0.17	11(01,27)	15.66 ^c	Montana	4.22	0.37	04(01,46)	20.09 ^c
Alaska	3.31	0.47	43(01,51)	-5.90	Nebraska	4.08	0.28	09(01,42)	16.05 ^c
Arizona	3.62	0.14	23(08,44)	3.10	Nevada	3.31	0.22	42(10,50)	-5.78
Arkansas	3.90	0.21	12(01,41)	10.91	New Hampshire	3.64	0.30	21(01,49)	3.51
California	3.45	0.06	32(21,42)	-1.65	New Jersey	3.07	0.11	48(33,50)	-12.57
Colorado	3.84	0.17	15(02,37)	9.38	New Mexico	3.00	0.23	49(20,51)	-14.53
Connecticut	3.37	0.17	35(12,49)	-4.14	New York	3.16	0.07	47(33,49)	-10.16
Delaware	3.65	0.36	20(01,50)	3.95	North Carolina	3.61	0.11	24(11,41)	2.87
D.C.	2.35	0.38	50(25,51)	-33.11 ^c	North Dakota	3.27	0.41	45(02,51)	-6.88
Florida	3.32	0.07	40(25,47)	-5.55	Ohio	3.54	0.10	26(14,44)	0.78
Georgia	3.36	0.11	37(18,48)	-4.21	Oklahoma	3.77	0.19	17(03,43)	7.29
Hawaii	2.27	0.24	51(47,51)	-35.35 ^c	Oregon	4.07	0.19	10(01,29)	15.91 ^c
Idaho	3.31	0.28	41(06,50)	-5.68	Pennsylvania	3.49	0.09	30(15,44)	-0.77
Illinois	3.32	0.10	39(22,48)	-5.48	Rhode Island	3.41	0.33	34(03,50)	-2.90
Indiana	3.62	0.14	22(09,44)	3.15	South Carolina	3.29	0.15	44(18,49)	-6.20
Iowa	3.77	0.21	16(02,45)	7.35	South Dakota	4.24	0.42	02(01,47)	20.63 ^c
Kansas	4.20	0.23	05(01,28)	19.48 ^c	Tennessee	3.88	0.14	14(03,33)	10.48
Kentucky	3.90	0.18	13(02,36)	10.90	Texas	3.35	0.07	38(24,47)	-4.68
Louisiana	3.43	0.16	33(12,49)	-2.21	Utah	3.52	0.24	29(04,49)	0.19
Maine	3.75	0.30	18(01,49)	6.76	Vermont	4.23	0.47	03(01,49)	20.45 ^c
Maryland	3.21	0.14	46(22,50)	-8.67	Virginia	3.53	0.12	28(12,45)	0.37
Massachusetts	3.37	0.13	36(16,49)	-4.17	Washington	4.15	0.15	07(01,20)	18.12 ^c
Michigan	3.74	0.11	19(07,35)	6.60	West Virginia	3.58	0.25	25(03,49)	1.83
Minnesota	3.48	0.15	31(10,48)	-1.02	Wisconsin	4.19	0.16	06(01,20)	19.17 ^c
Mississippi	4.35	0.22	01(01,20)	23.84 ^c	Wyoming	4.08	0.52	08(01,50)	16.15 ^c
Missouri	3.53	0.14	27(11,46)	0.62					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 4.23
Cancer of the Female Breast (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	21.19	0.05		
High Five States				
D.C.	29.30	1.33	01(01,01)	38.31 ^c
Louisiana	24.23	0.43	02(02,08)	14.38 ^c
Mississippi	23.91	0.53	03(02,14)	12.86 ^c
Oklahoma	23.40	0.46	04(02,18)	10.47 ^c
Ohio	23.11	0.25	05(03,15)	9.09
Low Five States				
Massachusetts	18.78	0.30	47(37,50)	-11.36 ^c
Vermont	18.63	0.96	48(22,50)	-12.08 ^c
Maine	17.99	0.62	49(35,50)	-15.10 ^c
North Dakota	17.76	0.92	50(28,51)	-16.16 ^c
Hawaii	15.04	0.60	51(50,51)	-29.02 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	21.98	0.39	18(05,27)	3.75	Montana	20.18	0.81	34(10,49)	-4.75
Alaska	20.45	1.23	29(02,50)	-3.49	Nebraska	20.12	0.61	36(17,48)	-5.01
Arizona	19.48	0.32	39(29,48)	-8.05	Nevada	22.67	0.56	09(02,25)	7.03
Arkansas	22.14	0.50	15(03,29)	4.51	New Hampshire	20.25	0.70	32(13,48)	-4.40
California	20.45	0.14	28(24,37)	-3.48	New Jersey	22.89	0.29	06(03,19)	8.04
Colorado	19.20	0.37	42(32,50)	-9.40	New Mexico	19.33	0.57	41(25,50)	-8.76
Connecticut	19.10	0.41	43(31,50)	-9.84	New York	20.66	0.18	26(23,36)	-2.50
Delaware	21.92	0.87	20(02,40)	3.45	North Carolina	21.62	0.27	23(11,28)	2.03
D.C.	29.30	1.33	01(01,01)	38.31 ^c	North Dakota	17.76	0.92	50(28,51)	-16.16 ^c
Florida	20.22	0.18	33(25,40)	-4.57	Ohio	23.11	0.25	05(03,15)	9.09
Georgia	22.56	0.29	10(04,22)	6.48	Oklahoma	23.40	0.46	04(02,18)	10.47 ^c
Hawaii	15.04	0.60	51(50,51)	-29.02 ^c	Oregon	20.78	0.42	24(16,40)	-1.90
Idaho	20.36	0.69	31(12,49)	-3.90	Pennsylvania	22.19	0.23	14(07,24)	4.73
Illinois	22.50	0.24	12(04,21)	6.19	Rhode Island	18.84	0.75	45(24,50)	-11.07 ^c
Indiana	21.84	0.34	22(07,27)	3.11	South Carolina	22.69	0.40	08(03,23)	7.08
Iowa	19.35	0.45	40(26,49)	-8.65	South Dakota	20.16	0.90	35(07,50)	-4.86
Kansas	20.10	0.49	37(21,47)	-5.11	Tennessee	22.13	0.34	16(05,25)	4.46
Kentucky	21.87	0.41	21(06,28)	3.24	Texas	20.39	0.18	30(24,38)	-3.77
Louisiana	24.23	0.43	02(02,08)	14.38 ^c	Utah	20.77	0.59	25(11,45)	-1.98
Maine	17.99	0.62	49(35,50)	-15.10 ^c	Vermont	18.63	0.96	48(22,50)	-12.08 ^c
Maryland	22.84	0.36	07(02,21)	7.82	Virginia	21.94	0.31	19(07,26)	3.57
Massachusetts	18.78	0.30	47(37,50)	-11.36 ^c	Washington	20.07	0.32	38(24,44)	-5.29
Michigan	22.36	0.27	13(05,23)	5.55	West Virginia	22.10	0.60	17(03,32)	4.31
Minnesota	18.80	0.34	46(36,50)	-11.26 ^c	Wisconsin	20.51	0.34	27(21,41)	-3.17
Mississippi	23.91	0.53	03(02,14)	12.86 ^c	Wyoming	18.96	1.09	44(14,50)	-10.53 ^c
Missouri	22.55	0.35	11(03,23)	6.43					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 5.14
Cancer of the Cervix Uteri (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.29	0.02		
High Five States				
Mississippi	3.49	0.21	01(01,08)	52.16 ^c
West Virginia	3.44	0.27	02(01,12)	50.23 ^c
Alabama	3.32	0.16	03(01,08)	45.03 ^c
Arkansas	3.30	0.21	04(01,12)	44.06 ^c
Louisiana	2.93	0.16	05(02,17)	27.85 ^c
Low Five States				
Utah	1.34	0.15	47(35,51)	-41.55 ^c
Massachusetts	1.25	0.08	48(42,51)	-45.33 ^c
North Dakota	1.24	0.26	49(26,51)	-45.66 ^c
Rhode Island	1.22	0.20	50(32,51)	-46.58 ^c
Vermont	1.15	0.25	51(30,51)	-49.78 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.32	0.16	03(01,08)	45.03 ^c	Montana	1.59	0.24	42(19,51)	-30.72 ^c
Alaska	2.08	0.36	28(03,50)	-9.16	Nebraska	2.23	0.22	22(07,41)	-2.48
Arizona	2.14	0.11	25(15,36)	-6.60	Nevada	2.18	0.18	24(11,40)	-4.81
Arkansas	3.30	0.21	04(01,12)	44.06 ^c	New Hampshire	1.39	0.19	46(29,51)	-39.16 ^c
California	2.25	0.05	21(17,28)	-1.66	New Jersey	2.22	0.09	23(15,33)	-3.06
Colorado	1.66	0.11	40(30,47)	-27.58 ^c	New Mexico	1.92	0.19	33(14,47)	-16.03 ^c
Connecticut	1.66	0.13	39(28,49)	-27.41 ^c	New York	2.39	0.07	20(13,25)	4.20
Delaware	2.89	0.34	06(01,32)	26.39 ^c	North Carolina	2.08	0.09	29(19,36)	-9.17
D.C.	2.88	0.42	08(01,38)	25.88 ^c	North Dakota	1.24	0.26	49(26,51)	-45.66 ^c
Florida	2.79	0.07	09(05,15)	21.90 ^c	Ohio	2.46	0.09	17(09,25)	7.53
Georgia	2.52	0.10	16(08,23)	10.09	Oklahoma	2.89	0.17	07(02,20)	26.00 ^c
Hawaii	1.94	0.23	32(12,48)	-15.29 ^c	Oregon	1.85	0.13	35(22,44)	-19.11 ^c
Idaho	1.68	0.21	38(21,50)	-26.58 ^c	Pennsylvania	2.11	0.08	26(19,34)	-7.78
Illinois	2.41	0.08	19(11,26)	5.20	Rhode Island	1.22	0.20	50(32,51)	-46.58 ^c
Indiana	2.42	0.12	18(09,29)	5.67	South Carolina	2.59	0.14	15(05,27)	12.91
Iowa	2.00	0.16	30(15,42)	-12.86	South Dakota	1.62	0.27	41(14,51)	-29.26 ^c
Kansas	1.89	0.16	34(18,46)	-17.35 ^c	Tennessee	2.69	0.12	12(05,21)	17.45 ^c
Kentucky	2.78	0.15	10(03,21)	21.40 ^c	Texas	2.78	0.07	11(05,15)	21.26 ^c
Louisiana	2.93	0.16	05(02,17)	27.85 ^c	Utah	1.34	0.15	47(35,51)	-41.55 ^c
Maine	1.52	0.20	43(25,51)	-33.80 ^c	Vermont	1.15	0.25	51(30,51)	-49.78 ^c
Maryland	1.97	0.11	31(21,41)	-13.78	Virginia	1.75	0.09	36(28,44)	-23.59 ^c
Massachusetts	1.25	0.08	48(42,51)	-45.33 ^c	Washington	1.69	0.10	37(30,46)	-26.09 ^c
Michigan	2.08	0.09	27(19,36)	-9.14	West Virginia	3.44	0.27	02(01,12)	50.23 ^c
Minnesota	1.41	0.10	45(38,51)	-38.54 ^c	Wisconsin	1.48	0.10	44(35,50)	-35.38 ^c
Mississippi	3.49	0.21	01(01,08)	52.16 ^c	Wyoming	2.62	0.42	13(01,44)	14.33
Missouri	2.62	0.13	14(05,23)	14.18					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 6.25
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	14.76	0.03		
High Five States				
Mississippi	19.40	0.35	01(01,02)	31.47 ^c
West Virginia	18.18	0.39	02(01,07)	23.20 ^c
Louisiana	17.88	0.27	03(02,07)	21.15 ^c
Arkansas	17.81	0.33	04(02,08)	20.70 ^c
Kentucky	17.18	0.27	05(03,12)	16.40 ^c
Low Five States				
Minnesota	13.15	0.21	47(36,49)	-10.89 ^c
Washington	13.03	0.19	48(39,49)	-11.70 ^c
Colorado	12.63	0.23	49(42,50)	-14.44 ^c
Connecticut	11.90	0.24	50(49,51)	-19.39 ^c
Utah	11.31	0.32	51(50,51)	-23.36 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	16.47	0.25	10(05,19)	11.58 ^c	Montana	13.54	0.47	42(24,49)	-8.27
Alaska	15.77	0.82	19(02,43)	6.83	Nebraska	16.12	0.40	13(05,24)	9.23
Arizona	13.21	0.19	46(37,49)	-10.49 ^c	Nevada	16.84	0.36	07(03,18)	14.13 ^c
Arkansas	17.81	0.33	04(02,08)	20.70 ^c	New Hampshire	13.65	0.42	39(25,49)	-7.51
California	13.51	0.08	43(36,46)	-8.47	New Jersey	15.16	0.17	24(17,28)	2.69
Colorado	12.63	0.23	49(42,50)	-14.44 ^c	New Mexico	14.00	0.35	35(23,48)	-5.16
Connecticut	11.90	0.24	50(49,51)	-19.39 ^c	New York	14.18	0.11	31(27,39)	-3.93
Delaware	13.61	0.51	41(23,49)	-7.79	North Carolina	14.08	0.16	33(27,41)	-4.58
D.C.	16.69	0.75	08(02,29)	13.06 ^c	North Dakota	15.31	0.62	22(05,43)	3.71
Florida	13.62	0.10	40(34,45)	-7.71	Ohio	16.32	0.16	11(07,17)	10.57 ^c
Georgia	15.46	0.19	21(14,25)	4.77	Oklahoma	16.85	0.29	06(03,15)	14.18 ^c
Hawaii	13.79	0.41	37(23,49)	-6.57	Oregon	14.16	0.25	32(24,43)	-4.06
Idaho	13.35	0.40	44(27,49)	-9.54	Pennsylvania	15.88	0.14	16(11,22)	7.61
Illinois	15.79	0.15	17(11,23)	7.01	Rhode Island	14.38	0.48	28(16,47)	-2.54
Indiana	16.03	0.21	14(08,22)	8.59	South Carolina	15.50	0.24	20(12,26)	5.04
Iowa	16.27	0.30	12(06,22)	10.21 ^c	South Dakota	16.00	0.57	15(04,29)	8.43
Kansas	15.26	0.31	23(12,30)	3.42	Tennessee	16.62	0.22	09(05,16)	12.64 ^c
Kentucky	17.18	0.27	05(03,12)	16.40 ^c	Texas	14.76	0.11	26(22,30)	0.03
Louisiana	17.88	0.27	03(02,07)	21.15 ^c	Utah	11.31	0.32	51(50,51)	-23.36 ^c
Maine	13.88	0.40	36(23,49)	-5.94	Vermont	14.23	0.61	29(13,49)	-3.59
Maryland	14.44	0.22	27(23,38)	-2.16	Virginia	14.21	0.18	30(25,40)	-3.69
Massachusetts	13.25	0.19	45(37,49)	-10.22 ^c	Washington	13.03	0.19	48(39,49)	-11.70 ^c
Michigan	14.85	0.16	25(20,30)	0.59	West Virginia	18.18	0.39	02(01,07)	23.20 ^c
Minnesota	13.15	0.21	47(36,49)	-10.89 ^c	Wisconsin	14.02	0.21	34(26,43)	-4.99
Mississippi	19.40	0.35	01(01,02)	31.47 ^c	Wyoming	13.72	0.68	38(16,50)	-7.04
Missouri	15.79	0.21	18(10,23)	6.95					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 6.26
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	17.69	0.05		
High Five States				
Mississippi	23.74	0.60	01(01,03)	34.21 ^c
West Virginia	22.12	0.66	02(01,09)	25.05 ^c
Arkansas	21.77	0.55	03(01,10)	23.04 ^c
Louisiana	21.76	0.47	04(01,08)	23.00 ^c
Kentucky	20.88	0.45	05(02,13)	18.02 ^c
Low Five States				
Washington	15.16	0.31	47(39,49)	-14.32 ^c
Colorado	14.53	0.37	48(43,51)	-17.88 ^c
New Hampshire	13.96	0.65	49(40,51)	-21.08 ^c
Connecticut	13.82	0.39	50(46,51)	-21.89 ^c
Utah	13.04	0.51	51(48,51)	-26.31 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	20.58	0.43	07(02,15)	16.34 ^c	Montana	16.16	0.76	40(21,49)	-8.66
Alaska	18.50	1.36	21(02,48)	4.57	Nebraska	18.53	0.64	20(07,36)	4.76
Arizona	15.57	0.31	45(35,48)	-12.02 ^c	Nevada	20.21	0.58	08(02,21)	14.24 ^c
Arkansas	21.77	0.55	03(01,10)	23.04 ^c	New Hampshire	13.96	0.65	49(40,51)	-21.08 ^c
California	15.96	0.14	41(35,45)	-9.82	New Jersey	18.23	0.30	24(15,30)	3.03
Colorado	14.53	0.37	48(43,51)	-17.88 ^c	New Mexico	17.27	0.59	30(16,44)	-2.39
Connecticut	13.82	0.39	50(46,51)	-21.89 ^c	New York	16.91	0.19	34(27,39)	-4.44
Delaware	17.08	0.87	32(11,48)	-3.46	North Carolina	17.32	0.28	29(22,37)	-2.08
D.C.	18.60	1.25	19(02,47)	5.15	North Dakota	17.93	1.01	25(05,47)	1.33
Florida	16.32	0.17	39(32,44)	-7.75	Ohio	19.82	0.26	10(06,17)	12.04 ^c
Georgia	19.46	0.33	12(07,22)	9.97	Oklahoma	20.63	0.48	06(02,15)	16.60 ^c
Hawaii	17.55	0.69	28(12,44)	-0.78	Oregon	16.58	0.41	35(25,46)	-6.29
Idaho	15.89	0.65	43(25,49)	-10.18 ^c	Pennsylvania	18.89	0.24	17(11,24)	6.77
Illinois	19.12	0.26	15(10,23)	8.08	Rhode Island	16.38	0.79	38(18,49)	-7.40
Indiana	19.28	0.36	13(07,24)	9.00	South Carolina	18.69	0.41	18(10,29)	5.66
Iowa	19.24	0.49	14(06,26)	8.73	South Dakota	19.80	0.96	11(02,34)	11.91 ^c
Kansas	18.41	0.52	22(10,33)	4.06	Tennessee	20.11	0.37	09(04,17)	13.67 ^c
Kentucky	20.88	0.45	05(02,13)	18.02 ^c	Texas	18.30	0.19	23(17,28)	3.43
Louisiana	21.76	0.47	04(01,08)	23.00 ^c	Utah	13.04	0.51	51(48,51)	-26.31 ^c
Maine	16.46	0.67	36(20,48)	-6.94	Vermont	15.77	0.98	44(16,51)	-10.87 ^c
Maryland	17.58	0.37	27(19,37)	-0.65	Virginia	17.04	0.31	33(23,41)	-3.71
Massachusetts	15.90	0.32	42(32,47)	-10.14 ^c	Washington	15.16	0.31	47(39,49)	-14.32 ^c
Michigan	17.67	0.27	26(20,34)	-0.12	West Virginia	22.12	0.66	02(01,09)	25.05 ^c
Minnesota	15.18	0.34	46(38,49)	-14.22 ^c	Wisconsin	16.44	0.34	37(28,45)	-7.09
Mississippi	23.74	0.60	01(01,03)	34.21 ^c	Wyoming	17.12	1.11	31(06,49)	-3.25
Missouri	19.09	0.36	16(08,25)	7.89					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 6.27
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	12.42	0.04		
High Five States				
Mississippi	16.09	0.42	01(01,05)	29.53 ^c
D.C.	15.47	0.96	02(01,24)	24.61 ^c
West Virginia	15.01	0.48	03(01,15)	20.83 ^c
Louisiana	14.93	0.34	04(01,10)	20.23 ^c
Arkansas	14.64	0.40	05(01,16)	17.86 ^c
Low Five States				
Delaware	10.83	0.60	47(24,51)	-12.78 ^c
Hawaii	10.65	0.50	48(29,51)	-14.20 ^c
Wyoming	10.62	0.82	49(18,51)	-14.48 ^c
Connecticut	10.38	0.29	50(41,51)	-16.44 ^c
Utah	9.73	0.41	51(45,51)	-21.62 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	13.28	0.30	17(07,28)	6.94	Montana	11.14	0.59	44(21,51)	-10.26 ^c
Alaska	13.54	1.03	13(01,48)	9.07	Nebraska	14.16	0.50	07(02,24)	14.06 ^c
Arizona	11.17	0.24	43(33,49)	-10.07 ^c	Nevada	13.80	0.44	11(02,27)	11.11 ^c
Arkansas	14.64	0.40	05(01,16)	17.86 ^c	New Hampshire	13.31	0.56	16(03,36)	7.16
California	11.54	0.10	37(33,45)	-7.11	New Jersey	12.82	0.21	23(14,30)	3.23
Colorado	11.09	0.29	46(32,50)	-10.69 ^c	New Mexico	11.28	0.43	41(25,50)	-9.17
Connecticut	10.38	0.29	50(41,51)	-16.44 ^c	New York	12.11	0.14	30(24,37)	-2.48
Delaware	10.83	0.60	47(24,51)	-12.78 ^c	North Carolina	11.61	0.20	36(28,46)	-6.52
D.C.	15.47	0.96	02(01,24)	24.61 ^c	North Dakota	13.14	0.76	20(02,46)	5.77
Florida	11.35	0.13	39(34,47)	-8.64	Ohio	13.62	0.19	12(06,22)	9.66
Georgia	12.57	0.22	28(17,34)	1.22	Oklahoma	13.81	0.35	10(04,24)	11.21 ^c
Hawaii	10.65	0.50	48(29,51)	-14.20 ^c	Oregon	12.19	0.32	29(18,43)	-1.87
Idaho	11.13	0.51	45(24,51)	-10.34 ^c	Pennsylvania	13.53	0.17	14(07,22)	8.94
Illinois	13.26	0.18	18(09,25)	6.74	Rhode Island	12.91	0.59	22(04,42)	3.93
Indiana	13.44	0.26	15(07,25)	8.19	South Carolina	12.94	0.30	21(09,32)	4.22
Iowa	13.91	0.37	09(03,23)	12.01 ^c	South Dakota	12.82	0.69	24(04,47)	3.22
Kansas	12.58	0.38	27(11,39)	1.29	Tennessee	13.96	0.26	08(03,20)	12.40 ^c
Kentucky	14.24	0.32	06(02,19)	14.64 ^c	Texas	11.92	0.14	34(26,39)	-4.04
Louisiana	14.93	0.34	04(01,10)	20.23 ^c	Utah	9.73	0.41	51(45,51)	-21.62 ^c
Maine	11.84	0.49	35(18,49)	-4.69	Vermont	12.68	0.77	25(04,49)	2.13
Maryland	12.10	0.26	31(22,42)	-2.54	Virginia	11.96	0.23	33(24,42)	-3.67
Massachusetts	11.30	0.23	40(32,49)	-9.03	Washington	11.20	0.24	42(32,49)	-9.78
Michigan	12.66	0.20	26(16,32)	1.98	West Virginia	15.01	0.48	03(01,15)	20.83 ^c
Minnesota	11.46	0.26	38(28,48)	-7.72	Wisconsin	12.09	0.26	32(21,42)	-2.68
Mississippi	16.09	0.42	01(01,05)	29.53 ^c	Wyoming	10.62	0.82	49(18,51)	-14.48 ^c
Missouri	13.20	0.26	19(08,28)	6.31					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 7.14
Cancer of the Corpus and Uterus, NOS (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.57	0.02		
High Five States				
D.C.	7.70	0.68	01(01,02)	68.58 ^c
New Jersey	5.75	0.14	02(02,07)	25.93 ^c
New York	5.65	0.10	03(02,07)	23.71 ^c
Vermont	5.60	0.51	04(01,36)	22.55 ^c
Maryland	5.50	0.18	05(02,12)	20.46 ^c
Low Five States				
Arkansas	3.64	0.20	47(28,51)	-20.24 ^c
New Mexico	3.50	0.24	48(32,51)	-23.42 ^c
Alabama	3.49	0.15	49(38,51)	-23.58 ^c
North Dakota	3.27	0.40	50(21,51)	-28.36 ^c
Nevada	3.25	0.21	51(39,51)	-28.81 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.49	0.15	49(38,51)	-23.58 ^c	Montana	4.20	0.36	34(07,51)	-7.99
Alaska	3.96	0.55	37(03,51)	-13.24	Nebraska	4.43	0.28	25(07,46)	-2.97
Arizona	3.77	0.14	44(32,50)	-17.44 ^c	Nevada	3.25	0.21	51(39,51)	-28.81 ^c
Arkansas	3.64	0.20	47(28,51)	-20.24 ^c	New Hampshire	4.73	0.33	13(03,44)	3.54
California	4.45	0.07	24(16,33)	-2.59	New Jersey	5.75	0.14	02(02,07)	25.93 ^c
Colorado	3.71	0.16	45(31,51)	-18.69 ^c	New Mexico	3.50	0.24	48(32,51)	-23.42 ^c
Connecticut	4.31	0.19	29(12,44)	-5.58	New York	5.65	0.10	03(02,07)	23.71 ^c
Delaware	5.17	0.42	09(02,37)	13.25	North Carolina	4.54	0.12	22(12,35)	-0.65
D.C.	7.70	0.68	01(01,02)	68.58 ^c	North Dakota	3.27	0.40	50(21,51)	-28.36 ^c
Florida	4.08	0.08	36(29,43)	-10.67	Ohio	4.95	0.11	11(06,21)	8.44
Georgia	4.43	0.13	26(13,37)	-3.04	Oklahoma	3.80	0.18	43(27,51)	-16.81 ^c
Hawaii	4.31	0.32	30(07,49)	-5.67	Oregon	4.55	0.19	21(08,38)	-0.44
Idaho	4.29	0.31	32(07,49)	-6.04	Pennsylvania	5.35	0.11	06(03,12)	17.08 ^c
Illinois	5.23	0.12	07(04,14)	14.51	Rhode Island	4.63	0.36	18(03,46)	1.39
Indiana	4.84	0.16	12(06,29)	5.90	South Carolina	4.62	0.18	19(09,36)	1.21
Iowa	5.22	0.23	08(02,22)	14.40	South Dakota	4.41	0.42	27(03,50)	-3.45
Kansas	4.48	0.23	23(09,43)	-1.84	Tennessee	3.92	0.14	41(28,48)	-14.21
Kentucky	3.92	0.17	40(25,49)	-14.19	Texas	3.87	0.08	42(33,47)	-15.27 ^c
Louisiana	3.95	0.17	39(23,49)	-13.50	Utah	4.15	0.27	35(12,50)	-9.18
Maine	4.69	0.31	16(03,43)	2.82	Vermont	5.60	0.51	04(01,36)	22.55 ^c
Maryland	5.50	0.18	05(02,12)	20.46 ^c	Virginia	4.73	0.14	14(08,31)	3.52
Massachusetts	4.57	0.15	20(10,35)	0.12	Washington	4.30	0.15	31(14,42)	-5.91
Michigan	5.16	0.13	10(04,16)	12.96	West Virginia	4.72	0.27	15(04,40)	3.37
Minnesota	4.25	0.16	33(15,44)	-6.90	Wisconsin	4.66	0.16	17(09,34)	2.16
Mississippi	3.96	0.21	38(19,50)	-13.38	Wyoming	3.67	0.49	46(08,51)	-19.63 ^c
Missouri	4.41	0.15	28(12,40)	-3.46					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 8.18
Cancer of the Esophagus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.10	0.02		
High Five States				
Maine	5.65	0.25	01(01,09)	37.67 ^c
New Hampshire	5.23	0.26	02(01,19)	27.49 ^c
Vermont	5.19	0.37	03(01,33)	26.62 ^c
Wyoming	5.12	0.41	04(01,39)	24.95 ^c
West Virginia	5.08	0.21	05(01,19)	23.88 ^c
Low Five States				
New Mexico	3.45	0.17	47(37,51)	-15.92 ^c
California	3.34	0.04	48(46,51)	-18.49 ^c
Texas	3.29	0.05	49(46,51)	-19.87 ^c
Utah	3.15	0.17	50(46,51)	-23.09 ^c
Hawaii	2.96	0.19	51(47,51)	-27.81 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.97	0.12	39(23,46)	-3.24	Montana	4.44	0.27	19(02,46)	8.24
Alaska	4.71	0.44	12(01,47)	14.81	Nebraska	4.59	0.21	14(03,37)	11.99
Arizona	4.05	0.10	36(21,45)	-1.26	Nevada	4.37	0.18	22(07,42)	6.46
Arkansas	4.15	0.16	32(14,46)	1.22	New Hampshire	5.23	0.26	02(01,19)	27.49 ^c
California	3.34	0.04	48(46,51)	-18.49 ^c	New Jersey	3.86	0.09	42(31,47)	-5.80
Colorado	3.83	0.12	45(28,47)	-6.72	New Mexico	3.45	0.17	47(37,51)	-15.92 ^c
Connecticut	4.00	0.14	38(20,47)	-2.51	New York	3.91	0.06	40(32,46)	-4.66
Delaware	4.21	0.28	30(05,47)	2.60	North Carolina	3.84	0.08	44(31,47)	-6.30
D.C.	4.21	0.38	29(02,50)	2.72	North Dakota	4.09	0.33	34(04,50)	-0.37
Florida	3.91	0.05	41(32,46)	-4.77	Ohio	5.00	0.09	06(02,13)	22.04 ^c
Georgia	3.71	0.09	46(36,47)	-9.52	Oklahoma	4.33	0.14	24(11,40)	5.49
Hawaii	2.96	0.19	51(47,51)	-27.81 ^c	Oregon	4.50	0.14	17(06,33)	9.85
Idaho	4.22	0.22	28(07,46)	2.96	Pennsylvania	4.77	0.08	11(05,18)	16.40 ^c
Illinois	4.41	0.08	21(13,32)	7.47	Rhode Island	4.58	0.27	15(02,44)	11.79
Indiana	4.93	0.12	07(02,16)	20.17 ^c	South Carolina	4.07	0.12	35(18,46)	-0.81
Iowa	4.84	0.16	08(02,23)	18.10 ^c	South Dakota	4.57	0.30	16(01,46)	11.32
Kansas	4.27	0.16	27(11,44)	4.07	Tennessee	4.15	0.11	33(17,43)	1.09
Kentucky	4.34	0.13	23(11,39)	5.85	Texas	3.29	0.05	49(46,51)	-19.87 ^c
Louisiana	4.31	0.13	25(12,41)	5.14	Utah	3.15	0.17	50(46,51)	-23.09 ^c
Maine	5.65	0.25	01(01,09)	37.67 ^c	Vermont	5.19	0.37	03(01,33)	26.62 ^c
Maryland	3.86	0.11	43(28,47)	-5.84	Virginia	4.05	0.10	37(22,45)	-1.32
Massachusetts	4.70	0.11	13(04,23)	14.66	Washington	4.29	0.11	26(14,39)	4.60
Michigan	4.81	0.09	10(04,18)	17.24 ^c	West Virginia	5.08	0.21	05(01,19)	23.88 ^c
Minnesota	4.44	0.12	18(10,34)	8.31	Wisconsin	4.83	0.12	09(02,20)	17.81 ^c
Mississippi	4.17	0.16	31(13,46)	1.73	Wyoming	5.12	0.41	04(01,39)	24.95 ^c
Missouri	4.44	0.11	20(09,33)	8.16					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 8.19
Cancer of the Esophagus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.30	0.03		
High Five States				
Maine	9.97	0.50	01(01,13)	36.67 ^c
New Hampshire	9.30	0.51	02(01,20)	27.37 ^c
Wyoming	9.20	0.81	03(01,43)	26.09 ^c
Ohio	9.10	0.18	04(01,12)	24.71 ^c
West Virginia	9.08	0.41	05(01,20)	24.45 ^c
Low Five States				
New Mexico	6.10	0.34	47(32,51)	-16.44 ^c
California	5.90	0.08	48(45,51)	-19.17 ^c
Texas	5.90	0.11	49(45,51)	-19.19 ^c
Utah	5.56	0.33	50(44,51)	-23.86 ^c
Hawaii	5.37	0.38	51(45,51)	-26.41 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.04	0.24	37(20,47)	-3.52	Montana	7.34	0.50	30(06,48)	0.57
Alaska	8.02	0.87	16(01,50)	9.92	Nebraska	8.46	0.43	14(02,33)	15.92 ^c
Arizona	6.98	0.20	38(24,46)	-4.41	Nevada	7.43	0.34	27(12,46)	1.87
Arkansas	7.46	0.31	26(12,46)	2.19	New Hampshire	9.30	0.51	02(01,20)	27.37 ^c
California	5.90	0.08	48(45,51)	-19.17 ^c	New Jersey	6.96	0.18	39(26,46)	-4.58
Colorado	6.86	0.25	43(23,47)	-5.94	New Mexico	6.10	0.34	47(32,51)	-16.44 ^c
Connecticut	7.11	0.28	35(18,47)	-2.61	New York	6.94	0.12	41(29,46)	-4.87
Delaware	7.05	0.53	36(08,50)	-3.42	North Carolina	6.96	0.17	40(25,46)	-4.58
D.C.	6.41	0.73	46(07,51)	-12.12	North Dakota	7.17	0.64	33(03,51)	-1.73
Florida	6.85	0.11	44(31,46)	-6.13	Ohio	9.10	0.18	04(01,12)	24.71 ^c
Georgia	6.64	0.18	45(31,47)	-8.96	Oklahoma	7.79	0.29	19(09,39)	6.81
Hawaii	5.37	0.38	51(45,51)	-26.41 ^c	Oregon	7.77	0.28	21(10,39)	6.51
Idaho	7.32	0.44	31(10,47)	0.30	Pennsylvania	8.59	0.16	10(04,17)	17.68 ^c
Illinois	7.81	0.16	18(13,31)	7.05	Rhode Island	8.47	0.56	13(01,41)	16.01 ^c
Indiana	8.92	0.24	07(01,16)	22.17 ^c	South Carolina	7.11	0.24	34(18,46)	-2.61
Iowa	8.92	0.33	06(01,19)	22.29 ^c	South Dakota	8.30	0.61	15(01,45)	13.74
Kansas	7.76	0.33	22(07,43)	6.29	Tennessee	7.63	0.22	24(13,39)	4.56
Kentucky	7.89	0.27	17(08,35)	8.17	Texas	5.90	0.11	49(45,51)	-19.19 ^c
Louisiana	7.72	0.27	23(10,39)	5.77	Utah	5.56	0.33	50(44,51)	-23.86 ^c
Maine	9.97	0.50	01(01,13)	36.67 ^c	Vermont	8.85	0.72	08(01,44)	21.28 ^c
Maryland	6.87	0.23	42(25,47)	-5.83	Virginia	7.20	0.20	32(20,45)	-1.35
Massachusetts	8.66	0.23	09(02,18)	18.71 ^c	Washington	7.43	0.21	28(15,42)	1.87
Michigan	8.55	0.18	11(03,19)	17.22 ^c	West Virginia	9.08	0.41	05(01,20)	24.45 ^c
Minnesota	7.53	0.24	25(14,43)	3.17	Wisconsin	8.48	0.24	12(03,21)	16.16 ^c
Mississippi	7.42	0.32	29(12,46)	1.70	Wyoming	9.20	0.81	03(01,43)	26.09 ^c
Missouri	7.78	0.22	20(12,35)	6.66					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 8.20
Cancer of the Esophagus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.50	0.01		
High Five States				
D.C.	2.65	0.40	01(01,24)	76.51 ^c
Vermont	2.14	0.33	02(01,46)	42.56 ^c
Maine	2.02	0.20	03(01,34)	34.38 ^c
Minnesota	1.91	0.11	04(01,23)	26.99 ^c
Delaware	1.84	0.25	05(01,48)	22.20 ^c
Low Five States				
Colorado	1.27	0.10	47(23,51)	-15.78 ^c
New Mexico	1.21	0.14	48(17,51)	-19.72 ^c
Texas	1.14	0.04	49(43,51)	-23.84 ^c
Utah	1.05	0.13	50(32,51)	-30.42 ^c
Hawaii	0.94	0.14	51(37,51)	-37.56 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.51	0.10	29(07,47)	0.66	Montana	1.81	0.24	06(01,48)	20.71 ^c
Alaska	1.79	0.37	07(01,51)	18.82 ^c	Nebraska	1.45	0.16	35(04,51)	-3.30
Arizona	1.50	0.09	31(10,46)	0.02	Nevada	1.59	0.15	20(03,48)	5.57
Arkansas	1.39	0.12	38(09,50)	-7.26	New Hampshire	1.74	0.20	10(01,47)	16.01 ^c
California	1.28	0.04	46(36,49)	-14.85	New Jersey	1.49	0.07	32(12,45)	-0.81
Colorado	1.27	0.10	47(23,51)	-15.78 ^c	New Mexico	1.21	0.14	48(17,51)	-19.72 ^c
Connecticut	1.56	0.12	24(04,46)	3.74	New York	1.56	0.05	23(13,38)	3.94
Delaware	1.84	0.25	05(01,48)	22.20 ^c	North Carolina	1.37	0.07	42(22,48)	-8.51
D.C.	2.65	0.40	01(01,24)	76.51 ^c	North Dakota	1.44	0.26	36(02,51)	-4.25
Florida	1.44	0.04	37(23,44)	-4.27	Ohio	1.71	0.07	15(04,31)	13.81
Georgia	1.36	0.07	43(22,49)	-9.36	Oklahoma	1.39	0.11	39(12,50)	-7.47
Hawaii	0.94	0.14	51(37,51)	-37.56 ^c	Oregon	1.73	0.12	12(02,39)	15.05 ^c
Idaho	1.48	0.18	33(03,51)	-1.29	Pennsylvania	1.73	0.06	11(04,28)	15.15 ^c
Illinois	1.72	0.07	13(04,29)	14.36	Rhode Island	1.56	0.21	22(02,51)	3.99
Indiana	1.69	0.09	17(04,37)	12.31	South Carolina	1.58	0.10	21(04,45)	5.44
Iowa	1.48	0.12	34(06,49)	-1.59	South Dakota	1.52	0.24	28(02,51)	0.84
Kansas	1.34	0.12	44(13,51)	-10.83	Tennessee	1.31	0.08	45(23,50)	-12.53
Kentucky	1.38	0.10	41(14,50)	-8.13	Texas	1.14	0.04	49(43,51)	-23.84 ^c
Louisiana	1.54	0.11	26(06,47)	2.24	Utah	1.05	0.13	50(32,51)	-30.42 ^c
Maine	2.02	0.20	03(01,34)	34.38 ^c	Vermont	2.14	0.33	02(01,46)	42.56 ^c
Maryland	1.51	0.09	30(08,46)	0.23	Virginia	1.53	0.08	27(09,45)	1.58
Massachusetts	1.63	0.09	19(04,39)	8.81	Washington	1.66	0.09	18(04,39)	10.27
Michigan	1.75	0.07	09(03,28)	16.77 ^c	West Virginia	1.70	0.17	16(02,47)	13.31
Minnesota	1.91	0.11	04(01,23)	26.99 ^c	Wisconsin	1.78	0.10	08(02,31)	18.42 ^c
Mississippi	1.55	0.13	25(04,48)	3.11	Wyoming	1.39	0.28	40(02,51)	-7.59
Missouri	1.71	0.09	14(03,35)	13.92					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 9.18
Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.34	0.00		
High Five States				
Vermont	0.56	0.13	01(01,44)	64.60 ^c
Louisiana	0.44	0.04	02(01,29)	30.26 ^c
New Hampshire	0.42	0.08	03(01,45)	23.22 ^c
Mississippi	0.41	0.05	04(01,40)	20.58 ^c
Oklahoma	0.41	0.05	05(01,38)	20.30 ^c
Low Five States				
Arizona	0.28	0.03	41(14,45)	-17.40 ^c
Nevada	0.28	0.05	42(05,45)	-18.77 ^c
Hawaii	0.27	0.06	43(02,45)	-20.81 ^c
Utah	0.25	0.05	44(07,45)	-25.97 ^c
Kentucky	0.25	0.03	45(18,45)	-26.50 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.38	0.04	10(01,40)	10.87	Montana	0.31	0.08	33(01,45)	-8.23
Alaska	-	-	-(-,-)	-	Nebraska	0.32	0.06	28(01,45)	-5.86
Arizona	0.28	0.03	41(14,45)	-17.40 ^c	Nevada	0.28	0.05	42(05,45)	-18.77 ^c
Arkansas	0.38	0.05	11(01,43)	10.30	New Hampshire	0.42	0.08	03(01,45)	23.22 ^c
California	0.37	0.01	14(04,26)	9.46	New Jersey	0.32	0.03	30(08,44)	-6.89
Colorado	0.29	0.03	39(08,45)	-15.45 ^c	New Mexico	0.32	0.05	29(01,45)	-6.36
Connecticut	0.28	0.04	40(07,45)	-16.93 ^c	New York	0.35	0.02	20(06,36)	2.12
Delaware	-	-	-(-,-)	-	North Carolina	0.32	0.03	27(08,43)	-5.81
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.31	0.02	34(16,42)	-8.74	Ohio	0.37	0.02	17(03,36)	7.47
Georgia	0.37	0.03	12(02,36)	9.81	Oklahoma	0.41	0.05	05(01,38)	20.30 ^c
Hawaii	0.27	0.06	43(02,45)	-20.81 ^c	Oregon	0.37	0.04	15(01,43)	8.35
Idaho	0.35	0.07	18(01,45)	3.65	Pennsylvania	0.33	0.02	25(08,40)	-2.94
Illinois	0.29	0.02	38(17,45)	-14.14	Rhode Island	0.39	0.08	07(01,45)	14.62
Indiana	0.37	0.03	13(02,38)	9.54	South Carolina	0.32	0.04	31(04,45)	-7.07
Iowa	0.33	0.04	24(02,45)	-1.80	South Dakota	-	-	-(-,-)	-
Kansas	0.34	0.05	22(01,45)	0.85	Tennessee	0.40	0.03	06(01,34)	17.73 ^c
Kentucky	0.25	0.03	45(18,45)	-26.50 ^c	Texas	0.38	0.02	08(02,26)	12.97
Louisiana	0.44	0.04	02(01,29)	30.26 ^c	Utah	0.25	0.05	44(07,45)	-25.97 ^c
Maine	0.30	0.06	36(02,45)	-12.85	Vermont	0.56	0.13	01(01,44)	64.60 ^c
Maryland	0.35	0.03	21(03,42)	1.74	Virginia	0.32	0.03	32(07,44)	-7.25
Massachusetts	0.29	0.03	37(11,45)	-13.48	Washington	0.30	0.03	35(08,45)	-10.95
Michigan	0.38	0.03	09(02,33)	12.31	West Virginia	0.37	0.06	16(01,45)	7.95
Minnesota	0.32	0.03	26(04,44)	-4.70	Wisconsin	0.35	0.03	19(02,42)	2.56
Mississippi	0.41	0.05	04(01,40)	20.58 ^c	Wyoming	-	-	-(-,-)	-
Missouri	0.34	0.03	23(03,44)	-0.89					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 9.19
Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.43	0.01		
High Five States				
New Hampshire	0.56	0.14	01(01,39)	29.28 ^c
Mississippi	0.55	0.09	02(01,36)	27.64 ^c
Tennessee	0.54	0.06	03(01,29)	24.13 ^c
Georgia	0.54	0.05	04(01,27)	23.65 ^c
Oregon	0.52	0.07	05(01,35)	20.19 ^c
Low Five States				
Connecticut	0.35	0.06	35(05,39)	-20.14 ^c
Arizona	0.34	0.05	36(11,39)	-21.21 ^c
Colorado	0.33	0.06	37(08,39)	-23.34 ^c
Washington	0.33	0.04	38(13,39)	-23.96 ^c
Kentucky	0.29	0.05	39(14,39)	-33.10 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.48	0.07	12(01,37)	9.85	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	0.46	0.10	15(01,39)	7.02
Arizona	0.34	0.05	36(11,39)	-21.21 ^c	Nevada	0.37	0.08	32(02,39)	-14.24
Arkansas	0.44	0.08	18(01,39)	2.45	New Hampshire	0.56	0.14	01(01,39)	29.28 ^c
California	0.49	0.02	08(02,22)	13.43	New Jersey	0.40	0.04	27(05,39)	-8.70
Colorado	0.33	0.06	37(08,39)	-23.34 ^c	New Mexico	0.47	0.10	14(01,39)	7.57
Connecticut	0.35	0.06	35(05,39)	-20.14 ^c	New York	0.42	0.03	20(08,35)	-3.82
Delaware	-	-	-(-,-)	-	North Carolina	0.42	0.04	21(04,37)	-3.88
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.41	0.03	22(08,35)	-4.76	Ohio	0.49	0.04	09(01,30)	12.16
Georgia	0.54	0.05	04(01,27)	23.65 ^c	Oklahoma	0.48	0.07	13(01,38)	9.45
Hawaii	-	-	-(-,-)	-	Oregon	0.52	0.07	05(01,35)	20.19 ^c
Idaho	-	-	-(-,-)	-	Pennsylvania	0.39	0.03	30(09,38)	-10.83
Illinois	0.39	0.04	29(09,38)	-10.56	Rhode Island	-	-	-(-,-)	-
Indiana	0.48	0.06	11(01,35)	10.52	South Carolina	0.45	0.06	16(01,38)	4.52
Iowa	0.41	0.07	23(01,39)	-5.48	South Dakota	-	-	-(-,-)	-
Kansas	0.39	0.08	31(01,39)	-11.00	Tennessee	0.54	0.06	03(01,29)	24.13 ^c
Kentucky	0.29	0.05	39(14,39)	-33.10 ^c	Texas	0.51	0.03	07(01,22)	18.14 ^c
Louisiana	0.48	0.07	10(01,37)	11.05	Utah	0.35	0.08	34(02,39)	-19.59 ^c
Maine	-	-	-(-,-)	-	Vermont	-	-	-(-,-)	-
Maryland	0.40	0.06	26(03,39)	-7.94	Virginia	0.45	0.05	17(02,37)	2.58
Massachusetts	0.36	0.05	33(06,39)	-15.96 ^c	Washington	0.33	0.04	38(13,39)	-23.96 ^c
Michigan	0.51	0.05	06(01,27)	18.56 ^c	West Virginia	0.41	0.10	24(01,39)	-6.00
Minnesota	0.40	0.06	25(03,39)	-7.18	Wisconsin	0.39	0.05	28(04,39)	-10.53
Mississippi	0.55	0.09	02(01,36)	27.64 ^c	Wyoming	-	-	-(-,-)	-
Missouri	0.42	0.05	19(02,38)	-2.96					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 9.20
Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.26	0.01		
High Five States				
Louisiana	0.42	0.06	01(01,17)	59.95 ^c
Oklahoma	0.37	0.06	02(01,29)	39.50 ^c
West Virginia	0.33	0.08	03(01,34)	25.21 ^c
Arkansas	0.32	0.06	04(01,34)	21.67 ^c
Kansas	0.32	0.07	05(01,34)	20.60 ^c
Low Five States				
Connecticut	0.22	0.05	30(03,34)	-16.10 ^c
Virginia	0.22	0.03	31(06,34)	-16.23 ^c
Illinois	0.21	0.02	32(12,34)	-18.18 ^c
Kentucky	0.21	0.04	33(04,34)	-19.22 ^c
South Carolina	0.20	0.04	34(06,34)	-24.29 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.29	0.05	09(01,34)	12.03	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	-	-	-(-,-)	-
Arizona	0.22	0.03	28(05,34)	-14.52	Nevada	-	-	-(-,-)	-
Arkansas	0.32	0.06	04(01,34)	21.67 ^c	New Hampshire	-	-	-(-,-)	-
California	0.28	0.02	16(05,26)	5.31	New Jersey	0.25	0.03	23(04,34)	-5.13
Colorado	0.25	0.04	24(02,34)	-5.69	New Mexico	-	-	-(-,-)	-
Connecticut	0.22	0.05	30(03,34)	-16.10 ^c	New York	0.29	0.02	11(03,27)	10.25
Delaware	-	-	-(-,-)	-	North Carolina	0.24	0.03	26(06,34)	-10.12
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.22	0.02	29(13,34)	-15.95 ^c	Ohio	0.26	0.03	20(04,33)	-0.70
Georgia	0.26	0.03	22(03,34)	-2.25	Oklahoma	0.37	0.06	02(01,29)	39.50 ^c
Hawaii	-	-	-(-,-)	-	Oregon	0.24	0.05	25(02,34)	-9.04
Idaho	-	-	-(-,-)	-	Pennsylvania	0.28	0.03	13(03,30)	8.02
Illinois	0.21	0.02	32(12,34)	-18.18 ^c	Rhode Island	-	-	-(-,-)	-
Indiana	0.29	0.04	10(01,33)	11.66	South Carolina	0.20	0.04	34(06,34)	-24.29 ^c
Iowa	0.27	0.05	17(01,34)	4.53	South Dakota	-	-	-(-,-)	-
Kansas	0.32	0.07	05(01,34)	20.60 ^c	Tennessee	0.29	0.04	12(01,33)	9.63
Kentucky	0.21	0.04	33(04,34)	-19.22 ^c	Texas	0.28	0.02	14(04,28)	7.33
Louisiana	0.42	0.06	01(01,17)	59.95 ^c	Utah	-	-	-(-,-)	-
Maine	-	-	-(-,-)	-	Vermont	-	-	-(-,-)	-
Maryland	0.30	0.04	08(01,33)	12.79	Virginia	0.22	0.03	31(06,34)	-16.23 ^c
Massachusetts	0.24	0.03	27(04,34)	-10.43	Washington	0.28	0.04	15(02,33)	6.68
Michigan	0.27	0.03	18(03,33)	2.34	West Virginia	0.33	0.08	03(01,34)	25.21 ^c
Minnesota	0.26	0.04	19(02,34)	-0.51	Wisconsin	0.31	0.04	06(01,32)	18.78 ^c
Mississippi	0.30	0.06	07(01,34)	14.20	Wyoming	-	-	-(-,-)	-
Missouri	0.26	0.04	21(02,34)	-0.73					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 11.18
Cancer of the Kidney and Renal Pelvis (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.86	0.01		
High Five States				
Oklahoma	5.22	0.16	01(01,05)	35.25 ^c
Louisiana	5.01	0.14	02(01,08)	29.93 ^c
Arkansas	4.83	0.17	03(01,15)	25.08 ^c
Kentucky	4.70	0.14	04(01,17)	21.81 ^c
West Virginia	4.70	0.20	05(01,22)	21.68 ^c
Low Five States				
Wyoming	3.18	0.32	47(17,51)	-17.54 ^c
New York	3.14	0.05	48(43,50)	-18.67 ^c
Connecticut	3.00	0.12	49(41,51)	-22.20 ^c
D.C.	2.78	0.30	50(32,51)	-27.94 ^c
Hawaii	2.74	0.18	51(44,51)	-29.00 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.02	0.12	25(12,35)	4.12	Montana	3.34	0.23	43(21,51)	-13.39
Alaska	4.56	0.44	08(01,43)	18.08 ^c	Nebraska	4.42	0.21	14(02,31)	14.43
Arizona	3.67	0.10	33(25,43)	-4.82	Nevada	3.52	0.16	38(24,49)	-8.70
Arkansas	4.83	0.17	03(01,15)	25.08 ^c	New Hampshire	3.82	0.22	32(10,47)	-1.14
California	3.48	0.04	39(34,44)	-9.71	New Jersey	3.27	0.08	46(37,49)	-15.22 ^c
Colorado	3.38	0.12	41(32,49)	-12.35	New Mexico	4.26	0.19	16(03,34)	10.48
Connecticut	3.00	0.12	49(41,51)	-22.20 ^c	New York	3.14	0.05	48(43,50)	-18.67 ^c
Delaware	3.94	0.27	27(04,47)	2.12	North Carolina	3.91	0.09	28(18,35)	1.36
D.C.	2.78	0.30	50(32,51)	-27.94 ^c	North Dakota	4.11	0.32	21(01,47)	6.50
Florida	3.38	0.05	42(37,47)	-12.52	Ohio	4.08	0.08	24(14,31)	5.59
Georgia	3.56	0.09	36(29,45)	-7.65	Oklahoma	5.22	0.16	01(01,05)	35.25 ^c
Hawaii	2.74	0.18	51(44,51)	-29.00 ^c	Oregon	3.86	0.13	30(16,40)	-0.11
Idaho	4.14	0.22	19(03,40)	7.22	Pennsylvania	3.85	0.07	31(22,36)	-0.22
Illinois	4.12	0.08	20(12,29)	6.84	Rhode Island	3.53	0.23	37(16,50)	-8.63
Indiana	4.46	0.11	12(03,22)	15.45 ^c	South Carolina	3.99	0.12	26(13,36)	3.44
Iowa	4.64	0.16	06(02,20)	20.13 ^c	South Dakota	4.46	0.30	11(01,36)	15.47 ^c
Kansas	4.54	0.17	09(02,25)	17.53 ^c	Tennessee	4.28	0.11	15(07,27)	10.78
Kentucky	4.70	0.14	04(01,17)	21.81 ^c	Texas	4.47	0.06	10(05,17)	15.71 ^c
Louisiana	5.01	0.14	02(01,08)	29.93 ^c	Utah	3.62	0.18	35(19,48)	-6.08
Maine	4.08	0.22	23(05,40)	5.77	Vermont	3.28	0.29	44(19,51)	-15.07 ^c
Maryland	3.48	0.11	40(30,47)	-9.80	Virginia	3.63	0.09	34(27,43)	-5.96
Massachusetts	3.28	0.09	45(36,49)	-15.07 ^c	Washington	3.90	0.10	29(17,37)	1.09
Michigan	4.10	0.08	22(13,30)	6.31	West Virginia	4.70	0.20	05(01,22)	21.68 ^c
Minnesota	4.23	0.12	17(08,29)	9.71	Wisconsin	4.23	0.11	18(08,29)	9.54
Mississippi	4.45	0.17	13(03,27)	15.36 ^c	Wyoming	3.18	0.32	47(17,51)	-17.54 ^c
Missouri	4.59	0.11	07(02,18)	18.90 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 11.19
Cancer of the Kidney and Renal Pelvis (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	5.65	0.03		
High Five States				
Oklahoma	7.66	0.29	01(01,07)	35.69 ^c
Louisiana	7.14	0.26	02(01,15)	26.43 ^c
Arkansas	7.11	0.31	03(01,18)	25.91 ^c
Iowa	6.92	0.29	04(01,20)	22.50 ^c
Kentucky	6.80	0.26	05(01,22)	20.40 ^c
Low Five States				
New York	4.71	0.10	47(40,50)	-16.64 ^c
Connecticut	4.57	0.22	48(36,51)	-19.17 ^c
D.C.	4.39	0.60	49(14,51)	-22.30 ^c
Wyoming	4.24	0.54	50(23,51)	-24.97 ^c
Hawaii	4.16	0.33	51(38,51)	-26.32 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	6.03	0.23	19(06,37)	6.70	Montana	5.22	0.42	39(10,51)	-7.49
Alaska	6.51	0.80	09(01,50)	15.30 ^c	Nebraska	6.45	0.37	11(01,36)	14.20
Arizona	5.36	0.18	37(23,45)	-5.10	Nevada	4.82	0.28	45(30,51)	-14.65
Arkansas	7.11	0.31	03(01,18)	25.91 ^c	New Hampshire	5.93	0.41	24(02,45)	5.04
California	5.10	0.08	40(34,45)	-9.75	New Jersey	4.90	0.15	42(35,50)	-13.29
Colorado	4.77	0.21	46(34,51)	-15.54 ^c	New Mexico	5.79	0.34	27(06,46)	2.52
Connecticut	4.57	0.22	48(36,51)	-19.17 ^c	New York	4.71	0.10	47(40,50)	-16.64 ^c
Delaware	5.73	0.50	28(02,50)	1.50	North Carolina	6.02	0.17	20(10,32)	6.66
D.C.	4.39	0.60	49(14,51)	-22.30 ^c	North Dakota	5.68	0.57	31(02,50)	0.64
Florida	4.94	0.09	41(36,48)	-12.50	Ohio	5.70	0.14	30(18,38)	0.88
Georgia	5.45	0.17	35(21,43)	-3.49	Oklahoma	7.66	0.29	01(01,07)	35.69 ^c
Hawaii	4.16	0.33	51(38,51)	-26.32 ^c	Oregon	5.65	0.24	32(13,42)	-0.03
Idaho	6.01	0.40	21(02,44)	6.34	Pennsylvania	5.46	0.13	33(24,41)	-3.31
Illinois	5.94	0.14	23(13,33)	5.19	Rhode Island	5.91	0.47	25(02,48)	4.66
Indiana	6.43	0.21	13(03,26)	13.84	South Carolina	6.22	0.24	17(04,32)	10.12
Iowa	6.92	0.29	04(01,20)	22.50 ^c	South Dakota	5.96	0.52	22(02,49)	5.57
Kansas	6.66	0.31	07(01,27)	18.01 ^c	Tennessee	6.43	0.21	12(03,26)	13.86
Kentucky	6.80	0.26	05(01,22)	20.40 ^c	Texas	6.43	0.11	14(05,21)	13.79
Louisiana	7.14	0.26	02(01,15)	26.43 ^c	Utah	5.23	0.32	38(17,50)	-7.42
Maine	6.13	0.40	18(02,42)	8.50	Vermont	4.83	0.54	43(09,51)	-14.43
Maryland	5.45	0.21	34(18,44)	-3.44	Virginia	5.39	0.17	36(21,44)	-4.58
Massachusetts	4.83	0.17	44(35,50)	-14.54	Washington	5.70	0.19	29(15,39)	0.98
Michigan	5.86	0.15	26(14,35)	3.79	West Virginia	6.60	0.36	08(01,31)	16.94 ^c
Minnesota	6.23	0.22	16(05,32)	10.26	Wisconsin	6.24	0.21	15(05,31)	10.46
Mississippi	6.69	0.32	06(01,28)	18.54 ^c	Wyoming	4.24	0.54	50(23,51)	-24.97 ^c
Missouri	6.48	0.21	10(03,25)	14.79					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 11.20
Cancer of the Kidney And Renal Pelvis (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.44	0.02		
High Five States				
Louisiana	3.32	0.16	01(01,12)	36.36 ^c
Oklahoma	3.22	0.17	02(01,17)	32.17 ^c
West Virginia	3.20	0.22	03(01,23)	31.27 ^c
South Dakota	3.14	0.34	04(01,39)	28.67 ^c
Missouri	3.08	0.13	05(01,17)	26.57 ^c
Low Five States				
Rhode Island	1.84	0.23	47(24,51)	-24.62 ^c
Connecticut	1.81	0.12	48(35,51)	-25.74 ^c
Montana	1.65	0.23	49(28,51)	-32.24 ^c
D.C.	1.63	0.30	50(20,51)	-33.10 ^c
Hawaii	1.58	0.19	51(38,51)	-34.97 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.48	0.13	25(11,40)	1.82	Montana	1.65	0.23	49(28,51)	-32.24 ^c
Alaska	2.87	0.47	10(01,50)	17.91 ^c	Nebraska	2.65	0.21	19(02,42)	8.86
Arizona	2.22	0.11	37(22,47)	-8.80	Nevada	2.37	0.18	30(08,48)	-2.88
Arkansas	3.00	0.18	07(01,27)	23.27 ^c	New Hampshire	2.02	0.22	44(16,51)	-17.08 ^c
California	2.18	0.05	38(29,44)	-10.40	New Jersey	2.03	0.08	43(32,49)	-16.70 ^c
Colorado	2.24	0.13	36(19,48)	-8.04	New Mexico	2.96	0.22	08(01,32)	21.31 ^c
Connecticut	1.81	0.12	48(35,51)	-25.74 ^c	New York	1.98	0.06	46(37,49)	-18.80 ^c
Delaware	2.56	0.29	24(01,49)	5.04	North Carolina	2.35	0.09	31(19,41)	-3.56
D.C.	1.63	0.30	50(20,51)	-33.10 ^c	North Dakota	2.80	0.36	14(01,48)	14.80
Florida	2.08	0.05	41(32,48)	-14.66	Ohio	2.78	0.09	15(06,25)	14.08
Georgia	2.15	0.09	39(26,48)	-11.61	Oklahoma	3.22	0.17	02(01,17)	32.17 ^c
Hawaii	1.58	0.19	51(38,51)	-34.97 ^c	Oregon	2.40	0.14	28(12,44)	-1.53
Idaho	2.47	0.24	26(03,48)	1.53	Pennsylvania	2.60	0.08	22(12,30)	6.51
Illinois	2.73	0.08	16(06,27)	12.25	Rhode Island	1.84	0.23	47(24,51)	-24.62 ^c
Indiana	2.88	0.12	09(02,25)	18.31 ^c	South Carolina	2.32	0.13	32(16,46)	-4.81
Iowa	2.81	0.16	13(02,31)	15.44 ^c	South Dakota	3.14	0.34	04(01,39)	28.67 ^c
Kansas	2.82	0.18	12(01,32)	15.54 ^c	Tennessee	2.62	0.11	20(08,34)	7.33
Kentucky	3.04	0.15	06(01,22)	24.79 ^c	Texas	2.86	0.07	11(04,20)	17.57 ^c
Louisiana	3.32	0.16	01(01,12)	36.36 ^c	Utah	2.25	0.19	33(11,49)	-7.68
Maine	2.42	0.22	27(05,49)	-0.75	Vermont	1.99	0.30	45(07,51)	-18.40 ^c
Maryland	2.04	0.11	42(28,50)	-16.43 ^c	Virginia	2.24	0.10	35(22,46)	-7.88
Massachusetts	2.10	0.10	40(27,49)	-13.80	Washington	2.39	0.11	29(15,42)	-2.06
Michigan	2.69	0.09	17(07,29)	10.43	West Virginia	3.20	0.22	03(01,23)	31.27 ^c
Minnesota	2.60	0.13	21(07,36)	6.53	Wisconsin	2.58	0.12	23(08,35)	6.04
Mississippi	2.69	0.17	18(03,37)	10.37	Wyoming	2.25	0.37	34(01,51)	-7.85
Missouri	3.08	0.13	05(01,17)	26.57 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 12.18
Cancer of the Larynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.03	0.01		
High Five States				
D.C.	1.63	0.24	01(01,31)	58.23 ^c
West Virginia	1.55	0.11	02(01,11)	50.37 ^c
Kentucky	1.49	0.08	03(01,09)	44.11 ^c
Tennessee	1.32	0.06	04(02,18)	27.71 ^c
Louisiana	1.32	0.07	05(01,20)	27.64 ^c
Low Five States				
Oregon	0.70	0.06	47(36,50)	-32.27 ^c
Colorado	0.68	0.05	48(37,50)	-34.20 ^c
South Dakota	0.67	0.12	49(24,51)	-34.93 ^c
Hawaii	0.66	0.09	50(32,50)	-35.80 ^c
Utah	0.34	0.05	51(50,51)	-67.33 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.23	0.07	10(03,27)	19.45 ^c	Montana	1.03	0.13	27(03,48)	-0.37
Alaska	0.82	0.19	40(03,51)	-20.85 ^c	Nebraska	1.02	0.10	28(05,44)	-0.83
Arizona	0.76	0.04	43(34,50)	-26.69 ^c	Nevada	0.92	0.08	35(13,48)	-11.36
Arkansas	1.01	0.08	30(10,41)	-2.17	New Hampshire	0.86	0.11	38(11,50)	-16.86 ^c
California	0.74	0.02	44(38,49)	-28.33 ^c	New Jersey	1.09	0.05	22(09,33)	5.36
Colorado	0.68	0.05	48(37,50)	-34.20 ^c	New Mexico	0.92	0.09	34(12,48)	-11.28
Connecticut	0.80	0.06	41(29,50)	-22.49 ^c	New York	1.10	0.03	20(11,30)	6.91
Delaware	1.16	0.14	14(01,43)	12.36	North Carolina	1.13	0.05	16(07,31)	9.06
D.C.	1.63	0.24	01(01,31)	58.23 ^c	North Dakota	1.05	0.16	26(02,50)	1.42
Florida	1.17	0.03	13(07,23)	13.45	Ohio	1.29	0.04	07(03,17)	24.70 ^c
Georgia	1.06	0.05	24(11,35)	2.87	Oklahoma	0.96	0.07	32(13,42)	-6.97
Hawaii	0.66	0.09	50(32,50)	-35.80 ^c	Oregon	0.70	0.06	47(36,50)	-32.27 ^c
Idaho	0.70	0.09	46(28,50)	-32.16 ^c	Pennsylvania	1.10	0.04	21(10,31)	6.87
Illinois	1.14	0.04	15(08,29)	10.74	Rhode Island	1.13	0.13	17(02,43)	8.98
Indiana	1.13	0.06	18(06,33)	8.96	South Carolina	1.31	0.07	06(01,19)	26.75 ^c
Iowa	1.01	0.07	29(09,41)	-2.12	South Dakota	0.67	0.12	49(24,51)	-34.93 ^c
Kansas	0.78	0.07	42(29,50)	-24.86 ^c	Tennessee	1.32	0.06	04(02,18)	27.71 ^c
Kentucky	1.49	0.08	03(01,09)	44.11 ^c	Texas	1.06	0.03	25(14,33)	2.81
Louisiana	1.32	0.07	05(01,20)	27.64 ^c	Utah	0.34	0.05	51(50,51)	-67.33 ^c
Maine	1.25	0.12	09(01,35)	21.45 ^c	Vermont	1.18	0.18	12(01,47)	13.91
Maryland	1.12	0.06	19(07,34)	8.29	Virginia	1.01	0.05	31(14,38)	-2.44
Massachusetts	0.94	0.05	33(21,41)	-9.03	Washington	0.87	0.05	37(26,46)	-15.45 ^c
Michigan	1.20	0.05	11(04,25)	16.61 ^c	West Virginia	1.55	0.11	02(01,11)	50.37 ^c
Minnesota	0.72	0.05	45(36,50)	-30.01 ^c	Wisconsin	0.89	0.05	36(25,45)	-14.05
Mississippi	1.26	0.09	08(02,29)	21.81 ^c	Wyoming	0.84	0.17	39(04,50)	-18.70 ^c
Missouri	1.07	0.05	23(09,36)	3.42					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 12.19
Cancer of the Larynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.85	0.02		
High Five States				
D.C.	2.96	0.50	01(01,36)	59.81 ^c
Kentucky	2.52	0.15	02(01,15)	35.93 ^c
West Virginia	2.47	0.21	03(01,26)	33.33 ^c
South Carolina	2.47	0.14	04(01,17)	32.99 ^c
Louisiana	2.44	0.15	05(01,21)	31.63 ^c
Low Five States				
Arizona	1.27	0.09	47(36,50)	-31.26 ^c
Oregon	1.26	0.11	48(34,50)	-32.25 ^c
South Dakota	1.24	0.24	49(15,50)	-33.09 ^c
Colorado	1.14	0.10	50(38,50)	-38.42 ^c
Utah	0.54	0.10	51(50,51)	-71.05 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.26	0.14	09(01,27)	21.82 ^c	Montana	1.81	0.26	28(02,49)	-2.13
Alaska	1.41	0.37	41(02,51)	-24.10 ^c	Nebraska	1.85	0.20	26(04,45)	-0.16
Arizona	1.27	0.09	47(36,50)	-31.26 ^c	Nevada	1.58	0.16	36(15,49)	-14.74
Arkansas	1.73	0.15	32(11,46)	-6.74	New Hampshire	1.42	0.21	39(12,50)	-23.27 ^c
California	1.38	0.04	43(35,48)	-25.77 ^c	New Jersey	1.93	0.10	22(08,34)	4.32
Colorado	1.14	0.10	50(38,50)	-38.42 ^c	New Mexico	1.63	0.18	33(09,49)	-12.00
Connecticut	1.45	0.12	38(26,50)	-22.03 ^c	New York	2.03	0.07	15(08,29)	9.40
Delaware	1.83	0.27	27(02,50)	-1.07	North Carolina	1.99	0.09	18(07,32)	7.62
D.C.	2.96	0.50	01(01,36)	59.81 ^c	North Dakota	1.78	0.31	29(01,50)	-3.82
Florida	2.11	0.06	12(07,24)	14.01	Ohio	2.23	0.09	10(03,21)	20.30 ^c
Georgia	1.92	0.10	23(09,34)	3.73	Oklahoma	1.75	0.14	31(10,44)	-5.47
Hawaii	1.36	0.19	44(21,50)	-26.38 ^c	Oregon	1.26	0.11	48(34,50)	-32.25 ^c
Idaho	1.30	0.18	46(22,50)	-29.60 ^c	Pennsylvania	1.96	0.07	20(10,32)	5.75
Illinois	2.12	0.08	11(05,27)	14.16	Rhode Island	1.93	0.27	21(01,47)	4.38
Indiana	2.02	0.11	17(05,32)	9.15	South Carolina	2.47	0.14	04(01,17)	32.99 ^c
Iowa	1.77	0.14	30(09,43)	-4.52	South Dakota	1.24	0.24	49(15,50)	-33.09 ^c
Kansas	1.39	0.14	42(26,50)	-25.12 ^c	Tennessee	2.37	0.12	06(01,20)	27.94 ^c
Kentucky	2.52	0.15	02(01,15)	35.93 ^c	Texas	1.96	0.06	19(11,30)	5.94
Louisiana	2.44	0.15	05(01,21)	31.63 ^c	Utah	0.54	0.10	51(50,51)	-71.05 ^c
Maine	2.35	0.24	07(01,33)	26.74 ^c	Vermont	2.02	0.34	16(01,49)	9.20
Maryland	2.09	0.13	14(03,32)	12.59	Virginia	1.91	0.10	25(09,35)	3.07
Massachusetts	1.63	0.10	34(21,44)	-12.16	Washington	1.52	0.10	37(26,47)	-18.11 ^c
Michigan	2.11	0.09	13(05,28)	13.58	West Virginia	2.47	0.21	03(01,26)	33.33 ^c
Minnesota	1.33	0.10	45(33,50)	-28.43 ^c	Wisconsin	1.60	0.10	35(21,46)	-13.84
Mississippi	2.30	0.18	08(01,30)	23.94 ^c	Wyoming	1.42	0.31	40(04,51)	-23.30 ^c
Missouri	1.92	0.11	24(08,36)	3.46					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 12.20
Cancer of the Larynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.38	0.01		
High Five States				
West Virginia	0.74	0.10	01(01,11)	94.92 ^c
Kentucky	0.67	0.07	02(01,10)	76.92 ^c
Delaware	0.62	0.14	03(01,39)	63.45 ^c
Rhode Island	0.57	0.13	04(01,40)	49.72 ^c
Ohio	0.54	0.04	05(02,16)	42.43 ^c
Low Five States				
Connecticut	0.29	0.05	37(12,41)	-23.18 ^c
Kansas	0.28	0.06	38(09,41)	-25.38 ^c
California	0.24	0.02	39(33,41)	-36.22 ^c
Minnesota	0.23	0.04	40(26,41)	-38.85 ^c
Oregon	0.22	0.04	41(24,41)	-40.76 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.42	0.05	13(03,36)	10.48	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	0.33	0.08	29(03,41)	-12.02
Arizona	0.32	0.04	33(12,41)	-15.96 ^c	Nevada	0.33	0.07	30(04,41)	-12.79
Arkansas	0.40	0.07	20(03,40)	5.35	New Hampshire	0.41	0.10	18(01,41)	7.42
California	0.24	0.02	39(33,41)	-36.22 ^c	New Jersey	0.45	0.04	09(03,29)	18.81 ^c
Colorado	0.30	0.05	36(10,41)	-20.58 ^c	New Mexico	0.31	0.07	35(04,41)	-17.73 ^c
Connecticut	0.29	0.05	37(12,41)	-23.18 ^c	New York	0.41	0.03	15(07,29)	9.00
Delaware	0.62	0.14	03(01,39)	63.45 ^c	North Carolina	0.46	0.04	08(03,28)	22.40 ^c
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.38	0.02	24(10,34)	0.14	Ohio	0.54	0.04	05(02,16)	42.43 ^c
Georgia	0.39	0.04	22(06,36)	3.43	Oklahoma	0.32	0.05	34(08,41)	-16.37 ^c
Hawaii	-	-	-(-,-)	-	Oregon	0.22	0.04	41(24,41)	-40.76 ^c
Idaho	-	-	-(-,-)	-	Pennsylvania	0.44	0.03	11(04,27)	16.74 ^c
Illinois	0.41	0.03	17(05,33)	8.06	Rhode Island	0.57	0.13	04(01,40)	49.72 ^c
Indiana	0.41	0.05	16(04,36)	8.81	South Carolina	0.38	0.05	23(04,39)	0.47
Iowa	0.41	0.06	19(03,40)	7.26	South Dakota	-	-	-(-,-)	-
Kansas	0.28	0.06	38(09,41)	-25.38 ^c	Tennessee	0.49	0.05	06(02,28)	28.17 ^c
Kentucky	0.67	0.07	02(01,10)	76.92 ^c	Texas	0.33	0.02	28(17,38)	-11.69
Louisiana	0.45	0.06	10(02,35)	18.15 ^c	Utah	-	-	-(-,-)	-
Maine	0.35	0.09	27(03,41)	-8.54	Vermont	-	-	-(-,-)	-
Maryland	0.38	0.05	25(05,38)	-0.41	Virginia	0.33	0.04	31(12,40)	-13.70
Massachusetts	0.42	0.04	14(04,35)	9.48	Washington	0.35	0.04	26(07,40)	-7.62
Michigan	0.48	0.04	07(03,24)	26.99 ^c	West Virginia	0.74	0.10	01(01,11)	94.92 ^c
Minnesota	0.23	0.04	40(26,41)	-38.85 ^c	Wisconsin	0.33	0.04	32(10,41)	-14.27
Mississippi	0.44	0.07	12(02,38)	15.29 ^c	Wyoming	-	-	-(-,-)	-
Missouri	0.39	0.05	21(04,37)	3.90					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 13.26
Leukemia

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	6.81	0.02		
High Five States				
South Dakota	8.35	0.42	01(01,17)	22.65 ^c
Wyoming	8.20	0.53	02(01,29)	20.50 ^c
Oklahoma	7.90	0.20	03(01,14)	16.11 ^c
Kansas	7.80	0.22	04(01,19)	14.62
Wisconsin	7.80	0.16	05(01,12)	14.57
Low Five States				
Colorado	6.26	0.16	47(27,50)	-8.06
Montana	6.16	0.32	48(16,51)	-9.52
New Mexico	6.00	0.23	49(28,51)	-11.83
D.C.	5.34	0.44	50(27,51)	-21.51 ^c
Hawaii	5.25	0.26	51(48,51)	-22.92 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.25	0.17	13(05,29)	6.48	Montana	6.16	0.32	48(16,51)	-9.52
Alaska	6.73	0.56	27(01,51)	-1.07	Nebraska	6.98	0.26	22(04,46)	2.60
Arizona	6.56	0.14	37(22,47)	-3.55	Nevada	6.69	0.23	29(10,48)	-1.68
Arkansas	7.38	0.21	10(02,28)	8.39	New Hampshire	6.60	0.30	35(08,50)	-2.98
California	6.45	0.06	41(30,47)	-5.28	New Jersey	6.46	0.11	40(25,48)	-5.14
Colorado	6.26	0.16	47(27,50)	-8.06	New Mexico	6.00	0.23	49(28,51)	-11.83
Connecticut	6.65	0.18	33(15,48)	-2.32	New York	6.41	0.08	44(30,48)	-5.83
Delaware	6.77	0.36	24(03,49)	-0.50	North Carolina	6.58	0.11	36(22,46)	-3.35
D.C.	5.34	0.44	50(27,51)	-21.51 ^c	North Dakota	6.64	0.41	34(03,50)	-2.51
Florida	6.43	0.07	42(29,47)	-5.50	Ohio	7.11	0.10	18(09,27)	4.41
Georgia	6.27	0.12	46(31,50)	-7.94	Oklahoma	7.90	0.20	03(01,14)	16.11 ^c
Hawaii	5.25	0.26	51(48,51)	-22.92 ^c	Oregon	6.66	0.17	32(16,48)	-2.15
Idaho	6.75	0.29	26(06,49)	-0.83	Pennsylvania	7.13	0.10	17(09,27)	4.77
Illinois	7.19	0.10	14(08,25)	5.70	Rhode Island	6.49	0.33	39(08,50)	-4.63
Indiana	7.48	0.15	08(03,22)	9.86	South Carolina	6.69	0.16	30(16,47)	-1.75
Iowa	7.18	0.20	15(05,34)	5.47	South Dakota	8.35	0.42	01(01,17)	22.65 ^c
Kansas	7.80	0.22	04(01,19)	14.62	Tennessee	7.37	0.15	11(04,24)	8.22
Kentucky	7.71	0.18	06(01,17)	13.24	Texas	6.77	0.08	25(20,37)	-0.56
Louisiana	7.01	0.18	21(08,39)	2.96	Utah	6.42	0.24	43(17,50)	-5.68
Maine	7.13	0.29	16(02,45)	4.80	Vermont	6.81	0.43	23(02,50)	0.07
Maryland	6.56	0.15	38(21,48)	-3.64	Virginia	6.27	0.12	45(30,50)	-7.86
Massachusetts	6.67	0.13	31(18,46)	-2.07	Washington	6.72	0.14	28(17,45)	-1.28
Michigan	7.09	0.11	20(09,30)	4.13	West Virginia	7.69	0.26	07(01,23)	13.00
Minnesota	7.45	0.16	09(02,22)	9.49	Wisconsin	7.80	0.16	05(01,12)	14.57
Mississippi	7.10	0.22	19(04,39)	4.37	Wyoming	8.20	0.53	02(01,29)	20.50 ^c
Missouri	7.34	0.15	12(04,25)	7.91					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 13.27
Leukemia

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	9.13	0.04		
High Five States				
South Dakota	11.39	0.74	01(01,29)	24.86 ^c
Oklahoma	10.61	0.35	02(01,20)	16.25 ^c
Wisconsin	10.60	0.28	03(01,16)	16.15 ^c
Arkansas	10.45	0.39	04(01,25)	14.48
Kansas	10.45	0.40	05(01,26)	14.47
Low Five States				
Utah	8.03	0.41	47(24,51)	-12.03
New Mexico	7.94	0.40	48(26,51)	-13.03
Montana	7.82	0.54	49(22,51)	-14.36
D.C.	7.18	0.82	50(15,51)	-21.28 ^c
Hawaii	6.87	0.44	51(45,51)	-24.67 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	10.05	0.31	10(01,27)	10.16	Montana	7.82	0.54	49(22,51)	-14.36
Alaska	9.42	0.99	23(01,51)	3.22	Nebraska	9.21	0.46	26(04,49)	0.87
Arizona	8.71	0.23	40(22,48)	-4.51	Nevada	9.10	0.40	27(07,48)	-0.30
Arkansas	10.45	0.39	04(01,25)	14.48	New Hampshire	9.08	0.54	29(03,50)	-0.54
California	8.41	0.10	45(36,49)	-7.86	New Jersey	8.63	0.21	41(25,49)	-5.46
Colorado	8.40	0.29	46(24,50)	-7.91	New Mexico	7.94	0.40	48(26,51)	-13.03
Connecticut	9.09	0.32	28(10,47)	-0.41	New York	8.76	0.14	39(25,46)	-4.05
Delaware	9.49	0.66	19(01,49)	3.94	North Carolina	8.91	0.21	36(18,46)	-2.34
D.C.	7.18	0.82	50(15,51)	-21.28 ^c	North Dakota	9.04	0.72	31(01,51)	-0.94
Florida	8.54	0.12	43(31,48)	-6.42	Ohio	9.58	0.19	17(08,32)	4.94
Georgia	8.45	0.22	44(27,49)	-7.42	Oklahoma	10.61	0.35	02(01,20)	16.25 ^c
Hawaii	6.87	0.44	51(45,51)	-24.67 ^c	Oregon	8.97	0.31	35(14,48)	-1.66
Idaho	9.03	0.50	32(04,49)	-1.08	Pennsylvania	9.47	0.17	21(11,33)	3.76
Illinois	9.73	0.19	15(06,28)	6.65	Rhode Island	8.98	0.59	33(02,50)	-1.63
Indiana	9.98	0.26	12(02,27)	9.30	South Carolina	9.26	0.30	25(09,45)	1.45
Iowa	9.79	0.35	14(02,38)	7.32	South Dakota	11.39	0.74	01(01,29)	24.86 ^c
Kansas	10.45	0.40	05(01,26)	14.47	Tennessee	10.14	0.27	08(01,26)	11.12
Kentucky	10.38	0.33	06(01,23)	13.72	Texas	8.98	0.14	34(22,42)	-1.64
Louisiana	9.47	0.32	22(05,41)	3.74	Utah	8.03	0.41	47(24,51)	-12.03
Maine	9.39	0.50	24(02,48)	2.87	Vermont	9.47	0.78	20(01,50)	3.80
Maryland	8.85	0.27	37(17,48)	-3.05	Virginia	8.58	0.23	42(24,49)	-5.96
Massachusetts	9.07	0.24	30(14,45)	-0.57	Washington	8.83	0.24	38(19,48)	-3.28
Michigan	9.64	0.20	16(07,31)	5.62	West Virginia	10.12	0.46	09(01,37)	10.87
Minnesota	10.02	0.28	11(02,28)	9.78	Wisconsin	10.60	0.28	03(01,16)	16.15 ^c
Mississippi	9.57	0.39	18(02,44)	4.83	Wyoming	10.26	0.89	07(01,49)	12.38
Missouri	9.92	0.26	13(02,28)	8.68					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 13.28
Leukemia

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	5.10	0.02		
High Five States				
Wyoming	6.60	0.65	01(01,40)	29.35 ^c
South Dakota	5.94	0.48	02(01,45)	16.46 ^c
West Virginia	5.87	0.30	03(01,31)	15.15 ^c
Oklahoma	5.86	0.23	04(01,22)	14.89
Kansas	5.82	0.26	05(01,26)	14.16
Low Five States				
Virginia	4.60	0.14	47(26,50)	-9.73
New Mexico	4.42	0.27	48(16,51)	-13.38
Alaska	4.30	0.60	49(02,51)	-15.72 ^c
D.C.	4.26	0.50	50(05,51)	-16.55 ^c
Hawaii	3.99	0.31	51(24,51)	-21.68 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	5.27	0.19	19(04,42)	3.28	Montana	4.75	0.39	40(03,51)	-6.90
Alaska	4.30	0.60	49(02,51)	-15.72 ^c	Nebraska	5.37	0.31	13(01,47)	5.31
Arizona	4.85	0.16	35(15,48)	-4.90	Nevada	4.62	0.26	46(14,51)	-9.32
Arkansas	5.12	0.24	24(04,48)	0.38	New Hampshire	4.76	0.34	39(04,51)	-6.71
California	4.96	0.07	28(20,41)	-2.67	New Jersey	4.95	0.13	29(14,46)	-2.95
Colorado	4.64	0.19	45(20,50)	-9.00	New Mexico	4.42	0.27	48(16,51)	-13.38
Connecticut	4.86	0.20	33(12,49)	-4.75	New York	4.77	0.09	37(25,47)	-6.39
Delaware	4.71	0.40	44(04,51)	-7.64	North Carolina	4.99	0.13	27(13,45)	-2.15
D.C.	4.26	0.50	50(05,51)	-16.55 ^c	North Dakota	4.74	0.46	41(02,51)	-7.12
Florida	4.76	0.08	38(28,48)	-6.64	Ohio	5.37	0.12	15(05,29)	5.21
Georgia	4.71	0.14	43(22,49)	-7.62	Oklahoma	5.86	0.23	04(01,22)	14.89
Hawaii	3.99	0.31	51(24,51)	-21.68 ^c	Oregon	4.85	0.20	34(11,49)	-4.86
Idaho	4.86	0.33	32(04,51)	-4.74	Pennsylvania	5.48	0.11	10(03,24)	7.38
Illinois	5.45	0.12	12(04,26)	6.86	Rhode Island	4.73	0.37	42(04,51)	-7.29
Indiana	5.68	0.17	08(01,23)	11.45	South Carolina	4.94	0.19	30(10,48)	-3.21
Iowa	5.28	0.23	18(03,45)	3.45	South Dakota	5.94	0.48	02(01,45)	16.46 ^c
Kansas	5.82	0.26	05(01,26)	14.16	Tennessee	5.37	0.17	14(03,35)	5.26
Kentucky	5.82	0.21	06(01,21)	14.08	Texas	5.13	0.09	23(13,36)	0.69
Louisiana	5.24	0.20	20(04,44)	2.75	Utah	5.12	0.29	25(02,49)	0.33
Maine	5.28	0.34	17(01,49)	3.53	Vermont	4.82	0.48	36(02,51)	-5.46
Maryland	4.91	0.17	31(12,48)	-3.77	Virginia	4.60	0.14	47(26,50)	-9.73
Massachusetts	5.00	0.15	26(12,46)	-1.98	Washington	5.14	0.16	22(07,43)	0.76
Michigan	5.20	0.13	21(08,38)	2.05	West Virginia	5.87	0.30	03(01,31)	15.15 ^c
Minnesota	5.49	0.18	09(02,32)	7.72	Wisconsin	5.70	0.18	07(01,24)	11.82
Mississippi	5.31	0.25	16(02,46)	4.05	Wyoming	6.60	0.65	01(01,40)	29.35 ^c
Missouri	5.45	0.17	11(03,32)	6.93					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 14.18
Cancer of the Liver and Intrahepatic Bile Duct (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	6.27	0.02		
High Five States				
D.C.	9.64	0.56	01(01,03)	53.65 ^c
Hawaii	8.35	0.32	02(01,06)	33.03 ^c
Louisiana	8.12	0.18	03(01,05)	29.49 ^c
Texas	7.98	0.08	04(02,05)	27.25 ^c
California	7.52	0.06	05(04,07)	19.86 ^c
Low Five States				
Iowa	4.87	0.16	47(38,50)	-22.39 ^c
Nebraska	4.84	0.22	48(36,51)	-22.85 ^c
Utah	4.74	0.21	49(38,51)	-24.51 ^c
Vermont	4.51	0.34	50(34,51)	-28.09 ^c
North Dakota	3.80	0.31	51(47,51)	-39.43 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	6.57	0.15	12(07,20)	4.63	Montana	4.92	0.28	46(30,51)	-21.58 ^c
Alaska	6.48	0.48	16(04,43)	3.26	Nebraska	4.84	0.22	48(36,51)	-22.85 ^c
Arizona	6.21	0.13	18(11,29)	-1.10	Nevada	5.67	0.20	31(17,43)	-9.56
Arkansas	6.63	0.20	09(06,22)	5.68	New Hampshire	4.96	0.25	44(31,50)	-20.97 ^c
California	7.52	0.06	05(04,07)	19.86 ^c	New Jersey	5.75	0.11	30(21,38)	-8.31
Colorado	5.24	0.14	39(32,48)	-16.48 ^c	New Mexico	7.06	0.25	07(05,17)	12.53
Connecticut	5.64	0.16	32(19,42)	-10.06	New York	6.08	0.07	21(16,28)	-3.17
Delaware	6.57	0.35	11(05,35)	4.76	North Carolina	5.97	0.10	25(16,33)	-4.86
D.C.	9.64	0.56	01(01,03)	53.65 ^c	North Dakota	3.80	0.31	51(47,51)	-39.43 ^c
Florida	5.88	0.07	27(20,33)	-6.23	Ohio	5.59	0.09	35(27,40)	-10.87
Georgia	6.03	0.11	24(15,32)	-3.96	Oklahoma	6.05	0.17	23(12,35)	-3.64
Hawaii	8.35	0.32	02(01,06)	33.03 ^c	Oregon	6.33	0.16	17(08,29)	0.88
Idaho	5.00	0.24	43(31,50)	-20.39 ^c	Pennsylvania	5.88	0.09	28(19,34)	-6.27
Illinois	6.07	0.09	22(15,30)	-3.25	Rhode Island	6.80	0.33	08(05,29)	8.31
Indiana	5.62	0.12	34(23,41)	-10.50	South Carolina	5.90	0.15	26(16,37)	-6.00
Iowa	4.87	0.16	47(38,50)	-22.39 ^c	South Dakota	4.94	0.32	45(26,51)	-21.34 ^c
Kansas	5.35	0.18	38(26,48)	-14.78	Tennessee	6.49	0.13	15(07,22)	3.50
Kentucky	6.10	0.16	20(11,33)	-2.83	Texas	7.98	0.08	04(02,05)	27.25 ^c
Louisiana	8.12	0.18	03(01,05)	29.49 ^c	Utah	4.74	0.21	49(38,51)	-24.51 ^c
Maine	5.19	0.24	40(26,50)	-17.32 ^c	Vermont	4.51	0.34	50(34,51)	-28.09 ^c
Maryland	6.49	0.14	14(07,22)	3.50	Virginia	5.63	0.11	33(24,40)	-10.23
Massachusetts	6.52	0.13	13(07,20)	3.96	Washington	6.62	0.13	10(07,19)	5.48
Michigan	5.83	0.10	29(19,36)	-7.14	West Virginia	5.45	0.21	36(20,47)	-13.16
Minnesota	5.07	0.13	42(36,49)	-19.23 ^c	Wisconsin	5.42	0.13	37(29,44)	-13.56
Mississippi	7.39	0.21	06(03,10)	17.81 ^c	Wyoming	5.09	0.40	41(16,51)	-18.88 ^c
Missouri	6.15	0.13	19(12,31)	-2.02					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 14.19
Cancer of the Liver and Intrahepatic Bile Duct (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	9.25	0.03		
High Five States				
D.C.	15.34	1.08	01(01,02)	65.81 ^c
Louisiana	12.30	0.33	02(01,05)	32.99 ^c
Hawaii	12.04	0.57	03(01,08)	30.16 ^c
Texas	11.77	0.15	04(02,06)	27.31 ^c
Rhode Island	11.09	0.63	05(02,18)	19.93 ^c
Low Five States				
Montana	6.74	0.48	47(33,51)	-27.10 ^c
Wyoming	6.70	0.67	48(24,51)	-27.53 ^c
South Dakota	6.51	0.54	49(34,51)	-29.64 ^c
Utah	6.16	0.34	50(43,51)	-33.38 ^c
North Dakota	5.46	0.54	51(43,51)	-41.02 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	9.64	0.28	14(07,26)	4.22	Montana	6.74	0.48	47(33,51)	-27.10 ^c
Alaska	9.24	0.82	17(04,46)	-0.14	Nebraska	7.08	0.39	44(33,50)	-23.41 ^c
Arizona	8.77	0.22	26(15,35)	-5.22	Nevada	7.74	0.34	37(24,47)	-16.31 ^c
Arkansas	9.95	0.36	11(05,24)	7.58	New Hampshire	7.86	0.47	36(17,49)	-14.99
California	10.97	0.11	06(04,09)	18.62 ^c	New Jersey	8.71	0.20	28(16,35)	-5.82
Colorado	7.55	0.25	40(32,47)	-18.39 ^c	New Mexico	10.26	0.43	08(04,22)	10.91
Connecticut	8.70	0.31	29(13,38)	-5.89	New York	9.09	0.14	20(14,28)	-1.76
Delaware	10.05	0.64	10(03,33)	8.66	North Carolina	9.20	0.20	18(11,29)	-0.56
D.C.	15.34	1.08	01(01,02)	65.81 ^c	North Dakota	5.46	0.54	51(43,51)	-41.02 ^c
Florida	8.80	0.12	25(18,32)	-4.88	Ohio	8.28	0.16	33(25,39)	-10.45
Georgia	9.01	0.21	22(13,32)	-2.63	Oklahoma	8.87	0.30	23(12,36)	-4.07
Hawaii	12.04	0.57	03(01,08)	30.16 ^c	Oregon	9.26	0.29	16(09,31)	0.12
Idaho	7.02	0.42	46(32,51)	-24.06 ^c	Pennsylvania	8.73	0.16	27(17,33)	-5.56
Illinois	8.70	0.17	30(17,34)	-5.97	Rhode Island	11.09	0.63	05(02,18)	19.93 ^c
Indiana	8.12	0.22	34(24,41)	-12.19	South Carolina	9.08	0.27	21(11,33)	-1.86
Iowa	7.13	0.29	43(35,50)	-22.88 ^c	South Dakota	6.51	0.54	49(34,51)	-29.64 ^c
Kansas	7.57	0.32	39(29,48)	-18.12 ^c	Tennessee	9.79	0.24	13(07,20)	5.84
Kentucky	8.80	0.28	24(13,36)	-4.84	Texas	11.77	0.15	04(02,06)	27.31 ^c
Louisiana	12.30	0.33	02(01,05)	32.99 ^c	Utah	6.16	0.34	50(43,51)	-33.38 ^c
Maine	7.40	0.43	41(25,50)	-19.99 ^c	Vermont	7.05	0.63	45(21,51)	-23.78 ^c
Maryland	9.88	0.27	12(07,21)	6.84	Virginia	8.35	0.21	32(20,39)	-9.71
Massachusetts	10.12	0.24	09(06,17)	9.42	Washington	9.50	0.23	15(08,26)	2.67
Michigan	8.35	0.18	31(23,38)	-9.69	West Virginia	8.02	0.38	35(18,46)	-13.25
Minnesota	7.19	0.23	42(36,49)	-22.24 ^c	Wisconsin	7.73	0.23	38(31,45)	-16.38 ^c
Mississippi	10.76	0.39	07(03,14)	16.37 ^c	Wyoming	6.70	0.67	48(24,51)	-27.53 ^c
Missouri	9.16	0.24	19(11,31)	-0.97					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.


- Statistic not shown. Rate based on less than 16 cases for the time interval.

Table 14.20
 Cancer of the Liver and Intrahepatic Bile Duct (Invasive)
 Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.75	0.02		
High Five States				
D.C.	5.15	0.54	01(01,24)	37.44 ^c
Hawaii	4.97	0.34	02(01,11)	32.72 ^c
Texas	4.69	0.09	03(01,07)	25.13 ^c
Louisiana	4.62	0.19	04(01,10)	23.21 ^c
Mississippi	4.59	0.22	05(01,12)	22.36 ^c
Low Five States				
Nebraska	2.98	0.24	47(16,50)	-20.49 ^c
Iowa	2.94	0.17	48(30,50)	-21.66 ^c
New Hampshire	2.40	0.24	49(43,51)	-35.84 ^c
Vermont	2.31	0.33	50(32,51)	-38.25 ^c
North Dakota	2.20	0.31	51(40,51)	-41.27 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.04	0.16	09(05,26)	7.68	Montana	3.19	0.31	44(08,50)	-14.95
Alaska	3.65	0.53	19(01,50)	-2.52	Nebraska	2.98	0.24	47(16,50)	-20.49 ^c
Arizona	3.94	0.14	10(06,28)	5.07	Nevada	3.77	0.23	14(05,45)	-0.63
Arkansas	3.81	0.20	12(06,41)	1.58	New Hampshire	2.40	0.24	49(43,51)	-35.84 ^c
California	4.57	0.07	06(02,08)	21.82 ^c	New Jersey	3.41	0.11	33(16,46)	-9.15
Colorado	3.20	0.15	43(19,49)	-14.67	New Mexico	4.18	0.26	07(01,33)	11.62
Connecticut	3.17	0.17	46(19,49)	-15.36 ^c	New York	3.63	0.08	21(12,35)	-3.09
Delaware	3.69	0.35	17(03,48)	-1.55	North Carolina	3.30	0.11	39(22,47)	-12.03
D.C.	5.15	0.54	01(01,24)	37.44 ^c	North Dakota	2.20	0.31	51(40,51)	-41.27 ^c
Florida	3.37	0.07	36(22,44)	-10.18	Ohio	3.39	0.09	35(18,45)	-9.64
Georgia	3.60	0.12	24(10,41)	-4.02	Oklahoma	3.62	0.18	22(07,45)	-3.51
Hawaii	4.97	0.34	02(01,11)	32.72 ^c	Oregon	3.68	0.17	18(08,43)	-1.75
Idaho	3.17	0.26	45(11,50)	-15.32 ^c	Pennsylvania	3.51	0.09	27(15,42)	-6.48
Illinois	3.92	0.10	11(07,24)	4.45	Rhode Island	3.44	0.32	32(06,49)	-8.36
Indiana	3.51	0.13	28(11,45)	-6.49	South Carolina	3.28	0.15	41(16,48)	-12.61
Iowa	2.94	0.17	48(30,50)	-21.66 ^c	South Dakota	3.47	0.37	29(03,50)	-7.47
Kansas	3.46	0.20	30(09,48)	-7.79	Tennessee	3.71	0.14	16(08,39)	-1.03
Kentucky	3.78	0.17	13(07,39)	0.73	Texas	4.69	0.09	03(01,07)	25.13 ^c
Louisiana	4.62	0.19	04(01,10)	23.21 ^c	Utah	3.39	0.24	34(08,49)	-9.57
Maine	3.36	0.27	37(08,49)	-10.25	Vermont	2.31	0.33	50(32,51)	-38.25 ^c
Maryland	3.75	0.15	15(07,38)	0.11	Virginia	3.35	0.12	38(17,47)	-10.69
Massachusetts	3.61	0.13	23(10,42)	-3.80	Washington	4.04	0.14	08(05,23)	7.76
Michigan	3.64	0.11	20(10,37)	-2.77	West Virginia	3.28	0.23	40(10,49)	-12.58
Minnesota	3.21	0.14	42(21,48)	-14.45	Wisconsin	3.45	0.14	31(13,46)	-7.96
Mississippi	4.59	0.22	05(01,12)	22.36 ^c	Wyoming	3.59	0.48	25(01,50)	-4.22
Missouri	3.57	0.14	26(10,43)	-4.77					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
 SE Standard error of the rate.
 PD Percent difference between state rate and total U.S. rate.
 - Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 15.24
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	44.73	0.05		
High Five States				
Kentucky	69.61	0.53	01(01,01)	55.63 ^c
West Virginia	60.25	0.71	02(02,05)	34.70 ^c
Arkansas	60.12	0.59	03(02,05)	34.42 ^c
Mississippi	58.83	0.61	04(02,05)	31.52 ^c
Tennessee	58.58	0.40	05(03,05)	30.97 ^c
Low Five States				
California	33.39	0.14	47(47,48)	-25.35 ^c
Hawaii	32.08	0.63	48(47,50)	-28.29 ^c
Colorado	31.67	0.36	49(48,50)	-29.19 ^c
New Mexico	31.56	0.53	50(48,50)	-29.45 ^c
Utah	19.96	0.43	51(51,51)	-55.38 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	55.55	0.45	07(06,10)	24.19 ^c	Montana	41.22	0.82	36(32,43)	-7.84 ^c
Alaska	47.60	1.44	20(13,32)	6.42 ^c	Nebraska	43.13	0.65	34(27,37)	-3.57
Arizona	36.08	0.31	46(44,46)	-19.33 ^c	Nevada	46.58	0.59	23(17,27)	4.13
Arkansas	60.12	0.59	03(02,05)	34.42 ^c	New Hampshire	46.19	0.78	25(17,30)	3.27
California	33.39	0.14	47(47,48)	-25.35 ^c	New Jersey	39.79	0.28	41(37,43)	-11.05 ^c
Colorado	31.67	0.36	49(48,50)	-29.19 ^c	New Mexico	31.56	0.53	50(48,50)	-29.45 ^c
Connecticut	39.37	0.43	43(37,44)	-11.99 ^c	New York	40.15	0.19	40(37,42)	-10.24 ^c
Delaware	51.05	0.97	13(11,18)	14.14 ^c	North Carolina	50.68	0.31	14(12,16)	13.30 ^c
D.C.	40.29	1.18	38(32,44)	-9.92 ^c	North Dakota	40.20	1.01	39(33,44)	-10.12 ^c
Florida	43.82	0.18	31(28,34)	-2.02	Ohio	52.85	0.28	11(11,13)	18.15 ^c
Georgia	47.67	0.32	18(17,23)	6.56 ^c	Oklahoma	56.47	0.52	06(05,10)	26.25 ^c
Hawaii	32.08	0.63	48(47,50)	-28.29 ^c	Oregon	44.05	0.44	29(27,34)	-1.53
Idaho	36.98	0.67	44(43,46)	-17.32 ^c	Pennsylvania	46.39	0.24	24(20,27)	3.71
Illinois	47.62	0.27	19(17,23)	6.46 ^c	Rhode Island	48.79	0.89	17(13,24)	9.08 ^c
Indiana	55.10	0.40	09(06,10)	23.19 ^c	South Carolina	50.37	0.43	15(12,18)	12.62 ^c
Iowa	46.01	0.50	26(20,28)	2.87	South Dakota	43.85	0.95	30(23,37)	-1.96
Kansas	46.64	0.55	22(18,27)	4.26	Tennessee	58.58	0.40	05(03,05)	30.97 ^c
Kentucky	69.61	0.53	01(01,01)	55.63 ^c	Texas	40.62	0.19	37(36,40)	-9.18 ^c
Louisiana	55.05	0.48	10(06,10)	23.08 ^c	Utah	19.96	0.43	51(51,51)	-55.38 ^c
Maine	52.48	0.77	12(10,15)	17.32 ^c	Vermont	47.10	1.11	21(15,29)	5.31 ^c
Maryland	43.19	0.38	33(28,36)	-3.45	Virginia	45.49	0.33	27(22,29)	1.71
Massachusetts	43.68	0.34	32(28,34)	-2.36	Washington	42.24	0.35	35(32,37)	-5.57 ^c
Michigan	49.79	0.30	16(14,18)	11.32 ^c	West Virginia	60.25	0.71	02(02,05)	34.70 ^c
Minnesota	39.69	0.37	42(37,43)	-11.28 ^c	Wisconsin	44.24	0.37	28(27,34)	-1.09
Mississippi	58.83	0.61	04(02,05)	31.52 ^c	Wyoming	36.69	1.11	45(41,46)	-17.97 ^c
Missouri	55.29	0.40	08(06,10)	23.61 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 15.25
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	55.89	0.09		
High Five States				
Kentucky	89.63	0.93	01(01,01)	60.38 ^c
Mississippi	82.73	1.11	02(02,03)	48.04 ^c
Arkansas	81.05	1.04	03(02,05)	45.03 ^c
Tennessee	78.43	0.72	04(03,06)	40.34 ^c
Alabama	77.16	0.82	05(04,06)	38.07 ^c
Low Five States				
Hawaii	40.83	1.06	47(44,49)	-26.94 ^c
California	39.84	0.22	48(46,49)	-28.72 ^c
New Mexico	38.14	0.87	49(47,50)	-31.76 ^c
Colorado	36.42	0.59	50(49,50)	-34.84 ^c
Utah	24.58	0.71	51(51,51)	-56.02 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	77.16	0.82	05(04,06)	38.07 ^c	Montana	46.23	1.29	43(37,46)	-17.27 ^c
Alaska	54.77	2.33	25(17,40)	-2.00	Nebraska	54.30	1.10	27(22,35)	-2.84
Arizona	42.96	0.50	45(43,47)	-23.14 ^c	Nevada	52.78	0.92	31(24,37)	-5.56 ^c
Arkansas	81.05	1.04	03(02,05)	45.03 ^c	New Hampshire	53.83	1.27	29(22,37)	-3.69
California	39.84	0.22	48(46,49)	-28.72 ^c	New Jersey	48.41	0.48	40(37,42)	-13.38 ^c
Colorado	36.42	0.59	50(49,50)	-34.84 ^c	New Mexico	38.14	0.87	49(47,50)	-6.91 ^c
Connecticut	46.31	0.72	42(40,44)	-17.14 ^c	New York	49.03	0.33	39(36,41)	-12.27 ^c
Delaware	62.35	1.63	16(12,22)	11.56 ^c	North Carolina	67.88	0.55	11(10,13)	21.46 ^c
D.C.	49.61	2.05	38(25,44)	-11.23 ^c	North Dakota	52.03	1.71	34(23,41)	-6.91 ^c
Florida	54.09	0.30	28(24,31)	-3.22	Ohio	66.53	0.48	13(11,14)	19.04 ^c
Georgia	64.17	0.59	15(13,16)	14.83 ^c	Oklahoma	71.55	0.88	08(07,10)	28.03 ^c
Hawaii	40.83	1.06	47(44,49)	-26.94 ^c	Oregon	50.57	0.71	36(31,40)	-9.51 ^c
Idaho	43.73	1.08	44(42,47)	-21.76 ^c	Pennsylvania	59.06	0.41	20(17,23)	5.68 ^c
Illinois	59.00	0.45	21(17,23)	5.56 ^c	Rhode Island	59.12	1.50	19(15,26)	5.78 ^c
Indiana	71.19	0.68	09(07,10)	27.39 ^c	South Carolina	67.06	0.77	12(10,14)	19.99 ^c
Iowa	59.15	0.85	18(16,24)	5.83 ^c	South Dakota	55.51	1.60	24(18,35)	-0.68
Kansas	57.35	0.91	23(18,26)	2.62	Tennessee	78.43	0.72	04(03,06)	40.34 ^c
Kentucky	89.63	0.93	01(01,01)	60.38 ^c	Texas	52.24	0.33	32(28,36)	-6.52 ^c
Louisiana	72.90	0.85	07(06,09)	30.45 ^c	Utah	24.58	0.71	51(51,51)	-56.02 ^c
Maine	64.45	1.29	14(11,17)	15.32 ^c	Vermont	54.33	1.79	26(19,38)	-2.80
Maryland	52.20	0.64	33(27,37)	-6.61 ^c	Virginia	57.41	0.57	22(19,26)	2.72
Massachusetts	51.86	0.57	35(28,37)	-7.21 ^c	Washington	49.88	0.57	37(34,40)	-10.74 ^c
Michigan	60.77	0.49	17(16,19)	8.74 ^c	West Virginia	77.15	1.21	06(03,07)	38.04 ^c
Minnesota	47.57	0.61	41(38,43)	-14.87 ^c	Wisconsin	53.43	0.61	30(24,35)	-4.40
Mississippi	82.73	1.11	02(02,03)	48.04 ^c	Wyoming	41.93	1.76	46(42,49)	-24.97 ^c
Missouri	69.36	0.68	10(08,12)	24.10 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 15.26
Cancer of the Lung And Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	36.27	0.06		
High Five States				
Kentucky	54.70	0.64	01(01,01)	50.82 ^c
West Virginia	47.17	0.85	02(02,04)	30.05 ^c
Oklahoma	44.91	0.62	03(02,09)	23.82 ^c
Missouri	44.67	0.48	04(02,08)	23.15 ^c
Arkansas	43.90	0.68	05(02,13)	21.02 ^c
Low Five States				
California	28.53	0.17	47(46,48)	-21.35 ^c
Colorado	28.08	0.46	48(46,49)	-22.59 ^c
New Mexico	26.37	0.65	49(48,50)	-27.30 ^c
Hawaii	25.14	0.76	50(49,50)	-30.69 ^c
Utah	16.15	0.53	51(51,51)	-55.47 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	39.49	0.51	19(15,24)	8.88	Montana	37.21	1.07	27(17,39)	2.59
Alaska	41.67	1.84	12(02,31)	14.90 ^c	Nebraska	34.60	0.79	36(28,43)	-4.62
Arizona	30.42	0.39	46(43,46)	-16.14 ^c	Nevada	41.40	0.76	16(06,20)	14.14 ^c
Arkansas	43.90	0.68	05(02,13)	21.02 ^c	New Hampshire	40.70	0.99	18(06,24)	12.20 ^c
California	28.53	0.17	47(46,48)	-21.35 ^c	New Jersey	33.76	0.35	40(35,43)	-6.94
Colorado	28.08	0.46	48(46,49)	-22.59 ^c	New Mexico	26.37	0.65	49(48,50)	-27.30 ^c
Connecticut	34.41	0.54	37(31,42)	-5.13	New York	33.85	0.23	39(35,42)	-6.68
Delaware	42.61	1.19	10(03,21)	17.46 ^c	North Carolina	37.91	0.36	24(20,29)	4.50
D.C.	33.52	1.42	41(24,46)	-7.58	North Dakota	31.40	1.22	44(35,48)	-13.42 ^c
Florida	35.50	0.22	34(30,37)	-2.12	Ohio	42.69	0.34	09(06,14)	17.68 ^c
Georgia	35.61	0.37	33(29,38)	-1.82	Oklahoma	44.91	0.62	03(02,09)	23.82 ^c
Hawaii	25.14	0.76	50(49,50)	-30.69 ^c	Oregon	39.07	0.57	21(16,27)	7.70
Idaho	31.37	0.84	45(39,46)	-13.51 ^c	Pennsylvania	37.14	0.29	28(23,32)	2.40
Illinois	39.42	0.32	20(16,23)	8.68	Rhode Island	41.77	1.10	11(03,22)	15.16 ^c
Indiana	42.95	0.47	08(04,14)	18.42 ^c	South Carolina	37.78	0.50	25(20,31)	4.17
Iowa	35.97	0.60	32(24,38)	-0.82	South Dakota	35.21	1.17	35(21,43)	-2.93
Kansas	38.40	0.67	22(17,31)	5.86	Tennessee	43.69	0.47	06(03,12)	20.44 ^c
Kentucky	54.70	0.64	01(01,01)	50.82 ^c	Texas	31.75	0.22	43(41,45)	-12.46 ^c
Louisiana	41.54	0.56	13(08,18)	14.52 ^c	Utah	16.15	0.53	51(51,51)	-55.47 ^c
Maine	43.25	0.95	07(03,18)	19.24 ^c	Vermont	41.52	1.42	15(03,26)	14.47 ^c
Maryland	36.60	0.46	29(23,35)	0.90	Virginia	36.47	0.39	30(25,35)	0.54
Massachusetts	37.98	0.42	23(20,30)	4.72	Washington	36.36	0.44	31(24,36)	0.24
Michigan	41.52	0.36	14(09,18)	14.47 ^c	West Virginia	47.17	0.85	02(02,04)	30.05 ^c
Minnesota	33.88	0.46	38(35,43)	-6.60	Wisconsin	37.46	0.46	26(21,32)	3.29
Mississippi	41.05	0.67	17(08,21)	13.18 ^c	Wyoming	32.49	1.44	42(28,47)	-10.42 ^c
Missouri	44.67	0.48	04(02,08)	23.15 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 16.18
Melanoma of the Skin (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.66	0.01		
High Five States				
Utah	3.59	0.18	01(01,10)	34.95 ^c
Idaho	3.52	0.21	02(01,18)	32.05 ^c
West Virginia	3.32	0.17	03(01,24)	24.46 ^c
Kentucky	3.28	0.12	04(01,18)	23.19 ^c
Tennessee	3.12	0.09	05(02,24)	16.96 ^c
Low Five States				
North Dakota	2.25	0.24	47(10,50)	-15.40 ^c
Louisiana	2.22	0.10	48(35,49)	-16.74 ^c
New York	2.19	0.04	49(43,49)	-17.61 ^c
Hawaii	1.61	0.14	50(49,51)	-39.53 ^c
D.C.	1.08	0.19	51(50,51)	-59.29 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.72	0.10	30(11,42)	2.01	Montana	2.97	0.22	13(01,45)	11.67
Alaska	2.52	0.33	35(01,50)	-5.33	Nebraska	2.92	0.17	17(02,41)	9.67
Arizona	2.94	0.09	15(05,32)	10.26	Nevada	2.89	0.15	19(03,40)	8.51
Arkansas	2.78	0.13	26(06,43)	4.39	New Hampshire	2.72	0.19	29(03,48)	2.18
California	2.47	0.04	40(32,45)	-7.13	New Jersey	2.40	0.07	44(31,48)	-10.01
Colorado	3.09	0.11	06(02,27)	15.98 ^c	New Mexico	2.51	0.15	36(14,49)	-5.83
Connecticut	2.42	0.11	43(27,49)	-9.18	New York	2.19	0.04	49(43,49)	-17.61 ^c
Delaware	2.83	0.23	24(02,48)	6.27	North Carolina	2.76	0.07	27(12,36)	3.67
D.C.	1.08	0.19	51(50,51)	-59.29 ^c	North Dakota	2.25	0.24	47(10,50)	-15.40 ^c
Florida	2.90	0.05	18(09,28)	8.72	Ohio	2.94	0.07	16(06,30)	10.22
Georgia	2.50	0.07	37(27,47)	-6.08	Oklahoma	3.08	0.12	08(02,29)	15.80 ^c
Hawaii	1.61	0.14	50(49,51)	-39.53 ^c	Oregon	3.09	0.12	07(02,29)	15.86 ^c
Idaho	3.52	0.21	02(01,18)	32.05 ^c	Pennsylvania	2.85	0.06	23(09,31)	7.04
Illinois	2.47	0.06	39(29,46)	-7.11	Rhode Island	2.58	0.20	33(05,49)	-3.29
Indiana	2.95	0.09	14(04,31)	10.90	South Carolina	2.73	0.10	28(10,41)	2.43
Iowa	2.88	0.13	20(04,37)	7.93	South Dakota	2.44	0.23	42(06,49)	-8.23
Kansas	3.05	0.14	09(02,33)	14.51	Tennessee	3.12	0.09	05(02,24)	16.96 ^c
Kentucky	3.28	0.12	04(01,18)	23.19 ^c	Texas	2.31	0.04	45(38,49)	-13.32
Louisiana	2.22	0.10	48(35,49)	-16.74 ^c	Utah	3.59	0.18	01(01,10)	34.95 ^c
Maine	3.04	0.19	10(01,38)	14.11	Vermont	2.62	0.27	32(02,49)	-1.63
Maryland	2.48	0.09	38(26,48)	-6.91	Virginia	2.79	0.08	25(11,35)	4.58
Massachusetts	2.87	0.09	21(07,34)	7.60	Washington	2.86	0.09	22(06,34)	7.51
Michigan	2.46	0.07	41(29,47)	-7.76	West Virginia	3.32	0.17	03(01,24)	24.46 ^c
Minnesota	2.57	0.09	34(19,46)	-3.34	Wisconsin	2.62	0.09	31(18,44)	-1.54
Mississippi	2.30	0.12	46(28,49)	-13.58	Wyoming	3.03	0.32	11(01,49)	13.81
Missouri	3.01	0.09	12(03,29)	13.12					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 16.19
Melanoma of the Skin (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.99	0.02		
High Five States				
Utah	5.56	0.33	01(01,09)	39.44 ^c
West Virginia	5.07	0.32	02(01,25)	27.17 ^c
Tennessee	5.03	0.19	03(01,12)	26.04 ^c
Idaho	4.84	0.36	04(01,34)	21.47 ^c
Kentucky	4.73	0.22	05(01,26)	18.70 ^c
Low Five States				
New York	3.21	0.08	47(41,49)	-19.37 ^c
North Dakota	3.16	0.42	48(09,50)	-20.67 ^c
South Dakota	3.13	0.39	49(14,50)	-21.62 ^c
Hawaii	2.38	0.26	50(46,51)	-40.35 ^c
D.C.	1.19	0.31	51(50,51)	-70.13 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.17	0.19	23(05,41)	4.58	Montana	4.15	0.38	26(01,49)	3.99
Alaska	3.63	0.62	37(01,50)	-8.95	Nebraska	4.10	0.30	27(03,47)	2.81
Arizona	4.24	0.16	18(06,36)	6.26	Nevada	4.33	0.26	14(02,42)	8.49
Arkansas	4.37	0.25	11(02,38)	9.70	New Hampshire	3.98	0.35	30(03,48)	-0.27
California	3.77	0.07	35(27,42)	-5.47	New Jersey	3.62	0.13	39(27,47)	-9.22
Colorado	4.34	0.20	12(03,36)	8.83	New Mexico	3.62	0.27	38(11,49)	-9.10
Connecticut	3.38	0.19	46(28,49)	-15.30 ^c	New York	3.21	0.08	47(41,49)	-19.37 ^c
Delaware	3.99	0.42	29(02,49)	0.04	North Carolina	4.30	0.14	16(05,33)	7.74
D.C.	1.19	0.31	51(50,51)	-70.13 ^c	North Dakota	3.16	0.42	48(09,50)	-20.67 ^c
Florida	4.32	0.09	15(07,29)	8.26	Ohio	4.33	0.12	13(06,31)	8.56
Georgia	3.95	0.15	32(11,43)	-0.87	Oklahoma	4.70	0.23	06(01,28)	17.78 ^c
Hawaii	2.38	0.26	50(46,51)	-40.35 ^c	Oregon	4.40	0.21	10(03,34)	10.38
Idaho	4.84	0.36	04(01,34)	21.47 ^c	Pennsylvania	4.16	0.11	24(10,34)	4.27
Illinois	3.64	0.11	36(27,46)	-8.60	Rhode Island	3.54	0.36	43(07,50)	-11.28
Indiana	4.22	0.17	20(05,37)	5.78	South Carolina	4.09	0.20	28(06,42)	2.64
Iowa	4.15	0.23	25(04,43)	4.05	South Dakota	3.13	0.39	49(14,50)	-21.62 ^c
Kansas	4.61	0.26	08(01,33)	15.74 ^c	Tennessee	5.03	0.19	03(01,12)	26.04 ^c
Kentucky	4.73	0.22	05(01,26)	18.70 ^c	Texas	3.60	0.09	41(31,46)	-9.81
Louisiana	3.38	0.19	45(28,49)	-15.15 ^c	Utah	5.56	0.33	01(01,09)	39.44 ^c
Maine	4.61	0.35	09(01,40)	15.51 ^c	Vermont	3.40	0.45	44(05,50)	-14.68
Maryland	3.90	0.18	33(11,45)	-2.19	Virginia	4.23	0.16	19(06,36)	6.09
Massachusetts	4.19	0.16	22(07,37)	5.11	Washington	4.20	0.16	21(06,36)	5.28
Michigan	3.61	0.12	40(28,47)	-9.34	West Virginia	5.07	0.32	02(01,25)	27.17 ^c
Minnesota	3.78	0.17	34(16,46)	-5.26	Wisconsin	3.96	0.17	31(11,43)	-0.56
Mississippi	3.56	0.24	42(16,49)	-10.61	Wyoming	4.26	0.56	17(01,49)	6.77
Missouri	4.64	0.18	07(02,26)	16.31 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 16.20
Melanoma of the Skin (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.65	0.01		
High Five States				
Idaho	2.35	0.24	01(01,30)	42.39 ^c
Kentucky	2.20	0.13	02(01,21)	33.04 ^c
Colorado	2.11	0.13	03(01,24)	27.77 ^c
Oregon	2.04	0.13	04(01,32)	23.42 ^c
Vermont	2.01	0.32	05(01,50)	21.52 ^c
Low Five States				
Mississippi	1.43	0.13	47(18,51)	-13.40
Louisiana	1.36	0.10	48(28,51)	-17.47 ^c
Texas	1.32	0.05	49(42,50)	-20.42 ^c
D.C.	1.03	0.26	50(13,51)	-37.99 ^c
Hawaii	0.98	0.15	51(43,51)	-40.74 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.64	0.11	35(10,48)	-0.80	Montana	1.86	0.25	18(01,50)	12.43
Alaska	1.67	0.36	31(01,51)	1.27	Nebraska	1.97	0.19	08(01,45)	19.15 ^c
Arizona	1.86	0.10	17(03,38)	12.62	Nevada	1.66	0.15	33(05,49)	0.08
Arkansas	1.54	0.13	40(11,50)	-6.99	New Hampshire	1.84	0.22	20(01,49)	11.20
California	1.47	0.04	44(34,48)	-11.28	New Jersey	1.51	0.07	42(23,49)	-8.53
Colorado	2.11	0.13	03(01,24)	27.77 ^c	New Mexico	1.64	0.17	34(04,50)	-0.70
Connecticut	1.74	0.12	27(05,46)	5.19	New York	1.44	0.05	46(34,49)	-12.68
Delaware	1.99	0.27	06(01,49)	20.10 ^c	North Carolina	1.67	0.08	32(13,45)	0.71
D.C.	1.03	0.26	50(13,51)	-37.99 ^c	North Dakota	1.51	0.28	41(01,51)	-8.51
Florida	1.76	0.05	25(11,36)	6.61	Ohio	1.89	0.07	14(04,31)	14.47
Georgia	1.46	0.08	45(27,50)	-11.73	Oklahoma	1.80	0.13	23(03,45)	8.92
Hawaii	0.98	0.15	51(43,51)	-40.74 ^c	Oregon	2.04	0.13	04(01,32)	23.42 ^c
Idaho	2.35	0.24	01(01,30)	42.39 ^c	Pennsylvania	1.87	0.07	16(05,31)	13.34
Illinois	1.62	0.07	37(19,46)	-2.31	Rhode Island	1.95	0.23	10(01,48)	17.97 ^c
Indiana	1.98	0.10	07(02,31)	19.49 ^c	South Carolina	1.70	0.11	29(07,46)	2.53
Iowa	1.89	0.14	15(01,43)	14.40	South Dakota	1.84	0.28	21(01,50)	11.15
Kansas	1.83	0.15	22(02,46)	10.85	Tennessee	1.72	0.10	28(08,45)	3.90
Kentucky	2.20	0.13	02(01,21)	33.04 ^c	Texas	1.32	0.05	49(42,50)	-20.42 ^c
Louisiana	1.36	0.10	48(28,51)	-17.47 ^c	Utah	1.94	0.18	11(01,43)	17.59 ^c
Maine	1.85	0.20	19(01,48)	12.00	Vermont	2.01	0.32	05(01,50)	21.52 ^c
Maryland	1.50	0.09	43(20,50)	-9.58	Virginia	1.69	0.09	30(11,45)	2.49
Massachusetts	1.91	0.10	13(02,32)	15.70 ^c	Washington	1.77	0.10	24(06,42)	6.91
Michigan	1.55	0.07	39(21,48)	-6.15	West Virginia	1.91	0.18	12(01,46)	15.76 ^c
Minnesota	1.64	0.10	36(10,48)	-1.06	Wisconsin	1.56	0.10	38(17,49)	-5.82
Mississippi	1.43	0.13	47(18,51)	-13.40	Wyoming	1.96	0.36	09(01,50)	18.58 ^c
Missouri	1.75	0.10	26(05,42)	6.03					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 18.18
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.35	0.01		
High Five States				
South Carolina	4.06	0.13	01(01,10)	21.37 ^c
D.C.	4.05	0.38	02(01,46)	20.84 ^c
Alabama	3.89	0.12	03(01,19)	16.08 ^c
Mississippi	3.84	0.16	04(01,27)	14.64
Louisiana	3.83	0.13	05(01,23)	14.40
Low Five States				
Nevada	2.96	0.15	47(24,51)	-11.57
Arizona	2.95	0.09	48(34,51)	-11.99
New Mexico	2.93	0.16	49(22,51)	-12.34
Vermont	2.87	0.27	50(09,51)	-14.22
Hawaii	2.60	0.18	51(36,51)	-22.38 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.89	0.12	03(01,19)	16.08 ^c	Montana	3.38	0.23	27(02,50)	0.83
Alaska	3.41	0.39	25(01,51)	1.83	Nebraska	3.29	0.18	32(04,50)	-1.65
Arizona	2.95	0.09	48(34,51)	-11.99	Nevada	2.96	0.15	47(24,51)	-11.57
Arkansas	3.47	0.14	21(03,43)	3.79	New Hampshire	3.03	0.20	43(12,51)	-9.47
California	3.09	0.04	39(33,48)	-7.71	New Jersey	3.13	0.08	38(26,49)	-6.64
Colorado	3.02	0.11	45(25,51)	-9.66	New Mexico	2.93	0.16	49(22,51)	-12.34
Connecticut	3.08	0.12	41(22,50)	-7.93	New York	3.08	0.05	40(31,48)	-7.89
Delaware	3.42	0.25	24(01,50)	2.27	North Carolina	3.72	0.08	08(02,23)	11.21
D.C.	4.05	0.38	02(01,46)	20.84 ^c	North Dakota	3.53	0.30	16(01,50)	5.36
Florida	3.03	0.05	44(34,49)	-9.65	Ohio	3.63	0.07	10(04,27)	8.49
Georgia	3.76	0.09	07(01,22)	12.34	Oklahoma	3.45	0.13	23(04,42)	3.04
Hawaii	2.60	0.18	51(36,51)	-22.38 ^c	Oregon	3.50	0.13	18(04,38)	4.51
Idaho	3.23	0.20	36(04,51)	-3.59	Pennsylvania	3.33	0.06	31(17,39)	-0.42
Illinois	3.37	0.07	28(15,38)	0.71	Rhode Island	2.96	0.22	46(12,51)	-11.52
Indiana	3.59	0.10	13(03,32)	7.10	South Carolina	4.06	0.13	01(01,10)	21.37 ^c
Iowa	3.53	0.14	17(03,40)	5.32	South Dakota	3.37	0.26	29(01,51)	0.58
Kansas	3.62	0.15	11(01,37)	8.21	Tennessee	3.68	0.10	09(02,27)	9.98
Kentucky	3.47	0.12	22(05,40)	3.51	Texas	3.28	0.05	34(21,40)	-2.09
Louisiana	3.83	0.13	05(01,23)	14.40	Utah	3.34	0.18	30(04,49)	-0.30
Maine	3.06	0.18	42(13,51)	-8.54	Vermont	2.87	0.27	50(09,51)	-14.22
Maryland	3.81	0.11	06(01,22)	13.89	Virginia	3.58	0.09	14(04,32)	6.86
Massachusetts	3.19	0.09	37(21,48)	-4.85	Washington	3.28	0.10	33(15,45)	-1.90
Michigan	3.62	0.08	12(04,28)	8.03	West Virginia	3.50	0.17	19(02,44)	4.43
Minnesota	3.40	0.11	26(08,42)	1.53	Wisconsin	3.56	0.10	15(03,33)	6.41
Mississippi	3.84	0.16	04(01,27)	14.64	Wyoming	3.24	0.34	35(01,51)	-3.32
Missouri	3.49	0.10	20(06,37)	4.24					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 18.19
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.21	0.02		
High Five States				
Alabama	5.04	0.22	01(01,23)	19.79 ^c
Louisiana	4.93	0.23	02(01,28)	16.95 ^c
South Carolina	4.91	0.22	03(01,28)	16.48 ^c
North Dakota	4.81	0.53	04(01,51)	14.19
Tennessee	4.79	0.18	05(01,29)	13.80
Low Five States				
Maine	3.73	0.31	47(09,51)	-11.50
New Mexico	3.70	0.27	48(15,51)	-12.10
Arizona	3.68	0.15	49(31,51)	-12.65
Rhode Island	3.66	0.38	50(06,51)	-13.08
Hawaii	3.49	0.31	51(20,51)	-17.06 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	5.04	0.22	01(01,23)	19.79 ^c	Montana	4.12	0.39	33(01,51)	-2.24
Alaska	4.69	0.71	09(01,51)	11.31	Nebraska	4.34	0.31	26(01,50)	3.12
Arizona	3.68	0.15	49(31,51)	-12.65	Nevada	3.82	0.25	43(14,51)	-9.32
Arkansas	4.39	0.25	23(02,47)	4.29	New Hampshire	4.03	0.35	38(02,51)	-4.40
California	3.91	0.07	42(30,48)	-7.19	New Jersey	3.99	0.14	39(21,49)	-5.32
Colorado	3.92	0.20	41(16,51)	-7.02	New Mexico	3.70	0.27	48(15,51)	-12.10
Connecticut	3.74	0.21	46(23,51)	-11.07	New York	3.77	0.09	45(33,51)	-10.41
Delaware	4.16	0.42	29(01,51)	-1.22	North Carolina	4.47	0.15	21(04,36)	6.20
D.C.	4.79	0.65	06(01,51)	13.77	North Dakota	4.81	0.53	04(01,51)	14.19
Florida	3.79	0.08	44(33,50)	-10.03	Ohio	4.54	0.13	16(03,32)	7.89
Georgia	4.67	0.16	10(01,31)	10.80	Oklahoma	4.49	0.23	19(02,42)	6.64
Hawaii	3.49	0.31	51(20,51)	-17.06 ^c	Oregon	4.54	0.22	17(01,40)	7.73
Idaho	4.14	0.33	31(01,51)	-1.62	Pennsylvania	4.15	0.11	30(18,43)	-1.36
Illinois	4.31	0.12	27(10,39)	2.25	Rhode Island	3.66	0.38	50(06,51)	-13.08
Indiana	4.73	0.18	08(01,29)	12.40	South Carolina	4.91	0.22	03(01,28)	16.48 ^c
Iowa	4.58	0.24	14(01,42)	8.74	South Dakota	4.04	0.43	37(01,51)	-4.16
Kansas	4.64	0.26	11(01,40)	10.10	Tennessee	4.79	0.18	05(01,29)	13.80
Kentucky	4.49	0.21	20(02,40)	6.54	Texas	4.12	0.09	32(20,43)	-2.06
Louisiana	4.93	0.23	02(01,28)	16.95 ^c	Utah	4.39	0.31	24(01,49)	4.18
Maine	3.73	0.31	47(09,51)	-11.50	Vermont	4.07	0.49	35(01,51)	-3.43
Maryland	4.51	0.19	18(02,39)	7.20	Virginia	4.56	0.16	15(02,34)	8.39
Massachusetts	3.92	0.16	40(22,50)	-7.02	Washington	4.05	0.16	36(17,49)	-3.73
Michigan	4.60	0.14	13(02,31)	9.30	West Virginia	4.18	0.29	28(03,51)	-0.65
Minnesota	4.37	0.19	25(04,43)	3.77	Wisconsin	4.62	0.18	12(01,34)	9.65
Mississippi	4.78	0.28	07(01,39)	13.41	Wyoming	4.09	0.57	34(01,51)	-2.96
Missouri	4.42	0.17	22(03,39)	4.93					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 18.20
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.71	0.02		
High Five States				
South Carolina	3.49	0.15	01(01,10)	29.03 ^c
D.C.	3.45	0.45	02(01,47)	27.32 ^c
Maryland	3.34	0.14	03(01,14)	23.41 ^c
Mississippi	3.20	0.19	04(01,30)	18.21 ^c
North Carolina	3.20	0.10	05(01,16)	18.01 ^c
Low Five States				
Arizona	2.32	0.11	47(28,51)	-14.29
New Hampshire	2.26	0.23	48(10,51)	-16.52 ^c
Nevada	2.21	0.18	49(20,51)	-18.29 ^c
Vermont	1.96	0.30	50(14,51)	-27.66 ^c
Hawaii	1.89	0.21	51(34,51)	-30.05 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.09	0.14	07(01,29)	13.92	Montana	2.78	0.29	20(01,50)	2.56
Alaska	2.41	0.44	44(01,51)	-10.84	Nebraska	2.48	0.20	38(07,51)	-8.34
Arizona	2.32	0.11	47(28,51)	-14.29	Nevada	2.21	0.18	49(20,51)	-18.29 ^c
Arkansas	2.80	0.17	17(02,45)	3.39	New Hampshire	2.26	0.23	48(10,51)	-16.52 ^c
California	2.48	0.05	39(28,46)	-8.43	New Jersey	2.53	0.09	37(17,47)	-6.49
Colorado	2.37	0.13	45(18,50)	-12.67	New Mexico	2.32	0.19	46(13,51)	-14.15
Connecticut	2.61	0.15	33(08,48)	-3.62	New York	2.60	0.06	34(17,43)	-3.81
Delaware	2.87	0.31	15(01,50)	5.88	North Carolina	3.20	0.10	05(01,16)	18.01 ^c
D.C.	3.45	0.45	02(01,47)	27.32 ^c	North Dakota	2.59	0.34	35(01,51)	-4.37
Florida	2.42	0.06	43(30,48)	-10.77	Ohio	2.99	0.09	09(04,25)	10.29
Georgia	3.12	0.11	06(01,21)	15.27 ^c	Oklahoma	2.65	0.15	30(07,47)	-2.02
Hawaii	1.89	0.21	51(34,51)	-30.05 ^c	Oregon	2.66	0.15	27(06,47)	-1.65
Idaho	2.44	0.24	42(05,51)	-9.83	Pennsylvania	2.75	0.08	23(10,38)	1.55
Illinois	2.71	0.08	24(11,41)	-0.02	Rhode Island	2.46	0.26	41(04,51)	-9.03
Indiana	2.78	0.12	19(06,42)	2.62	South Carolina	3.49	0.15	01(01,10)	29.03 ^c
Iowa	2.77	0.16	21(04,46)	2.29	South Dakota	2.80	0.31	16(01,50)	3.52
Kansas	2.88	0.18	13(02,44)	6.39	Tennessee	2.93	0.12	11(03,35)	8.03
Kentucky	2.69	0.14	25(06,47)	-0.82	Texas	2.63	0.06	32(16,42)	-2.96
Louisiana	3.04	0.15	08(01,33)	12.34	Utah	2.47	0.21	40(06,51)	-8.90
Maine	2.53	0.22	36(05,51)	-6.46	Vermont	1.96	0.30	50(14,51)	-27.66 ^c
Maryland	3.34	0.14	03(01,14)	23.41 ^c	Virginia	2.87	0.11	14(04,36)	6.13
Massachusetts	2.66	0.11	28(10,45)	-1.80	Washington	2.66	0.12	29(09,45)	-1.81
Michigan	2.89	0.10	12(05,33)	6.78	West Virginia	2.94	0.21	10(01,44)	8.62
Minnesota	2.65	0.13	31(09,47)	-2.03	Wisconsin	2.78	0.12	18(06,43)	2.67
Mississippi	3.20	0.19	04(01,30)	18.21 ^c	Wyoming	2.68	0.42	26(01,51)	-1.15
Missouri	2.76	0.12	22(07,42)	1.95					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 19.22
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	5.88	0.02		
High Five States				
Kentucky	6.76	0.17	01(01,16)	15.00 ^c
Michigan	6.74	0.11	02(01,12)	14.58
Minnesota	6.67	0.15	03(01,17)	13.49
Iowa	6.62	0.19	04(01,21)	12.67
Louisiana	6.57	0.17	05(01,20)	11.76
Low Five States				
New Hampshire	5.32	0.26	47(18,51)	-9.59
Hawaii	5.23	0.25	48(21,51)	-11.09
Colorado	5.17	0.15	49(31,51)	-11.99
New Mexico	4.97	0.21	50(31,51)	-15.44 ^c
D.C.	4.47	0.40	51(27,51)	-23.95 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	5.95	0.15	23(10,39)	1.17	Montana	5.67	0.31	29(05,50)	-3.56
Alaska	5.36	0.49	45(01,51)	-8.87	Nebraska	6.06	0.24	19(02,44)	3.08
Arizona	5.42	0.12	42(26,49)	-7.84	Nevada	5.32	0.20	46(22,51)	-9.57
Arkansas	6.28	0.19	15(01,31)	6.79	New Hampshire	5.32	0.26	47(18,51)	-9.59
California	5.58	0.06	33(25,43)	-5.18	New Jersey	5.55	0.11	37(23,47)	-5.56
Colorado	5.17	0.15	49(31,51)	-11.99	New Mexico	4.97	0.21	50(31,51)	-15.44 ^c
Connecticut	5.45	0.16	40(22,50)	-7.24	New York	5.63	0.07	31(23,42)	-4.17
Delaware	6.02	0.34	20(01,49)	2.45	North Carolina	5.72	0.11	25(19,43)	-2.64
D.C.	4.47	0.40	51(27,51)	-23.95 ^c	North Dakota	5.57	0.37	34(04,51)	-5.20
Florida	5.57	0.07	35(25,45)	-5.27	Ohio	6.55	0.10	07(01,16)	11.35
Georgia	5.38	0.11	44(28,50)	-8.51	Oklahoma	6.48	0.18	09(01,24)	10.14
Hawaii	5.23	0.25	48(21,51)	-11.09	Oregon	6.40	0.17	10(01,24)	8.91
Idaho	6.39	0.28	11(01,35)	8.72	Pennsylvania	6.33	0.09	12(05,21)	7.70
Illinois	5.98	0.09	22(14,30)	1.71	Rhode Island	5.70	0.30	28(05,50)	-3.13
Indiana	6.56	0.14	06(01,18)	11.59	South Carolina	5.56	0.15	36(21,49)	-5.36
Iowa	6.62	0.19	04(01,21)	12.67	South Dakota	5.70	0.34	27(03,51)	-3.07
Kansas	6.07	0.20	18(04,38)	3.21	Tennessee	6.30	0.13	14(03,24)	7.23
Kentucky	6.76	0.17	01(01,16)	15.00 ^c	Texas	5.71	0.07	26(22,39)	-2.94
Louisiana	6.57	0.17	05(01,20)	11.76	Utah	5.61	0.23	32(14,50)	-4.57
Maine	6.32	0.27	13(01,36)	7.54	Vermont	6.00	0.40	21(01,50)	1.98
Maryland	5.41	0.13	43(25,50)	-7.96	Virginia	5.67	0.12	30(19,46)	-3.59
Massachusetts	5.52	0.12	38(23,48)	-6.11	Washington	6.17	0.13	17(06,28)	4.86
Michigan	6.74	0.11	02(01,12)	14.58	West Virginia	6.51	0.23	08(01,26)	10.78
Minnesota	6.67	0.15	03(01,17)	13.49	Wisconsin	6.23	0.14	16(04,26)	5.94
Mississippi	5.44	0.19	41(21,50)	-7.56	Wyoming	5.50	0.44	39(01,51)	-6.48
Missouri	5.90	0.13	24(13,38)	0.34					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 19.23
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.58	0.03		
High Five States				
Kentucky	9.01	0.31	01(01,14)	18.82 ^c
Michigan	8.78	0.19	02(01,12)	15.80 ^c
Iowa	8.73	0.33	03(01,21)	15.16 ^c
Indiana	8.59	0.24	04(01,18)	13.33
Louisiana	8.57	0.30	05(01,21)	13.03
Low Five States				
Hawaii	6.72	0.43	47(14,51)	-11.31
Wyoming	6.61	0.72	48(03,51)	-12.86
Colorado	6.58	0.26	49(27,51)	-13.23
D.C.	6.10	0.73	50(08,51)	-19.60 ^c
New Mexico	5.95	0.34	51(39,51)	-21.46 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.55	0.27	23(09,45)	-0.47	Montana	7.55	0.53	22(01,50)	-0.36
Alaska	7.07	0.83	39(01,51)	-6.79	Nebraska	7.26	0.40	31(07,50)	-4.29
Arizona	6.81	0.20	45(26,50)	-10.17	Nevada	6.87	0.34	42(16,51)	-9.36
Arkansas	7.63	0.33	20(05,46)	0.61	New Hampshire	6.84	0.46	44(11,51)	-9.78
California	7.08	0.09	38(26,45)	-6.57	New Jersey	7.26	0.19	30(17,46)	-4.24
Colorado	6.58	0.26	49(27,51)	-13.23	New Mexico	5.95	0.34	51(39,51)	-21.46 ^c
Connecticut	7.12	0.28	36(15,50)	-6.06	New York	7.28	0.13	29(19,44)	-3.92
Delaware	7.85	0.59	18(01,50)	3.50	North Carolina	7.43	0.19	27(14,43)	-1.94
D.C.	6.10	0.73	50(08,51)	-19.60 ^c	North Dakota	6.95	0.63	41(03,51)	-8.31
Florida	7.21	0.11	33(22,44)	-4.91	Ohio	8.47	0.17	07(01,17)	11.71
Georgia	7.14	0.20	35(19,48)	-5.86	Oklahoma	8.33	0.31	08(01,28)	9.94
Hawaii	6.72	0.43	47(14,51)	-11.31	Oregon	8.24	0.29	11(01,31)	8.72
Idaho	7.95	0.47	16(01,47)	4.83	Pennsylvania	8.26	0.16	10(03,20)	8.96
Illinois	7.85	0.17	17(08,29)	3.54	Rhode Island	6.85	0.51	43(07,51)	-9.71
Indiana	8.59	0.24	04(01,18)	13.33	South Carolina	7.19	0.26	34(15,49)	-5.16
Iowa	8.73	0.33	03(01,21)	15.16 ^c	South Dakota	7.51	0.59	25(01,51)	-0.94
Kansas	7.66	0.34	19(04,46)	1.01	Tennessee	8.31	0.24	09(01,23)	9.65
Kentucky	9.01	0.31	01(01,14)	18.82 ^c	Texas	7.36	0.13	28(18,41)	-2.85
Louisiana	8.57	0.30	05(01,21)	13.03	Utah	6.76	0.38	46(15,51)	-10.81
Maine	7.59	0.46	21(02,49)	0.10	Vermont	8.02	0.71	14(01,50)	5.81
Maryland	7.11	0.24	37(17,49)	-6.17	Virginia	7.46	0.21	26(12,44)	-1.57
Massachusetts	7.07	0.21	40(19,49)	-6.80	Washington	7.95	0.23	15(04,32)	4.90
Michigan	8.78	0.19	02(01,12)	15.80 ^c	West Virginia	8.09	0.40	12(01,41)	6.77
Minnesota	8.57	0.26	06(01,20)	13.02	Wisconsin	8.07	0.24	13(03,29)	6.39
Mississippi	7.25	0.34	32(10,49)	-4.40	Wyoming	6.61	0.72	48(03,51)	-12.86
Missouri	7.51	0.23	24(11,44)	-0.92					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 19.24
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.59	0.02		
High Five States				
West Virginia	5.35	0.29	01(01,28)	16.50 ^c
Maine	5.33	0.33	02(01,36)	16.08 ^c
Arkansas	5.23	0.24	03(01,28)	13.99
Michigan	5.19	0.13	04(01,19)	13.02
Minnesota	5.18	0.18	05(01,24)	12.87
Low Five States				
Colorado	4.03	0.17	47(26,51)	-12.16
Hawaii	3.99	0.29	48(15,51)	-13.03
Nevada	3.99	0.24	49(22,51)	-13.06
Alaska	3.69	0.56	50(02,51)	-19.62 ^c
D.C.	3.30	0.45	51(21,51)	-28.05 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.78	0.18	19(03,39)	4.27	Montana	4.12	0.36	45(04,51)	-10.17
Alaska	3.69	0.56	50(02,51)	-19.62 ^c	Nebraska	5.12	0.30	07(01,39)	11.48
Arizona	4.25	0.15	39(21,49)	-7.30	Nevada	3.99	0.24	49(22,51)	-13.06
Arkansas	5.23	0.24	03(01,28)	13.99	New Hampshire	4.13	0.31	44(07,51)	-9.94
California	4.42	0.07	31(23,42)	-3.59	New Jersey	4.37	0.12	34(20,47)	-4.83
Colorado	4.03	0.17	47(26,51)	-12.16	New Mexico	4.15	0.26	43(15,51)	-9.59
Connecticut	4.27	0.19	38(18,50)	-7.00	New York	4.43	0.08	30(20,43)	-3.53
Delaware	4.63	0.40	24(01,51)	0.88	North Carolina	4.49	0.12	28(15,44)	-2.14
D.C.	3.30	0.45	51(21,51)	-28.05 ^c	North Dakota	4.53	0.45	27(01,51)	-1.33
Florida	4.22	0.08	40(28,48)	-7.96	Ohio	5.11	0.12	08(01,21)	11.40
Georgia	4.12	0.13	46(27,50)	-10.18	Oklahoma	5.00	0.21	12(01,34)	8.89
Hawaii	3.99	0.29	48(15,51)	-13.03	Oregon	4.92	0.20	14(01,36)	7.20
Idaho	5.06	0.34	11(01,45)	10.38	Pennsylvania	4.89	0.10	15(05,27)	6.58
Illinois	4.63	0.11	25(12,38)	0.83	Rhode Island	4.70	0.35	21(01,50)	2.45
Indiana	5.12	0.16	06(01,24)	11.51	South Carolina	4.35	0.17	36(15,49)	-5.10
Iowa	5.10	0.22	09(01,30)	11.15	South Dakota	4.32	0.40	37(02,51)	-5.82
Kansas	4.86	0.23	17(01,42)	5.84	Tennessee	4.79	0.15	18(04,36)	4.31
Kentucky	5.10	0.19	10(01,27)	11.05	Texas	4.44	0.08	29(21,43)	-3.20
Louisiana	4.99	0.19	13(01,32)	8.84	Utah	4.67	0.28	23(01,49)	1.84
Maine	5.33	0.33	02(01,36)	16.08 ^c	Vermont	4.40	0.46	32(01,51)	-4.11
Maryland	4.22	0.16	41(21,50)	-8.05	Virginia	4.36	0.14	35(19,48)	-5.02
Massachusetts	4.40	0.14	33(18,47)	-4.15	Washington	4.78	0.16	20(04,37)	4.16
Michigan	5.19	0.13	04(01,19)	13.02	West Virginia	5.35	0.29	01(01,28)	16.50 ^c
Minnesota	5.18	0.18	05(01,24)	12.87	Wisconsin	4.86	0.16	16(03,35)	5.91
Mississippi	4.18	0.22	42(17,51)	-9.00	Wyoming	4.56	0.53	26(01,51)	-0.64
Missouri	4.68	0.16	22(07,40)	1.99					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 20.24
Cancer of the Oral Cavity and Pharynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.47	0.01		
High Five States				
Mississippi	3.60	0.15	01(01,05)	45.87 ^c
Louisiana	3.29	0.12	02(01,09)	32.99 ^c
Arkansas	3.21	0.14	03(01,12)	29.85 ^c
Tennessee	3.13	0.09	04(02,11)	26.50 ^c
D.C.	3.12	0.32	05(01,40)	26.24 ^c
Low Five States				
Arizona	1.94	0.07	47(39,51)	-21.67 ^c
Connecticut	1.88	0.09	48(40,51)	-23.96 ^c
Colorado	1.87	0.09	49(41,51)	-24.46 ^c
Rhode Island	1.86	0.17	50(30,51)	-24.77 ^c
Utah	1.74	0.13	51(41,51)	-29.66 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.67	0.10	15(06,33)	8.25	Montana	2.35	0.19	34(07,50)	-4.95
Alaska	2.37	0.30	31(02,51)	-4.26	Nebraska	2.25	0.15	39(14,50)	-8.75
Arizona	1.94	0.07	47(39,51)	-21.67 ^c	Nevada	2.49	0.13	23(09,43)	0.70
Arkansas	3.21	0.14	03(01,12)	29.85 ^c	New Hampshire	2.28	0.17	38(11,50)	-7.80
California	2.44	0.04	26(20,36)	-1.32	New Jersey	2.00	0.06	45(38,50)	-19.26 ^c
Colorado	1.87	0.09	49(41,51)	-24.46 ^c	New Mexico	2.35	0.14	33(11,47)	-4.90
Connecticut	1.88	0.09	48(40,51)	-23.96 ^c	New York	2.14	0.04	43(35,46)	-13.53
Delaware	2.84	0.23	11(01,40)	15.11 ^c	North Carolina	2.64	0.07	18(09,29)	6.78
D.C.	3.12	0.32	05(01,40)	26.24 ^c	North Dakota	2.06	0.23	44(11,51)	-16.71 ^c
Florida	2.64	0.05	17(10,25)	6.96	Ohio	2.51	0.06	21(13,35)	1.77
Georgia	2.65	0.08	16(08,29)	7.42	Oklahoma	2.77	0.11	12(04,29)	12.17
Hawaii	2.74	0.18	13(03,39)	10.74	Oregon	2.42	0.10	27(12,42)	-2.00
Idaho	2.39	0.17	29(08,48)	-3.24	Pennsylvania	2.17	0.05	41(32,46)	-12.05
Illinois	2.45	0.06	25(16,38)	-0.79	Rhode Island	1.86	0.17	50(30,51)	-24.77 ^c
Indiana	2.37	0.08	32(18,42)	-4.27	South Carolina	2.93	0.10	08(03,18)	18.56 ^c
Iowa	2.33	0.11	35(15,46)	-5.88	South Dakota	2.23	0.22	40(09,51)	-9.60
Kansas	1.99	0.11	46(32,51)	-19.53 ^c	Tennessee	3.13	0.09	04(02,11)	26.50 ^c
Kentucky	3.05	0.11	06(02,14)	23.24 ^c	Texas	2.62	0.05	19(11,26)	5.91
Louisiana	3.29	0.12	02(01,09)	32.99 ^c	Utah	1.74	0.13	51(41,51)	-29.66 ^c
Maine	2.71	0.17	14(03,39)	9.51	Vermont	2.89	0.28	09(01,42)	16.92 ^c
Maryland	2.30	0.09	37(20,44)	-6.81	Virginia	2.37	0.07	30(18,42)	-4.10
Massachusetts	2.48	0.08	24(13,39)	0.17	Washington	2.85	0.09	10(04,20)	15.22 ^c
Michigan	2.54	0.07	20(12,35)	2.62	West Virginia	3.00	0.16	07(01,22)	21.39 ^c
Minnesota	2.16	0.08	42(28,48)	-12.69	Wisconsin	2.41	0.09	28(14,41)	-2.34
Mississippi	3.60	0.15	01(01,05)	45.87 ^c	Wyoming	2.31	0.27	36(04,51)	-6.68
Missouri	2.50	0.08	22(12,38)	1.11					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 20.25
Cancer of the Oral Cavity and Pharynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.83	0.02		
High Five States				
Mississippi	6.06	0.29	01(01,04)	58.01 ^c
Louisiana	5.44	0.22	02(01,08)	41.90 ^c
D.C.	5.27	0.64	03(01,38)	37.52 ^c
Tennessee	5.03	0.18	04(02,11)	31.19 ^c
Arkansas	5.02	0.26	05(01,13)	30.92 ^c
Low Five States				
Kansas	3.05	0.21	47(29,51)	-20.46 ^c
North Dakota	2.87	0.40	48(14,51)	-25.13 ^c
Rhode Island	2.73	0.32	49(27,51)	-28.75 ^c
Colorado	2.66	0.15	50(43,51)	-30.72 ^c
Utah	2.35	0.22	51(45,51)	-38.63 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.25	0.19	13(06,30)	10.91	Montana	3.43	0.34	39(09,50)	-10.48
Alaska	3.70	0.55	26(02,51)	-3.58	Nebraska	3.35	0.27	41(15,50)	-12.71
Arizona	3.07	0.13	46(34,50)	-19.81 ^c	Nevada	3.64	0.24	31(10,47)	-5.01
Arkansas	5.02	0.26	05(01,13)	30.92 ^c	New Hampshire	3.54	0.31	35(09,50)	-7.64
California	3.73	0.07	25(20,36)	-2.82	New Jersey	3.15	0.12	43(33,49)	-17.74 ^c
Colorado	2.66	0.15	50(43,51)	-30.72 ^c	New Mexico	3.52	0.26	37(11,49)	-8.07
Connecticut	3.12	0.18	44(28,50)	-18.61 ^c	New York	3.31	0.08	42(32,46)	-13.58
Delaware	4.45	0.43	10(02,43)	16.13 ^c	North Carolina	4.11	0.13	17(09,30)	7.15
D.C.	5.27	0.64	03(01,38)	37.52 ^c	North Dakota	2.87	0.40	48(14,51)	-25.13 ^c
Florida	4.10	0.08	18(10,25)	7.06	Ohio	3.93	0.11	21(12,34)	2.63
Georgia	4.14	0.14	16(08,29)	8.09	Oklahoma	4.45	0.22	09(04,25)	16.20 ^c
Hawaii	4.17	0.34	14(03,42)	8.70	Oregon	3.59	0.18	32(15,46)	-6.39
Idaho	3.54	0.30	34(10,49)	-7.53	Pennsylvania	3.38	0.10	40(29,46)	-11.93
Illinois	3.80	0.11	24(15,37)	-0.87	Rhode Island	2.73	0.32	49(27,51)	-28.75 ^c
Indiana	3.67	0.15	27(15,42)	-4.29	South Carolina	4.68	0.20	08(03,17)	22.16 ^c
Iowa	3.66	0.21	28(11,45)	-4.49	South Dakota	3.45	0.40	38(08,51)	-9.93
Kansas	3.05	0.21	47(29,51)	-20.46 ^c	Tennessee	5.03	0.18	04(02,11)	31.19 ^c
Kentucky	4.78	0.21	07(02,16)	24.62 ^c	Texas	4.15	0.09	15(09,24)	8.14
Louisiana	5.44	0.22	02(01,08)	41.90 ^c	Utah	2.35	0.22	51(45,51)	-38.63 ^c
Maine	4.39	0.33	11(02,38)	14.65	Vermont	4.28	0.50	12(02,48)	11.54
Maryland	3.53	0.16	36(18,46)	-7.83	Virginia	3.65	0.14	29(16,42)	-4.81
Massachusetts	3.83	0.15	23(11,39)	-0.12	Washington	3.97	0.15	20(10,35)	3.70
Michigan	4.03	0.12	19(09,32)	5.11	West Virginia	4.90	0.30	06(01,20)	27.70 ^c
Minnesota	3.11	0.15	45(32,50)	-18.77 ^c	Wisconsin	3.65	0.16	30(16,43)	-4.90
Mississippi	6.06	0.29	01(01,04)	58.01 ^c	Wyoming	3.57	0.50	33(03,51)	-6.88
Missouri	3.86	0.16	22(11,38)	0.70					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 20.26
Cancer of the Oral Cavity and Pharynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.33	0.01		
High Five States				
Washington	1.87	0.10	01(01,08)	40.91 ^c
Arkansas	1.70	0.14	02(01,30)	27.81 ^c
Vermont	1.62	0.28	03(01,50)	21.74 ^c
Kentucky	1.61	0.11	04(01,30)	21.60 ^c
Mississippi	1.60	0.13	05(01,39)	20.41 ^c
Low Five States				
Kansas	1.12	0.11	47(12,51)	-15.87 ^c
New Jersey	1.09	0.06	48(31,51)	-18.14 ^c
Alaska	1.05	0.28	49(01,51)	-21.27 ^c
Arizona	0.95	0.07	50(41,51)	-28.67 ^c
Connecticut	0.89	0.09	51(39,51)	-32.85 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.36	0.09	18(04,46)	2.25	Montana	1.32	0.20	28(01,51)	-0.67
Alaska	1.05	0.28	49(01,51)	-21.27 ^c	Nebraska	1.34	0.15	25(02,50)	0.81
Arizona	0.95	0.07	50(41,51)	-28.67 ^c	Nevada	1.44	0.14	13(01,47)	8.64
Arkansas	1.70	0.14	02(01,30)	27.81 ^c	New Hampshire	1.17	0.17	43(03,51)	-11.68
California	1.36	0.04	20(11,36)	2.15	New Jersey	1.09	0.06	48(31,51)	-18.14 ^c
Colorado	1.17	0.09	44(12,50)	-12.24	New Mexico	1.34	0.15	23(02,50)	1.15
Connecticut	0.89	0.09	51(39,51)	-32.85 ^c	New York	1.20	0.04	38(25,47)	-9.94
Delaware	1.47	0.22	11(01,50)	10.80	North Carolina	1.44	0.07	12(04,36)	8.75
D.C.	1.53	0.30	07(01,51)	15.21 ^c	North Dakota	1.41	0.26	16(01,51)	6.15
Florida	1.39	0.05	17(07,35)	4.68	Ohio	1.32	0.06	29(09,44)	-0.85
Georgia	1.44	0.07	14(03,38)	8.61	Oklahoma	1.31	0.11	31(05,48)	-1.62
Hawaii	1.52	0.19	08(01,48)	14.49	Oregon	1.42	0.11	15(02,46)	6.60
Idaho	1.30	0.18	32(02,51)	-1.92	Pennsylvania	1.18	0.05	41(23,48)	-10.79
Illinois	1.36	0.06	19(07,42)	2.17	Rhode Island	1.16	0.18	45(03,51)	-12.55
Indiana	1.27	0.08	37(09,48)	-4.25	South Carolina	1.49	0.10	09(02,40)	12.17
Iowa	1.15	0.10	46(12,51)	-13.62	South Dakota	1.19	0.22	40(01,51)	-10.66
Kansas	1.12	0.11	47(12,51)	-15.87 ^c	Tennessee	1.55	0.09	06(02,30)	16.79 ^c
Kentucky	1.61	0.11	04(01,30)	21.60 ^c	Texas	1.34	0.05	26(10,40)	0.66
Louisiana	1.48	0.10	10(02,41)	11.56	Utah	1.18	0.14	42(05,51)	-10.98
Maine	1.28	0.16	36(02,51)	-3.86	Vermont	1.62	0.28	03(01,50)	21.74 ^c
Maryland	1.30	0.09	34(07,47)	-2.10	Virginia	1.31	0.07	30(08,46)	-1.39
Massachusetts	1.35	0.08	21(06,44)	1.76	Washington	1.87	0.10	01(01,08)	40.91 ^c
Michigan	1.29	0.06	35(10,46)	-3.23	West Virginia	1.30	0.14	33(03,50)	-2.00
Minnesota	1.34	0.09	22(05,45)	1.24	Wisconsin	1.34	0.09	24(05,46)	1.08
Mississippi	1.60	0.13	05(01,39)	20.41 ^c	Wyoming	1.19	0.27	39(01,51)	-10.11
Missouri	1.32	0.08	27(06,46)	-0.55					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 21.14
Cancer of the Ovary (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.38	0.03		
High Five States				
Oregon	8.91	0.27	01(01,06)	20.66 ^c
Oklahoma	8.33	0.27	02(01,22)	12.88
Wyoming	8.07	0.72	03(01,49)	9.29
Washington	8.03	0.20	04(01,27)	8.73
Michigan	8.00	0.16	05(02,22)	8.35
Low Five States				
Louisiana	6.67	0.22	47(26,49)	-9.66
Mississippi	6.65	0.27	48(21,50)	-9.84
Alaska	6.33	0.69	49(02,51)	-14.17
Hawaii	5.43	0.36	50(46,51)	-26.49 ^c
North Dakota	5.34	0.51	51(40,51)	-27.70 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.99	0.23	06(01,29)	8.24	Montana	7.73	0.49	12(01,49)	4.72
Alaska	6.33	0.69	49(02,51)	-14.17	Nebraska	6.70	0.35	45(13,50)	-9.23
Arizona	7.31	0.19	30(09,45)	-0.97	Nevada	7.32	0.32	29(03,48)	-0.90
Arkansas	7.58	0.29	20(02,45)	2.76	New Hampshire	7.28	0.42	32(02,49)	-1.38
California	7.31	0.08	31(19,39)	-1.02	New Jersey	7.61	0.17	17(04,36)	3.15
Colorado	7.87	0.24	09(02,34)	6.69	New Mexico	7.67	0.35	14(02,46)	3.90
Connecticut	7.06	0.25	39(11,49)	-4.34	New York	7.51	0.11	23(09,36)	1.74
Delaware	7.10	0.48	37(02,50)	-3.79	North Carolina	7.16	0.16	36(16,46)	-3.03
D.C.	7.58	0.68	21(01,50)	2.73	North Dakota	5.34	0.51	51(40,51)	-27.70 ^c
Florida	6.85	0.10	41(33,48)	-7.19	Ohio	7.60	0.14	18(05,35)	3.02
Georgia	7.46	0.17	26(07,40)	1.06	Oklahoma	8.33	0.27	02(01,22)	12.88
Hawaii	5.43	0.36	50(46,51)	-26.49 ^c	Oregon	8.91	0.27	01(01,06)	20.66 ^c
Idaho	7.51	0.41	24(02,49)	1.68	Pennsylvania	7.89	0.14	08(02,23)	6.95
Illinois	7.58	0.14	22(06,36)	2.63	Rhode Island	6.67	0.44	46(05,51)	-9.61
Indiana	7.76	0.20	10(02,35)	5.15	South Carolina	7.18	0.22	35(10,47)	-2.67
Iowa	7.75	0.28	11(02,41)	4.96	South Dakota	6.75	0.51	44(03,51)	-8.57
Kansas	7.36	0.29	28(03,47)	-0.29	Tennessee	7.66	0.20	15(03,37)	3.79
Kentucky	7.07	0.23	38(12,48)	-4.22	Texas	6.76	0.10	43(35,49)	-8.47
Louisiana	6.67	0.22	47(26,49)	-9.66	Utah	7.67	0.36	13(01,46)	3.97
Maine	6.84	0.38	42(06,50)	-7.34	Vermont	7.98	0.62	07(01,49)	8.08
Maryland	7.27	0.20	33(08,46)	-1.45	Virginia	7.63	0.18	16(03,37)	3.35
Massachusetts	7.49	0.19	25(05,41)	1.45	Washington	8.03	0.20	04(01,27)	8.73
Michigan	8.00	0.16	05(02,22)	8.35	West Virginia	7.58	0.34	19(02,46)	2.76
Minnesota	7.21	0.21	34(09,47)	-2.26	Wisconsin	7.38	0.20	27(06,44)	0.03
Mississippi	6.65	0.27	48(21,50)	-9.84	Wyoming	8.07	0.72	03(01,49)	9.29
Missouri	6.90	0.19	40(22,49)	-6.52					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 22.18
Cancer of the Pancreas (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	10.92	0.03		
High Five States				
D.C.	13.71	0.70	01(01,08)	25.58 ^c
Louisiana	13.06	0.24	02(01,04)	19.63 ^c
Mississippi	12.57	0.28	03(01,05)	15.07 ^c
Maryland	11.67	0.20	04(03,24)	6.87
Pennsylvania	11.64	0.12	05(04,18)	6.55
Low Five States				
North Dakota	9.85	0.49	47(12,51)	-9.76
Montana	9.74	0.40	48(29,51)	-10.82
Colorado	9.65	0.20	49(42,51)	-11.65
Wyoming	9.55	0.56	50(18,51)	-12.56
New Mexico	9.38	0.29	51(42,51)	-14.12

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	11.30	0.20	14(04,34)	3.45	Montana	9.74	0.40	48(29,51)	-10.82
Alaska	10.86	0.68	32(02,51)	-0.52	Nebraska	10.53	0.32	36(09,49)	-3.57
Arizona	10.21	0.17	45(32,49)	-6.54	Nevada	10.50	0.28	38(14,49)	-3.87
Arkansas	10.95	0.25	28(05,44)	0.26	New Hampshire	11.10	0.38	24(04,46)	1.66
California	10.39	0.07	41(33,46)	-4.85	New Jersey	11.51	0.15	08(04,26)	5.44
Colorado	9.65	0.20	49(42,51)	-11.65	New Mexico	9.38	0.29	51(42,51)	-14.12
Connecticut	10.99	0.23	27(06,42)	0.63	New York	11.30	0.10	13(06,27)	3.47
Delaware	11.59	0.46	06(02,42)	6.09	North Carolina	10.75	0.14	34(18,42)	-1.55
D.C.	13.71	0.70	01(01,08)	25.58 ^c	North Dakota	9.85	0.49	47(12,51)	-9.76
Florida	10.31	0.09	42(35,47)	-5.61	Ohio	11.49	0.13	10(04,24)	5.19
Georgia	10.50	0.15	37(26,47)	-3.83	Oklahoma	11.02	0.23	26(06,42)	0.92
Hawaii	11.07	0.37	25(04,47)	1.33	Oregon	10.90	0.22	31(07,44)	-0.14
Idaho	11.16	0.37	19(03,46)	2.15	Pennsylvania	11.64	0.12	05(04,18)	6.55
Illinois	11.11	0.13	23(09,34)	1.73	Rhode Island	10.64	0.41	35(04,50)	-2.60
Indiana	11.15	0.18	21(05,36)	2.12	South Carolina	11.22	0.21	17(04,36)	2.75
Iowa	10.86	0.24	33(08,45)	-0.58	South Dakota	10.41	0.46	40(04,51)	-4.68
Kansas	11.31	0.27	11(04,37)	3.61	Tennessee	11.15	0.18	20(05,36)	2.13
Kentucky	11.28	0.22	15(04,35)	3.32	Texas	10.23	0.09	44(36,48)	-6.31
Louisiana	13.06	0.24	02(01,04)	19.63 ^c	Utah	9.89	0.30	46(30,51)	-9.46
Maine	11.17	0.35	18(03,45)	2.27	Vermont	11.23	0.54	16(02,49)	2.84
Maryland	11.67	0.20	04(03,24)	6.87	Virginia	10.95	0.16	29(11,39)	0.26
Massachusetts	11.14	0.17	22(06,36)	2.06	Washington	10.94	0.18	30(10,40)	0.19
Michigan	11.58	0.14	07(04,22)	6.06	West Virginia	10.31	0.29	43(19,51)	-5.63
Minnesota	10.50	0.19	39(23,47)	-3.88	Wisconsin	11.50	0.19	09(04,28)	5.34
Mississippi	12.57	0.28	03(01,05)	15.07 ^c	Wyoming	9.55	0.56	50(18,51)	-12.56
Missouri	11.30	0.18	12(04,34)	3.49					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 22.19
Cancer of the Pancreas (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	12.57	0.04		
High Five States				
D.C.	15.52	1.15	01(01,38)	23.43 ^c
Louisiana	15.15	0.39	02(01,05)	20.51 ^c
Mississippi	14.28	0.46	03(01,19)	13.53 ^c
Delaware	14.07	0.77	04(01,42)	11.88 ^c
Maryland	13.95	0.33	05(01,19)	10.95 ^c
Low Five States				
Utah	11.43	0.48	47(19,51)	-9.10
Colorado	10.92	0.32	48(39,51)	-13.14 ^c
New Mexico	10.86	0.46	49(33,51)	-13.64 ^c
Wyoming	10.77	0.88	50(06,51)	-14.35 ^c
Montana	10.46	0.61	51(35,51)	-16.86 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	13.16	0.34	12(03,36)	4.69	Montana	10.46	0.61	51(35,51)	-16.86 ^c
Alaska	11.89	1.07	41(02,51)	-5.45	Nebraska	12.48	0.52	30(04,49)	-0.73
Arizona	11.53	0.26	46(31,50)	-8.34	Nevada	12.16	0.44	38(08,49)	-3.30
Arkansas	12.69	0.41	23(04,46)	0.93	New Hampshire	12.87	0.61	18(02,48)	2.39
California	11.77	0.12	42(34,47)	-6.36	New Jersey	13.17	0.25	11(04,32)	4.74
Colorado	10.92	0.32	48(39,51)	-13.14 ^c	New Mexico	10.86	0.46	49(33,51)	-13.64 ^c
Connecticut	12.46	0.37	31(06,46)	-0.90	New York	13.01	0.17	15(06,31)	3.47
Delaware	14.07	0.77	04(01,42)	11.88 ^c	North Carolina	12.65	0.24	25(08,40)	0.57
D.C.	15.52	1.15	01(01,38)	23.43 ^c	North Dakota	12.12	0.82	39(03,51)	-3.63
Florida	11.99	0.14	40(29,46)	-4.68	Ohio	13.29	0.21	08(04,27)	5.70
Georgia	12.28	0.26	36(15,45)	-2.33	Oklahoma	12.37	0.37	34(08,47)	-1.59
Hawaii	12.46	0.58	33(03,49)	-0.94	Oregon	12.53	0.35	29(06,46)	-0.39
Idaho	12.78	0.58	20(02,48)	1.66	Pennsylvania	13.60	0.20	06(03,19)	8.16
Illinois	12.78	0.21	21(08,38)	1.60	Rhode Island	12.57	0.69	28(02,50)	-0.05
Indiana	13.06	0.29	14(04,37)	3.87	South Carolina	13.11	0.34	13(03,38)	4.24
Iowa	12.75	0.40	22(04,45)	1.41	South Dakota	11.62	0.72	45(05,51)	-7.61
Kansas	12.96	0.43	17(03,43)	3.09	Tennessee	12.59	0.29	27(08,43)	0.10
Kentucky	13.28	0.36	09(03,35)	5.60	Texas	11.70	0.15	44(34,48)	-6.95
Louisiana	15.15	0.39	02(01,05)	20.51 ^c	Utah	11.43	0.48	47(19,51)	-9.10
Maine	11.76	0.55	43(08,51)	-6.48	Vermont	12.66	0.87	24(01,51)	0.66
Maryland	13.95	0.33	05(01,19)	10.95 ^c	Virginia	12.85	0.27	19(06,38)	2.22
Massachusetts	12.63	0.28	26(08,42)	0.46	Washington	12.35	0.28	35(14,45)	-1.77
Michigan	13.33	0.23	07(03,27)	5.98	West Virginia	12.24	0.48	37(06,49)	-2.64
Minnesota	12.46	0.31	32(08,45)	-0.94	Wisconsin	13.19	0.30	10(04,34)	4.86
Mississippi	14.28	0.46	03(01,19)	13.53 ^c	Wyoming	10.77	0.88	50(06,51)	-14.35 ^c
Missouri	12.99	0.29	16(04,38)	3.32					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 22.20
Cancer of the Pancreas (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	9.54	0.03		
High Five States				
D.C.	12.09	0.85	01(01,25)	26.70 ^c
Louisiana	11.28	0.29	02(01,06)	18.24 ^c
Mississippi	11.05	0.35	03(01,14)	15.77 ^c
Maine	10.60	0.46	04(01,36)	11.09
New Jersey	10.18	0.19	05(03,26)	6.73
Low Five States				
Colorado	8.59	0.25	47(31,51)	-9.95
Utah	8.59	0.38	48(21,51)	-9.96
Wyoming	8.42	0.72	49(04,51)	-11.73
New Mexico	8.14	0.36	50(33,51)	-14.69
North Dakota	7.87	0.59	51(18,51)	-17.55 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	9.73	0.25	23(04,41)	1.98	Montana	9.04	0.53	39(04,51)	-5.27
Alaska	9.95	0.88	12(01,51)	4.24	Nebraska	8.88	0.40	43(10,51)	-6.97
Arizona	8.99	0.21	41(24,49)	-5.79	Nevada	9.03	0.35	40(10,51)	-5.31
Arkansas	9.45	0.32	30(05,47)	-0.97	New Hampshire	9.45	0.47	31(03,50)	-0.98
California	9.24	0.09	34(26,42)	-3.17	New Jersey	10.18	0.19	05(03,26)	6.73
Colorado	8.59	0.25	47(31,51)	-9.95	New Mexico	8.14	0.36	50(33,51)	-14.69
Connecticut	9.81	0.29	20(04,41)	2.85	New York	9.94	0.13	13(05,28)	4.22
Delaware	9.63	0.57	26(02,51)	0.90	North Carolina	9.23	0.18	35(20,45)	-3.25
D.C.	12.09	0.85	01(01,25)	26.70 ^c	North Dakota	7.87	0.59	51(18,51)	-17.55 ^c
Florida	8.87	0.11	44(33,49)	-7.04	Ohio	10.02	0.16	07(04,28)	5.04
Georgia	9.06	0.19	38(23,48)	-5.00	Oklahoma	9.87	0.29	18(03,41)	3.49
Hawaii	9.82	0.47	19(02,48)	2.88	Oregon	9.55	0.28	29(05,45)	0.11
Idaho	9.69	0.47	24(03,49)	1.58	Pennsylvania	10.02	0.15	08(04,28)	5.00
Illinois	9.76	0.16	22(06,34)	2.32	Rhode Island	9.13	0.51	36(04,51)	-4.31
Indiana	9.61	0.22	27(06,41)	0.68	South Carolina	9.68	0.26	25(05,42)	1.43
Iowa	9.28	0.30	33(08,49)	-2.76	South Dakota	9.12	0.59	37(03,51)	-4.37
Kansas	9.93	0.34	15(03,42)	4.03	Tennessee	10.00	0.22	11(04,33)	4.75
Kentucky	9.55	0.27	28(05,44)	0.11	Texas	8.97	0.12	42(31,48)	-5.94
Louisiana	11.28	0.29	02(01,06)	18.24 ^c	Utah	8.59	0.38	48(21,51)	-9.96
Maine	10.60	0.46	04(01,36)	11.09	Vermont	10.01	0.70	09(01,50)	4.95
Maryland	9.94	0.24	14(04,36)	4.17	Virginia	9.43	0.20	32(12,44)	-1.20
Massachusetts	9.92	0.21	16(04,35)	3.96	Washington	9.77	0.23	21(05,39)	2.44
Michigan	10.13	0.18	06(04,27)	6.14	West Virginia	8.69	0.36	46(19,51)	-8.90
Minnesota	8.80	0.23	45(27,51)	-7.80	Wisconsin	10.01	0.23	10(03,34)	4.93
Mississippi	11.05	0.35	03(01,14)	15.77 ^c	Wyoming	8.42	0.72	49(04,51)	-11.73
Missouri	9.90	0.23	17(04,35)	3.76					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 23.14
Cancer of the Prostate (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	20.07	0.05		
High Five States				
D.C.	33.70	1.77	01(01,01)	67.94 ^c
Mississippi	26.17	0.67	02(02,03)	30.44 ^c
Alabama	23.85	0.49	03(02,08)	18.87 ^c
South Carolina	23.46	0.50	04(03,10)	16.94 ^c
Georgia	23.39	0.39	05(03,09)	16.56 ^c
Low Five States				
Arizona	18.24	0.34	47(39,50)	-9.11
West Virginia	18.22	0.62	48(29,50)	-9.19
Missouri	18.19	0.36	49(38,50)	-9.34
Florida	17.61	0.17	50(46,50)	-12.25 ^c
Hawaii	13.72	0.62	51(51,51)	-31.62 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	23.85	0.49	03(02,08)	18.87 ^c	Montana	21.40	0.90	12(03,44)	6.64
Alaska	20.50	1.57	25(03,50)	2.17	Nebraska	20.87	0.69	19(06,44)	3.99
Arizona	18.24	0.34	47(39,50)	-9.11	Nevada	21.14	0.63	14(06,41)	5.34
Arkansas	20.78	0.56	20(07,42)	3.57	New Hampshire	19.84	0.81	30(08,49)	-1.11
California	20.02	0.16	28(22,38)	-0.23	New Jersey	19.44	0.31	40(24,46)	-3.12
Colorado	21.67	0.48	10(05,28)	7.99	New Mexico	20.69	0.67	23(07,44)	3.13
Connecticut	18.60	0.46	45(30,50)	-7.32	New York	19.49	0.21	39(27,44)	-2.87
Delaware	19.21	0.95	42(08,50)	-4.27	North Carolina	21.56	0.34	11(07,25)	7.46
D.C.	33.70	1.77	01(01,01)	67.94 ^c	North Dakota	19.83	1.06	31(05,50)	-1.18
Florida	17.61	0.17	50(46,50)	-12.25 ^c	Ohio	19.95	0.27	29(20,42)	-0.55
Georgia	23.39	0.39	05(03,09)	16.56 ^c	Oklahoma	20.78	0.50	21(08,40)	3.55
Hawaii	13.72	0.62	51(51,51)	-31.62 ^c	Oregon	21.23	0.47	13(06,34)	5.80
Idaho	23.32	0.83	06(02,20)	16.21 ^c	Pennsylvania	19.76	0.24	36(23,43)	-1.53
Illinois	20.91	0.28	18(10,31)	4.21	Rhode Island	19.79	0.87	34(07,50)	-1.39
Indiana	20.99	0.39	17(08,34)	4.59	South Carolina	23.46	0.50	04(03,10)	16.94 ^c
Iowa	19.78	0.50	35(14,47)	-1.40	South Dakota	19.52	0.96	38(07,50)	-2.70
Kansas	19.11	0.54	43(21,50)	-4.74	Tennessee	20.74	0.40	22(09,37)	3.35
Kentucky	19.82	0.48	32(15,46)	-1.24	Texas	18.68	0.21	44(38,49)	-6.90
Louisiana	22.46	0.51	07(03,18)	11.94 ^c	Utah	22.14	0.71	08(03,29)	10.36 ^c
Maine	19.80	0.75	33(08,49)	-1.34	Vermont	21.09	1.17	15(03,49)	5.13
Maryland	20.31	0.42	27(12,42)	1.23	Virginia	21.06	0.37	16(08,32)	4.94
Massachusetts	19.43	0.36	41(23,47)	-3.17	Washington	20.45	0.38	26(12,40)	1.89
Michigan	19.54	0.29	37(24,45)	-2.61	West Virginia	18.22	0.62	48(29,50)	-9.19
Minnesota	20.65	0.41	24(09,38)	2.90	Wisconsin	21.80	0.40	09(06,24)	8.64
Mississippi	26.17	0.67	02(02,03)	30.44 ^c	Wyoming	18.53	1.23	46(08,50)	-7.65
Missouri	18.19	0.36	49(38,50)	-9.34					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 24.18
Cancer of the Stomach (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	3.23	0.01		
High Five States				
D.C.	5.01	0.42	01(01,09)	55.04 ^c
Hawaii	4.84	0.24	02(01,04)	49.79 ^c
Alaska	4.15	0.41	03(01,24)	28.42 ^c
Louisiana	4.15	0.13	04(02,09)	28.30 ^c
California	4.12	0.05	05(02,07)	27.36 ^c
Low Five States				
Iowa	2.13	0.11	47(40,51)	-34.28 ^c
Wyoming	2.10	0.27	48(24,51)	-35.09 ^c
Maine	2.09	0.15	49(39,51)	-35.31 ^c
Utah	2.04	0.14	50(40,51)	-36.80 ^c
Nebraska	1.95	0.14	51(42,51)	-39.69 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.40	0.11	16(09,22)	5.08	Montana	2.19	0.19	45(34,51)	-32.15 ^c
Alaska	4.15	0.41	03(01,24)	28.42 ^c	Nebraska	1.95	0.14	51(42,51)	-39.69 ^c
Arizona	2.79	0.09	33(22,41)	-13.75	Nevada	2.94	0.15	28(15,40)	-9.06
Arkansas	2.95	0.13	26(16,40)	-8.94	New Hampshire	2.15	0.17	46(36,51)	-33.54 ^c
California	4.12	0.05	05(02,07)	27.36 ^c	New Jersey	3.50	0.08	13(08,18)	8.20
Colorado	2.61	0.10	38(25,44)	-19.16 ^c	New Mexico	3.85	0.19	07(03,16)	19.02 ^c
Connecticut	3.27	0.12	17(10,29)	1.04	New York	3.84	0.06	08(05,11)	18.57 ^c
Delaware	3.47	0.26	14(03,34)	7.19	North Carolina	3.03	0.08	22(16,33)	-6.17
D.C.	5.01	0.42	01(01,09)	55.04 ^c	North Dakota	2.62	0.26	37(15,51)	-18.91 ^c
Florida	2.89	0.05	30(22,36)	-10.79	Ohio	2.77	0.06	34(25,39)	-14.24
Georgia	3.44	0.09	15(09,19)	6.25	Oklahoma	2.95	0.12	27(16,38)	-8.94
Hawaii	4.84	0.24	02(01,04)	49.79 ^c	Oregon	2.68	0.11	35(23,44)	-17.11 ^c
Idaho	2.26	0.17	43(32,51)	-30.05 ^c	Pennsylvania	2.90	0.06	29(20,36)	-10.36
Illinois	3.50	0.07	12(09,17)	8.30	Rhode Island	3.55	0.24	11(03,31)	9.89
Indiana	2.64	0.09	36(27,43)	-18.42 ^c	South Carolina	3.82	0.12	09(03,14)	18.23 ^c
Iowa	2.13	0.11	47(40,51)	-34.28 ^c	South Dakota	2.40	0.22	42(19,51)	-25.73 ^c
Kansas	2.24	0.12	44(38,51)	-30.59 ^c	Tennessee	3.05	0.09	21(15,33)	-5.64
Kentucky	2.95	0.11	25(16,38)	-8.84	Texas	3.66	0.06	10(07,14)	13.04
Louisiana	4.15	0.13	04(02,09)	28.30 ^c	Utah	2.04	0.14	50(40,51)	-36.80 ^c
Maine	2.09	0.15	49(39,51)	-35.31 ^c	Vermont	2.49	0.25	41(16,51)	-22.93 ^c
Maryland	3.18	0.10	18(13,29)	-1.67	Virginia	3.03	0.09	23(16,34)	-6.28
Massachusetts	3.12	0.09	19(15,31)	-3.42	Washington	2.85	0.09	31(19,39)	-11.86
Michigan	2.97	0.07	24(17,34)	-8.16	West Virginia	3.09	0.16	20(11,37)	-4.37
Minnesota	2.54	0.09	40(31,45)	-21.52 ^c	Wisconsin	2.81	0.09	32(20,40)	-12.98
Mississippi	3.99	0.16	06(02,12)	23.46 ^c	Wyoming	2.10	0.27	48(24,51)	-35.09 ^c
Missouri	2.59	0.09	39(30,44)	-20.04 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 24.19
Cancer of the Stomach (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.38	0.02		
High Five States				
D.C.	7.37	0.81	01(01,08)	68.35 ^c
Hawaii	6.28	0.42	02(01,10)	43.38 ^c
Louisiana	5.74	0.24	03(01,10)	31.01 ^c
South Carolina	5.42	0.22	04(02,14)	23.91 ^c
California	5.39	0.08	05(03,09)	23.09 ^c
Low Five States				
South Dakota	2.89	0.36	47(26,51)	-34.05 ^c
Nebraska	2.73	0.25	48(39,51)	-37.61 ^c
Maine	2.64	0.26	49(40,51)	-39.69 ^c
Montana	2.62	0.31	50(37,51)	-40.19 ^c
Utah	2.61	0.23	51(40,51)	-40.32 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.70	0.21	15(06,25)	7.29	Montana	2.62	0.31	50(37,51)	-40.19 ^c
Alaska	5.31	0.68	06(01,41)	21.35 ^c	Nebraska	2.73	0.25	48(39,51)	-37.61 ^c
Arizona	3.68	0.15	36(22,43)	-15.98 ^c	Nevada	3.80	0.25	33(15,44)	-13.20
Arkansas	3.83	0.23	31(16,43)	-12.40	New Hampshire	3.09	0.30	44(27,51)	-29.31 ^c
California	5.39	0.08	05(03,09)	23.09 ^c	New Jersey	4.85	0.15	12(06,19)	10.88
Colorado	3.55	0.18	38(23,46)	-18.84 ^c	New Mexico	4.95	0.31	09(03,25)	13.00
Connecticut	4.56	0.23	17(07,31)	4.06	New York	5.29	0.11	07(03,11)	20.76 ^c
Delaware	4.60	0.45	16(02,42)	5.17	North Carolina	4.00	0.14	27(17,38)	-8.71
D.C.	7.37	0.81	01(01,08)	68.35 ^c	North Dakota	3.23	0.42	41(15,51)	-26.29 ^c
Florida	3.80	0.08	32(24,39)	-13.12	Ohio	3.74	0.11	35(24,41)	-14.53
Georgia	4.70	0.16	14(07,22)	7.34	Oklahoma	4.31	0.22	19(09,37)	-1.47
Hawaii	6.28	0.42	02(01,10)	43.38 ^c	Oregon	3.55	0.19	39(22,46)	-18.98 ^c
Idaho	3.16	0.29	43(24,51)	-27.72 ^c	Pennsylvania	4.08	0.11	26(17,35)	-6.70
Illinois	4.92	0.13	10(06,17)	12.39	Rhode Island	4.84	0.42	13(02,37)	10.53
Indiana	3.78	0.16	34(20,42)	-13.59	South Carolina	5.42	0.22	04(02,14)	23.91 ^c
Iowa	2.94	0.19	46(38,51)	-32.87 ^c	South Dakota	2.89	0.36	47(26,51)	-34.05 ^c
Kansas	3.18	0.22	42(30,50)	-27.25 ^c	Tennessee	4.26	0.17	20(12,34)	-2.71
Kentucky	4.19	0.20	22(11,38)	-4.26	Texas	4.88	0.10	11(07,17)	11.52
Louisiana	5.74	0.24	03(01,10)	31.01 ^c	Utah	2.61	0.23	51(40,51)	-40.32 ^c
Maine	2.64	0.26	49(40,51)	-39.69 ^c	Vermont	3.92	0.49	29(05,50)	-10.42
Maryland	4.39	0.19	18(09,32)	0.20	Virginia	4.16	0.15	23(14,35)	-4.96
Massachusetts	4.12	0.16	24(15,37)	-5.95	Washington	3.98	0.16	28(17,40)	-9.07
Michigan	4.09	0.13	25(16,36)	-6.50	West Virginia	4.20	0.28	21(09,41)	-4.04
Minnesota	3.50	0.17	40(26,46)	-20.11 ^c	Wisconsin	3.84	0.16	30(19,42)	-12.24
Mississippi	5.17	0.28	08(02,19)	18.15 ^c	Wyoming	2.94	0.48	45(17,51)	-32.82 ^c
Missouri	3.66	0.16	37(23,44)	-16.44 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 24.20
Cancer of the Stomach (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.34	0.02		
High Five States				
Hawaii	3.67	0.28	01(01,07)	56.77 ^c
D.C.	3.47	0.46	02(01,25)	48.01 ^c
California	3.13	0.06	03(01,07)	33.87 ^c
Mississippi	3.03	0.18	04(01,14)	29.19 ^c
Alaska	2.99	0.48	05(01,41)	27.54 ^c
Low Five States				
Wyoming	1.46	0.31	47(13,51)	-37.50 ^c
Idaho	1.46	0.18	48(28,51)	-37.80 ^c
Vermont	1.43	0.26	49(17,51)	-39.07 ^c
New Hampshire	1.41	0.18	50(30,51)	-39.80 ^c
Nebraska	1.31	0.15	51(39,51)	-44.20 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.43	0.13	15(06,30)	3.91	Montana	1.80	0.24	40(11,51)	-22.92 ^c
Alaska	2.99	0.48	05(01,41)	27.54 ^c	Nebraska	1.31	0.15	51(39,51)	-44.20 ^c
Arizona	2.04	0.10	29(17,41)	-12.89	Nevada	2.22	0.18	22(08,42)	-5.17
Arkansas	2.25	0.16	21(08,40)	-3.96	New Hampshire	1.41	0.18	50(30,51)	-39.80 ^c
California	3.13	0.06	03(01,07)	33.87 ^c	New Jersey	2.51	0.09	12(06,23)	7.13
Colorado	1.86	0.12	37(21,47)	-20.48 ^c	New Mexico	2.95	0.22	06(01,19)	25.99 ^c
Connecticut	2.26	0.14	20(09,38)	-3.47	New York	2.77	0.07	08(04,12)	18.37 ^c
Delaware	2.51	0.29	13(02,43)	7.09	North Carolina	2.28	0.09	18(11,32)	-2.58
D.C.	3.47	0.46	02(01,25)	48.01 ^c	North Dakota	2.09	0.31	28(04,50)	-10.71
Florida	2.13	0.06	25(18,35)	-9.10	Ohio	2.01	0.07	30(20,41)	-14.19
Georgia	2.49	0.10	14(07,24)	6.21	Oklahoma	1.86	0.13	38(20,48)	-20.57 ^c
Hawaii	3.67	0.28	01(01,07)	56.77 ^c	Oregon	1.95	0.13	34(17,46)	-16.86 ^c
Idaho	1.46	0.18	48(28,51)	-37.80 ^c	Pennsylvania	2.00	0.07	32(21,40)	-14.50
Illinois	2.43	0.08	16(09,24)	3.77	Rhode Island	2.62	0.27	10(02,38)	11.87
Indiana	1.77	0.10	41(28,48)	-24.41 ^c	South Carolina	2.52	0.13	11(05,27)	7.77
Iowa	1.52	0.12	46(34,51)	-35.11 ^c	South Dakota	1.93	0.27	35(07,51)	-17.48 ^c
Kansas	1.53	0.13	45(32,51)	-34.59 ^c	Tennessee	2.11	0.10	26(14,40)	-9.89
Kentucky	1.97	0.12	33(17,45)	-15.84 ^c	Texas	2.70	0.07	09(05,14)	15.37 ^c
Louisiana	2.95	0.15	07(02,14)	25.85 ^c	Utah	1.55	0.16	44(28,51)	-33.88 ^c
Maine	1.61	0.18	43(24,51)	-31.38 ^c	Vermont	1.43	0.26	49(17,51)	-39.07 ^c
Maryland	2.26	0.11	19(10,36)	-3.37	Virginia	2.17	0.10	24(13,37)	-7.41
Massachusetts	2.38	0.10	17(08,29)	1.55	Washington	1.92	0.10	36(21,44)	-17.98 ^c
Michigan	2.11	0.08	27(17,38)	-10.08	West Virginia	2.18	0.19	23(07,43)	-6.72
Minnesota	1.81	0.11	39(24,48)	-22.88 ^c	Wisconsin	2.01	0.11	31(17,42)	-14.27
Mississippi	3.03	0.18	04(01,14)	29.19 ^c	Wyoming	1.46	0.31	47(13,51)	-37.50 ^c
Missouri	1.74	0.10	42(30,49)	-25.90 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 25.14
Cancer of the Testis (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.25	0.01		
High Five States				
Oklahoma	0.42	0.07	01(01,17)	66.86 ^c
New Mexico	0.35	0.08	02(01,30)	35.92 ^c
Arizona	0.34	0.05	03(01,21)	35.10 ^c
Iowa	0.33	0.07	04(01,28)	30.07 ^c
California	0.33	0.02	05(01,13)	28.67 ^c
Low Five States				
Louisiana	0.18	0.04	27(07,31)	-28.72 ^c
Maryland	0.18	0.04	28(09,31)	-29.95 ^c
Virginia	0.17	0.03	29(15,31)	-34.98 ^c
Massachusetts	0.14	0.03	30(20,31)	-46.52 ^c
Minnesota	0.13	0.03	31(19,31)	-47.14 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.24	0.05	19(02,30)	-4.69	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	-	-	-(-,-)	-
Arizona	0.34	0.05	03(01,21)	35.10 ^c	Nevada	0.24	0.06	18(01,31)	-4.45
Arkansas	-	-	-(-,-)	-	New Hampshire	-	-	-(-,-)	-
California	0.33	0.02	05(01,13)	28.67 ^c	New Jersey	0.26	0.03	16(03,28)	0.48
Colorado	0.26	0.05	13(01,30)	3.38	New Mexico	0.35	0.08	02(01,30)	35.92 ^c
Connecticut	0.21	0.05	23(02,31)	-17.42 ^c	New York	0.22	0.02	21(09,29)	-13.46
Delaware	-	-	-(-,-)	-	North Carolina	0.25	0.03	17(03,29)	-2.64
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.27	0.02	12(03,24)	5.89	Ohio	0.28	0.03	11(02,25)	9.79
Georgia	0.22	0.03	22(06,30)	-13.60	Oklahoma	0.42	0.07	01(01,17)	66.86 ^c
Hawaii	-	-	-(-,-)	-	Oregon	-	-	-(-,-)	-
Idaho	-	-	-(-,-)	-	Pennsylvania	0.26	0.03	14(03,27)	1.82
Illinois	0.19	0.02	26(12,31)	-23.69 ^c	Rhode Island	-	-	-(-,-)	-
Indiana	0.30	0.05	08(01,26)	18.50 ^c	South Carolina	0.21	0.04	24(05,31)	-18.98 ^c
Iowa	0.33	0.07	04(01,28)	30.07 ^c	South Dakota	-	-	-(-,-)	-
Kansas	-	-	-(-,-)	-	Tennessee	0.20	0.04	25(06,31)	-21.19 ^c
Kentucky	0.31	0.05	07(01,28)	20.43 ^c	Texas	0.29	0.02	10(03,21)	12.03
Louisiana	0.18	0.04	27(07,31)	-28.72 ^c	Utah	-	-	-(-,-)	-
Maine	-	-	-(-,-)	-	Vermont	-	-	-(-,-)	-
Maryland	0.18	0.04	28(09,31)	-29.95 ^c	Virginia	0.17	0.03	29(15,31)	-34.98 ^c
Massachusetts	0.14	0.03	30(20,31)	-46.52 ^c	Washington	0.23	0.04	20(03,30)	-9.37
Michigan	0.29	0.04	09(01,25)	13.40	West Virginia	-	-	-(-,-)	-
Minnesota	0.13	0.03	31(19,31)	-47.14 ^c	Wisconsin	0.26	0.04	15(02,29)	1.63
Mississippi	-	-	-(-,-)	-	Wyoming	-	-	-(-,-)	-
Missouri	0.31	0.05	06(01,26)	22.33 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 26.18
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.50	0.01		
High Five States				
D.C.	0.82	0.17	01(01,47)	62.91 ^c
Hawaii	0.67	0.09	02(01,43)	34.00 ^c
Idaho	0.64	0.09	03(01,47)	27.78 ^c
Alaska	0.62	0.17	04(01,50)	23.34 ^c
Nebraska	0.62	0.08	05(01,45)	23.03 ^c
Low Five States				
Florida	0.42	0.02	46(29,49)	-16.17 ^c
Maine	0.41	0.07	47(04,50)	-18.18 ^c
Tennessee	0.40	0.03	48(22,50)	-20.25 ^c
Georgia	0.40	0.03	49(28,50)	-21.24 ^c
New Hampshire	0.33	0.07	50(15,50)	-34.94 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.45	0.04	40(09,50)	-9.85	Montana	0.50	0.09	23(01,50)	-0.73
Alaska	0.62	0.17	04(01,50)	23.34 ^c	Nebraska	0.62	0.08	05(01,45)	23.03 ^c
Arizona	0.48	0.04	33(07,48)	-4.81	Nevada	0.51	0.06	22(02,49)	1.10
Arkansas	0.45	0.05	41(06,50)	-10.68	New Hampshire	0.33	0.07	50(15,50)	-34.94 ^c
California	0.60	0.02	06(02,15)	18.91 ^c	New Jersey	0.49	0.03	26(07,46)	-1.69
Colorado	0.46	0.04	36(06,50)	-8.21	New Mexico	0.55	0.07	10(01,49)	9.27
Connecticut	0.45	0.05	42(07,50)	-10.74	New York	0.53	0.02	15(05,35)	6.02
Delaware	0.55	0.10	08(01,50)	10.19	North Carolina	0.52	0.03	18(05,41)	4.26
D.C.	0.82	0.17	01(01,47)	62.91 ^c	North Dakota	0.42	0.10	45(02,50)	-15.98 ^c
Florida	0.42	0.02	46(29,49)	-16.17 ^c	Ohio	0.49	0.03	28(08,45)	-2.12
Georgia	0.40	0.03	49(28,50)	-21.24 ^c	Oklahoma	0.49	0.05	29(03,49)	-2.62
Hawaii	0.67	0.09	02(01,43)	34.00 ^c	Oregon	0.53	0.05	16(02,47)	5.61
Idaho	0.64	0.09	03(01,47)	27.78 ^c	Pennsylvania	0.52	0.03	21(06,39)	2.63
Illinois	0.48	0.03	31(10,46)	-4.80	Rhode Island	0.54	0.10	13(01,50)	7.96
Indiana	0.47	0.04	35(08,49)	-6.60	South Carolina	0.46	0.04	37(07,50)	-8.50
Iowa	0.53	0.05	17(02,48)	5.16	South Dakota	0.56	0.11	07(01,50)	11.13
Kansas	0.46	0.05	39(05,50)	-9.34	Tennessee	0.40	0.03	48(22,50)	-20.25 ^c
Kentucky	0.52	0.05	19(03,47)	3.60	Texas	0.54	0.02	14(05,33)	7.38
Louisiana	0.44	0.04	44(08,50)	-12.30	Utah	0.55	0.07	12(01,49)	8.44
Maine	0.41	0.07	47(04,50)	-18.18 ^c	Vermont	0.46	0.10	38(01,50)	-8.77
Maryland	0.45	0.04	43(09,50)	-10.78	Virginia	0.49	0.03	30(07,48)	-3.45
Massachusetts	0.55	0.04	09(03,40)	9.37	Washington	0.52	0.04	20(04,46)	2.78
Michigan	0.50	0.03	24(06,45)	-0.94	West Virginia	0.50	0.06	25(02,50)	-1.48
Minnesota	0.48	0.04	32(06,49)	-4.80	Wisconsin	0.55	0.04	11(02,41)	9.24
Mississippi	0.47	0.06	34(03,50)	-5.86	Wyoming	-	-	-(-,-)	-
Missouri	0.49	0.04	27(05,47)	-1.76					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 26.19
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.51	0.01		
High Five States				
Rhode Island	0.76	0.17	01(01,42)	48.72 ^c
Idaho	0.70	0.14	02(01,41)	37.43 ^c
Utah	0.69	0.12	03(01,39)	35.42 ^c
Montana	0.67	0.15	04(01,42)	31.57 ^c
Nebraska	0.66	0.12	05(01,41)	29.58 ^c
Low Five States				
Florida	0.42	0.03	38(24,42)	-18.02 ^c
Louisiana	0.40	0.07	39(08,42)	-21.26 ^c
Maryland	0.39	0.05	40(13,42)	-24.33 ^c
Arkansas	0.38	0.07	41(09,42)	-25.84 ^c
Georgia	0.38	0.04	42(21,42)	-26.24 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.44	0.06	35(06,42)	-13.77	Montana	0.67	0.15	04(01,42)	31.57 ^c
Alaska	-	-	-(-,-)	-	Nebraska	0.66	0.12	05(01,41)	29.58 ^c
Arizona	0.56	0.06	10(02,38)	10.60	Nevada	0.48	0.08	29(02,42)	-5.79
Arkansas	0.38	0.07	41(09,42)	-25.84 ^c	New Hampshire	-	-	-(-,-)	-
California	0.54	0.03	15(05,31)	6.08	New Jersey	0.52	0.05	24(04,40)	1.33
Colorado	0.53	0.07	16(01,41)	4.19	New Mexico	0.46	0.09	32(02,42)	-9.18
Connecticut	0.44	0.07	34(05,42)	-12.83	New York	0.52	0.03	20(05,35)	2.90
Delaware	-	-	-(-,-)	-	North Carolina	0.55	0.05	12(02,36)	8.63
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.42	0.03	38(24,42)	-18.02 ^c	Ohio	0.51	0.04	26(05,39)	-0.68
Georgia	0.38	0.04	42(21,42)	-26.24 ^c	Oklahoma	0.53	0.08	19(02,42)	3.23
Hawaii	0.58	0.12	09(01,42)	13.10	Oregon	0.64	0.08	06(01,37)	24.78 ^c
Idaho	0.70	0.14	02(01,41)	37.43 ^c	Pennsylvania	0.53	0.04	18(04,36)	3.65
Illinois	0.48	0.04	31(08,41)	-6.86	Rhode Island	0.76	0.17	01(01,42)	48.72 ^c
Indiana	0.48	0.06	30(05,42)	-6.42	South Carolina	0.53	0.07	17(02,41)	3.86
Iowa	0.56	0.08	11(01,42)	8.92	South Dakota	-	-	-(-,-)	-
Kansas	0.48	0.08	28(03,42)	-5.69	Tennessee	0.44	0.05	36(09,42)	-14.31
Kentucky	0.50	0.07	27(02,42)	-1.50	Texas	0.58	0.03	08(02,28)	14.63
Louisiana	0.40	0.07	39(08,42)	-21.26 ^c	Utah	0.69	0.12	03(01,39)	35.42 ^c
Maine	-	-	-(-,-)	-	Vermont	-	-	-(-,-)	-
Maryland	0.39	0.05	40(13,42)	-24.33 ^c	Virginia	0.55	0.06	13(02,38)	8.05
Massachusetts	0.62	0.06	07(01,33)	21.46 ^c	Washington	0.52	0.06	23(03,40)	2.20
Michigan	0.52	0.05	25(04,39)	1.10	West Virginia	0.45	0.09	33(02,42)	-12.08
Minnesota	0.52	0.06	22(02,41)	2.33	Wisconsin	0.55	0.06	14(02,39)	6.84
Mississippi	0.43	0.08	37(04,42)	-16.19 ^c	Wyoming	-	-	-(-,-)	-
Missouri	0.52	0.06	21(03,40)	2.63					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 26.20
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.49	0.01		
High Five States				
D.C.	0.90	0.22	01(01,44)	82.49 ^c
Hawaii	0.76	0.13	02(01,37)	54.03 ^c
California	0.64	0.02	03(01,10)	29.51 ^c
South Dakota	0.63	0.16	04(01,44)	27.91 ^c
New Mexico	0.62	0.10	05(01,43)	25.02 ^c
Low Five States				
Colorado	0.41	0.06	40(07,44)	-16.45 ^c
Arizona	0.41	0.05	41(10,44)	-16.77 ^c
South Carolina	0.40	0.05	42(08,44)	-18.31 ^c
Georgia	0.40	0.04	43(15,44)	-19.56 ^c
Tennessee	0.37	0.04	44(18,44)	-24.63 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.46	0.05	30(05,44)	-7.30	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	0.52	0.09	11(01,44)	6.24
Arizona	0.41	0.05	41(10,44)	-16.77 ^c	Nevada	0.51	0.08	13(02,44)	3.29
Arkansas	0.50	0.07	19(02,44)	1.06	New Hampshire	-	-	-(-,-)	-
California	0.64	0.02	03(01,10)	29.51 ^c	New Jersey	0.48	0.04	24(05,42)	-2.17
Colorado	0.41	0.06	40(07,44)	-16.45 ^c	New Mexico	0.62	0.10	05(01,43)	25.02 ^c
Connecticut	0.44	0.06	36(05,44)	-11.57	New York	0.54	0.03	10(04,30)	8.51
Delaware	0.54	0.13	08(01,44)	9.63	North Carolina	0.50	0.04	17(04,41)	2.17
D.C.	0.90	0.22	01(01,44)	82.49 ^c	North Dakota	-	-	-(-,-)	-
Florida	0.42	0.02	39(18,43)	-13.98	Ohio	0.48	0.04	26(07,41)	-3.63
Georgia	0.40	0.04	43(15,44)	-19.56 ^c	Oklahoma	0.45	0.06	31(04,44)	-7.76
Hawaii	0.76	0.13	02(01,37)	54.03 ^c	Oregon	0.45	0.06	33(05,44)	-8.63
Idaho	0.61	0.12	06(01,44)	22.93 ^c	Pennsylvania	0.51	0.03	15(05,37)	2.57
Illinois	0.47	0.04	27(07,42)	-4.59	Rhode Island	-	-	-(-,-)	-
Indiana	0.45	0.05	32(06,44)	-8.42	South Carolina	0.40	0.05	42(08,44)	-18.31 ^c
Iowa	0.50	0.07	20(03,44)	0.85	South Dakota	0.63	0.16	04(01,44)	27.91 ^c
Kansas	0.43	0.07	37(04,44)	-12.50	Tennessee	0.37	0.04	44(18,44)	-24.63 ^c
Kentucky	0.54	0.06	09(02,42)	9.23	Texas	0.50	0.03	18(06,36)	1.94
Louisiana	0.47	0.06	28(04,44)	-5.36	Utah	0.43	0.08	38(03,44)	-12.70
Maine	0.49	0.10	22(01,44)	-0.37	Vermont	-	-	-(-,-)	-
Maryland	0.50	0.05	21(03,43)	0.75	Virginia	0.44	0.04	35(08,44)	-10.68
Massachusetts	0.49	0.05	23(04,43)	-1.53	Washington	0.51	0.05	12(03,42)	3.85
Michigan	0.48	0.04	25(06,42)	-2.87	West Virginia	0.50	0.08	16(02,44)	2.19
Minnesota	0.45	0.05	34(06,44)	-8.80	Wisconsin	0.54	0.05	07(02,40)	9.65
Mississippi	0.51	0.08	14(02,44)	2.66	Wyoming	-	-	-(-,-)	-
Missouri	0.46	0.05	29(06,44)	-6.67					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 27.18
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.40	0.02		
High Five States				
Maine	5.99	0.26	01(01,05)	36.05 ^c
Vermont	5.68	0.39	02(01,22)	29.08 ^c
Nevada	5.32	0.21	03(01,19)	20.86 ^c
Rhode Island	5.17	0.28	04(01,29)	17.60 ^c
Ohio	5.08	0.09	05(02,14)	15.43 ^c
Low Five States				
South Dakota	3.82	0.28	47(18,50)	-13.28
D.C.	3.75	0.36	48(09,51)	-14.83
Texas	3.70	0.06	49(43,50)	-15.87 ^c
Alaska	3.39	0.39	50(20,51)	-22.97 ^c
Hawaii	2.62	0.18	51(50,51)	-40.47 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.94	0.12	44(30,50)	-10.54	Montana	4.85	0.28	12(02,41)	10.11
Alaska	3.39	0.39	50(20,51)	-22.97 ^c	Nebraska	4.07	0.20	38(18,50)	-7.46
Arizona	4.08	0.11	37(25,48)	-7.17	Nevada	5.32	0.21	03(01,19)	20.86 ^c
Arkansas	4.70	0.17	17(04,35)	6.70	New Hampshire	4.93	0.26	08(02,35)	12.06
California	3.95	0.05	43(36,48)	-10.16	New Jersey	4.83	0.10	15(04,23)	9.78
Colorado	4.06	0.13	39(23,49)	-7.70	New Mexico	4.01	0.19	41(20,50)	-8.85
Connecticut	4.96	0.15	07(02,23)	12.70	New York	4.42	0.06	25(19,34)	0.51
Delaware	4.64	0.29	20(02,47)	5.54	North Carolina	4.31	0.09	29(20,41)	-2.04
D.C.	3.75	0.36	48(09,51)	-14.83	North Dakota	4.21	0.32	35(04,50)	-4.26
Florida	4.36	0.06	26(21,36)	-0.89	Ohio	5.08	0.09	05(02,14)	15.43 ^c
Georgia	4.48	0.10	24(14,36)	1.69	Oklahoma	4.63	0.15	21(06,35)	5.20
Hawaii	2.62	0.18	51(50,51)	-40.47 ^c	Oregon	4.53	0.14	23(08,38)	2.97
Idaho	4.25	0.23	33(09,49)	-3.53	Pennsylvania	4.84	0.08	13(05,21)	10.05
Illinois	4.35	0.08	27(20,39)	-1.24	Rhode Island	5.17	0.28	04(01,29)	17.60 ^c
Indiana	4.86	0.12	11(03,23)	10.39	South Carolina	4.25	0.13	32(18,46)	-3.51
Iowa	4.33	0.15	28(15,45)	-1.67	South Dakota	3.82	0.28	47(18,50)	-13.28
Kansas	4.14	0.16	36(19,49)	-5.94	Tennessee	4.27	0.11	31(19,44)	-3.02
Kentucky	4.67	0.14	19(05,34)	6.08	Texas	3.70	0.06	49(43,50)	-15.87 ^c
Louisiana	4.04	0.13	40(24,49)	-8.22	Utah	3.91	0.19	45(23,50)	-11.24
Maine	5.99	0.26	01(01,05)	36.05 ^c	Vermont	5.68	0.39	02(01,22)	29.08 ^c
Maryland	5.02	0.13	06(02,20)	14.07	Virginia	4.30	0.10	30(19,42)	-2.32
Massachusetts	4.87	0.11	10(03,23)	10.60	Washington	4.88	0.12	09(03,23)	10.92
Michigan	4.84	0.09	14(04,22)	9.89	West Virginia	4.82	0.20	16(02,33)	9.43
Minnesota	4.00	0.12	42(27,49)	-9.05	Wisconsin	4.63	0.12	22(07,32)	5.16
Mississippi	3.85	0.16	46(28,50)	-12.41	Wyoming	4.69	0.40	18(01,49)	6.51
Missouri	4.24	0.11	34(20,45)	-3.72					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.



Table 27.19
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.63	0.03		
High Five States				
Maine	10.44	0.53	01(01,05)	36.75 ^c
Vermont	9.18	0.77	02(01,40)	20.34 ^c
Rhode Island	8.99	0.59	03(01,34)	17.74 ^c
Ohio	8.93	0.18	04(02,14)	16.95 ^c
Maryland	8.84	0.27	05(02,21)	15.79 ^c
Low Five States				
Utah	6.72	0.39	47(20,49)	-11.89
Texas	6.46	0.12	48(41,49)	-15.35 ^c
Alaska	4.89	0.70	49(37,51)	-35.99 ^c
Hawaii	4.73	0.36	50(49,51)	-38.08 ^c
D.C.	4.72	0.65	51(42,51)	-38.16 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.13	0.26	37(20,48)	-6.56	Montana	8.46	0.56	10(01,42)	10.91
Alaska	4.89	0.70	49(37,51)	-35.99 ^c	Nebraska	6.90	0.40	42(17,49)	-9.59
Arizona	7.05	0.21	39(24,48)	-7.63	Nevada	8.62	0.40	08(02,32)	12.90
Arkansas	8.28	0.35	16(02,36)	8.47	New Hampshire	8.82	0.53	06(01,34)	15.60 ^c
California	6.83	0.09	43(35,47)	-10.48	New Jersey	8.44	0.21	11(03,23)	10.58
Colorado	6.78	0.26	45(26,49)	-11.18	New Mexico	6.83	0.38	44(19,49)	-10.51
Connecticut	8.63	0.31	07(02,25)	13.05	New York	7.70	0.13	24(17,34)	0.92
Delaware	7.32	0.58	32(03,49)	-4.14	North Carolina	7.57	0.20	26(16,41)	-0.85
D.C.	4.72	0.65	51(42,51)	-38.16 ^c	North Dakota	7.25	0.63	33(03,49)	-5.05
Florida	7.49	0.11	29(21,38)	-1.80	Ohio	8.93	0.18	04(02,14)	16.95 ^c
Georgia	7.86	0.22	22(10,36)	2.94	Oklahoma	7.91	0.31	21(05,39)	3.67
Hawaii	4.73	0.36	50(49,51)	-38.08 ^c	Oregon	7.96	0.29	20(05,38)	4.27
Idaho	7.39	0.46	31(06,48)	-3.12	Pennsylvania	8.58	0.16	09(03,19)	12.38
Illinois	7.50	0.17	28(18,40)	-1.75	Rhode Island	8.99	0.59	03(01,34)	17.74 ^c
Indiana	8.42	0.25	12(02,25)	10.37	South Carolina	7.18	0.27	35(19,48)	-5.91
Iowa	7.66	0.31	25(08,44)	0.43	South Dakota	6.93	0.57	40(07,49)	-9.16
Kansas	7.16	0.33	36(17,48)	-6.19	Tennessee	7.54	0.24	27(14,43)	-1.24
Kentucky	8.15	0.30	18(03,34)	6.77	Texas	6.46	0.12	48(41,49)	-15.35 ^c
Louisiana	6.74	0.27	46(26,49)	-11.73	Utah	6.72	0.39	47(20,49)	-11.89
Maine	10.44	0.53	01(01,05)	36.75 ^c	Vermont	9.18	0.77	02(01,40)	20.34 ^c
Maryland	8.84	0.27	05(02,21)	15.79 ^c	Virginia	7.42	0.21	30(17,44)	-2.72
Massachusetts	8.41	0.23	13(03,25)	10.15	Washington	8.39	0.24	14(03,26)	9.98
Michigan	8.34	0.19	15(04,24)	9.27	West Virginia	7.86	0.40	23(03,45)	2.94
Minnesota	7.10	0.24	38(21,48)	-6.91	Wisconsin	8.17	0.24	17(04,30)	7.01
Mississippi	6.91	0.34	41(19,49)	-9.40	Wyoming	7.99	0.79	19(01,48)	4.64
Missouri	7.20	0.23	34(20,46)	-5.63					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.


Table 27.20
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.16	0.01		
High Five States				
Vermont	3.23	0.40	01(01,32)	49.50 ^c
D.C.	3.11	0.43	02(01,41)	43.69 ^c
Delaware	2.87	0.31	03(01,36)	32.78 ^c
Maine	2.76	0.24	04(01,32)	27.61 ^c
West Virginia	2.69	0.20	05(01,33)	24.55 ^c
Low Five States				
Texas	1.76	0.05	47(38,50)	-18.67 ^c
Utah	1.74	0.17	48(21,50)	-19.43 ^c
Idaho	1.73	0.20	49(17,51)	-19.83 ^c
South Dakota	1.60	0.24	50(12,51)	-25.86 ^c
Hawaii	1.04	0.15	51(49,51)	-52.13 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.76	0.11	46(32,50)	-18.48 ^c	Montana	2.12	0.25	30(03,50)	-2.01
Alaska	2.00	0.42	39(01,51)	-7.70	Nebraska	2.10	0.19	31(05,50)	-3.16
Arizona	1.79	0.09	45(31,50)	-17.22 ^c	Nevada	2.66	0.20	07(01,31)	23.18 ^c
Arkansas	2.20	0.15	27(06,46)	1.81	New Hampshire	2.12	0.22	29(04,50)	-1.92
California	1.91	0.04	42(33,47)	-11.75	New Jersey	2.49	0.09	11(03,27)	14.98
Colorado	2.03	0.12	36(13,49)	-6.05	New Mexico	1.93	0.18	41(11,50)	-10.88
Connecticut	2.55	0.14	09(02,31)	17.68 ^c	New York	2.28	0.06	18(11,34)	5.43
Delaware	2.87	0.31	03(01,36)	32.78 ^c	North Carolina	2.16	0.08	28(14,41)	-0.12
D.C.	3.11	0.43	02(01,41)	43.69 ^c	North Dakota	2.00	0.30	38(03,50)	-7.44
Florida	1.99	0.05	40(27,45)	-8.01	Ohio	2.46	0.08	13(04,26)	13.58
Georgia	2.26	0.09	21(08,38)	4.44	Oklahoma	2.28	0.14	19(05,42)	5.37
Hawaii	1.04	0.15	51(49,51)	-52.13 ^c	Oregon	2.02	0.12	37(15,49)	-6.84
Idaho	1.73	0.20	49(17,51)	-19.83 ^c	Pennsylvania	2.34	0.07	16(08,32)	7.97
Illinois	2.25	0.08	22(10,36)	3.88	Rhode Island	2.69	0.27	06(01,41)	24.18 ^c
Indiana	2.46	0.11	14(03,31)	13.57	South Carolina	2.27	0.12	20(06,42)	4.74
Iowa	2.04	0.14	35(12,49)	-5.92	South Dakota	1.60	0.24	50(12,51)	-25.86 ^c
Kansas	2.04	0.15	34(10,49)	-5.66	Tennessee	2.05	0.10	33(16,47)	-5.16
Kentucky	2.31	0.13	17(04,39)	6.98	Texas	1.76	0.05	47(38,50)	-18.67 ^c
Louisiana	2.22	0.13	23(07,43)	2.67	Utah	1.74	0.17	48(21,50)	-19.43 ^c
Maine	2.76	0.24	04(01,32)	27.61 ^c	Vermont	3.23	0.40	01(01,32)	49.50 ^c
Maryland	2.54	0.12	10(02,28)	17.50 ^c	Virginia	2.20	0.10	26(10,41)	1.90
Massachusetts	2.57	0.11	08(02,25)	18.78 ^c	Washington	2.35	0.11	15(05,36)	8.54
Michigan	2.47	0.09	12(04,26)	14.19	West Virginia	2.69	0.20	05(01,33)	24.55 ^c
Minnesota	1.89	0.11	44(25,50)	-12.78	Wisconsin	2.21	0.11	25(08,42)	2.04
Mississippi	1.90	0.15	43(17,50)	-11.98	Wyoming	2.05	0.36	32(01,51)	-5.08
Missouri	2.21	0.10	24(09,42)	2.13					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.