

Men Reporting Recent Prostate Specific Antigen (PSA) Test*

State	All Races			White			Black		
	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†	Percent	Lower 95% CI†	Upper 95% CI†
Alabama	54.9	49.2	60.5	56.7	50.3	63.0	49.3	35.8	62.8
Alaska	59.2	51.9	66.1	62.3	54.3	69.7	~	~	~
Arizona	60.2	54.1	66.0	62.0	55.6	68.2	~	~	~
Arkansas	52.9	47.7	58.0	52.9	47.5	58.2	57.2	31.7	80.2
California	52.7	47.3	58.2	53.6	47.7	59.4	63.3	41.3	81.9
Colorado	56.3	49.6	62.9	60.6	53.4	67.4	~	~	~
Connecticut	57.4	53.8	61.0	58.5	54.8	62.1	64.4	42.1	82.9
Delaware	62.2	56.2	67.8	61.8	55.6	67.8	69.1	42.6	88.7
District of Columbia	61.6	54.2	68.5	71.7	61.6	80.5	56.8	46.2	67.0
Florida	64.7	60.6	68.6	66.6	62.2	70.7	63.6	45.3	79.4
Georgia	59.4	54.3	64.3	60.4	54.8	65.9	56.9	44.2	68.9
Hawaii	48.4	43.3	53.6	45.6	38.0	53.4	~	~	~
Idaho	53.2	48.6	57.8	52.5	47.7	57.3	~	~	~
Illinois	53.3	46.8	59.8	52.5	45.5	59.5	62.5	41.3	80.7
Indiana	53.1	48.4	57.7	52.5	47.7	57.2	44.8	23.3	67.9
Iowa	52.6	47.9	57.2	52.1	47.3	56.8	~	~	~
Kansas	56.6	52.3	60.9	56.3	51.8	60.7	~	~	~
Kentucky	52.7	48.5	57.0	52.8	48.4	57.3	51.1	33.0	69.1
Louisiana	54.9	50.3	59.4	57.0	51.7	62.2	46.2	36.0	56.6
Maine	48.1	42.6	53.6	48.1	42.5	53.8	~	~	~
Maryland	58.6	53.7	63.4	59.1	53.9	64.1	59.8	46.0	72.5
Massachusetts	61.8	58.4	65.1	63.0	59.5	66.5	41.5	23.8	61.0
Michigan	60.4	55.8	64.8	62.4	57.5	67.1	47.3	30.2	64.9
Minnesota	50.2	45.9	54.6	50.2	45.8	54.6	~	~	~
Mississippi	53.5	48.0	59.0	57.8	51.6	63.9	43.4	31.6	55.8
Missouri	63.0	57.8	67.9	62.8	57.3	68.0	~	~	~
Montana	56.9	51.6	62.2	57.4	51.8	62.9	~	~	~
Nebraska	48.5	43.9	53.2	48.4	43.7	53.2	~	~	~
Nevada	54.4	46.0	62.7	54.9	45.6	64.0	~	~	~
New Hampshire	56.1	51.7	60.4	56.0	51.5	60.4	~	~	~
New Jersey	63.7	59.3	68.0	65.1	60.1	69.7	63.7	49.6	76.3
New Mexico	51.3	46.3	56.2	54.1	48.5	59.7	~	~	~
New York	58.2	53.2	63.1	58.6	53.6	63.6	54.7	31.8	76.3
North Carolina	53.8	48.8	58.8	55.5	50.0	60.9	47.4	33.3	61.7
North Dakota	54.9	49.1	60.7	55.4	49.4	61.2	~	~	~
Ohio	60.6	55.4	65.7	60.8	55.3	66.1	64.3	44.6	81.1
Oklahoma	49.8	45.0	54.5	49.8	44.8	54.9	67.3	41.0	87.4
Oregon	53.1	47.5	58.7	53.5	47.8	59.2	~	~	~
Pennsylvania	63.8	59.4	68.0	63.9	59.2	68.3	67.4	50.0	82.0
Rhode Island	61.4	56.4	66.1	62.7	57.7	67.6	~	~	~
South Carolina	59.0	53.6	64.1	61.1	55.3	66.7	51.1	37.0	65.1
South Dakota	53.9	50.1	57.7	54.2	50.3	58.1	~	~	~
Tennessee	50.6	44.2	56.9	52.5	45.9	59.0	34.1	16.7	55.3
Texas	56.1	52.2	60.0	57.9	53.6	62.1	62.8	48.6	75.6
Utah	51.8	45.7	57.8	52.6	46.4	58.7	~	~	~
Vermont	51.9	47.6	56.1	52.0	47.7	56.2	~	~	~
Virginia	55.5	50.4	60.6	55.5	49.9	61.1	64.0	48.1	78.0
Washington	51.9	47.2	56.5	52.3	47.5	57.1	~	~	~
West Virginia	58.1	53.4	62.7	58.1	53.3	62.8	~	~	~
Wisconsin	53.1	47.8	58.2	54.5	49.1	59.9	~	~	~
Wyoming	63.6	58.7	68.3	64.1	59.1	69.0	~	~	~

* Recent PSA test is defined as prostate specific antigen test in preceding year among men 50 years of age or older with no history of prostate cancer and are based on CDC's Behavioral Risk Factor Surveillance System (BRFSS) data, 2001.

† Exact 95% confidence intervals were calculated by using SAS and SUDAAN and were weighted to the age, sex, and racial distribution of the state's adult population in 2001 according to the sampling design.

~ Statistic could not be calculated; for BRFSS estimate of recent PSA test, percent and confidence intervals were not calculated if there were 20 or fewer respondents.