

Supplemental Table 2. Incidence Counts, Percents, and Rates for 2002–2006, and Fixed-Interval Trends for 1997–2006 for Colorectal Cancer and Colorectal Cancer Subsites by Sex, Age Group, Race, and Ethnicity, Selected Areas in the United States^a

Sex/colorectal subsite/age group	All races/ethnicities				White ^b				Black ^b				API ^b				AI/AN (CHSDA) ^b				Hispanic ^b				Non-Hispanic ^b			
	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d
Male colorectal cancer																												
Proximal (C18.0, C18.2-C18.5)																												
< 50 years	8,476	6.9	1.9	0.5	6,500	6.1	1.8	0.3	1,531	11.5	3.0	1.4 ^e	304	12.0	1.3	-0.9	42	12.5	1.9	^g	934	13.3	1.5	1.8 ^e	7,542	6.5	2.0	0.5
50-64 years	29,427	23.9	29.2	-1.4 ^e	23,890	22.5	27.6	-1.6 ^e	4,485	33.8	48.0	-0.4	620	24.4	14.4	-1.8	116	34.6	28.5	^g	2,035	28.9	23.7	0.3	27,392	23.6	29.7	-1.5 ^e
65+ years	85,302	69.2	134.8	-2.5 ^e	75,708	71.4	134.7	-2.6 ^e	7,250	54.7	155.6	-1.1	1,617	63.6	76.7	-2.8 ^e	177	52.8	99.6	-2.9	4,068	57.8	101.9	-0.9	81,234	69.9	137.0	-2.5 ^e
Total	123,205	100.0	22.8	-2.1 ^e	106,098	100.0	22.4	-2.2 ^e	13,266	100.0	29.0	-0.8	2,541	100.0	12.8	-2.5 ^e	335	100.0	18.2	-0.5	7,037	100.0	17.5	-0.5	116,168	100.0	23.2	-2.2 ^e
Distal (C18.6-C18.7)																												
< 50 years	7,156	8.5	1.6	1.1 ^e	5,785	8.1	1.6	1.6 ^e	868	10.9	1.7	-3.2 ^e	323	11.0	1.4	1.6	47	16.0	2.1	^g	772	13.8	1.2	1.4	6,384	8.2	1.6	1.2 ^e
50-64 years	26,078	31.1	25.8	-2.0 ^e	21,611	30.2	25.0	-2.2 ^e	2,974	37.5	31.7	-1.6 ^e	963	32.9	22.3	0.0	103	35.2	25.0	-3.8	1,966	35.0	22.8	-0.1	24,112	30.9	26.1	-2.1 ^e
65+ years	50,506	60.3	78.5	-4.3 ^e	44,129	61.7	77.4	-4.5 ^e	4,092	51.6	85.7	-3.0 ^e	1,642	56.1	75.0	-4.0 ^e	143	48.8	77.7	-3.2	2,872	51.2	68.7	-3.5 ^e	47,634	61.0	79.1	-4.3 ^e
Total	83,740	100.0	14.9	-3.4 ^e	71,525	100.0	14.7	-3.5 ^e	7,934	100.0	16.8	-2.7 ^e	2,928	100.0	13.8	-2.8 ^e	293	100.0	15.1	-2.5	5,610	100.0	13.0	-2.3 ^e	78,130	100.0	15.1	-3.4 ^e
Rectum (C19.9, C20.9)																												
< 50 years	12,051	12.1	2.7	1.9 ^e	9,702	11.3	2.6	2.0 ^e	1,460	17.5	2.8	0.6	591	16.8	2.6	0.2	61	17.5	2.8	^g	1,331	18.3	2.1	2.0	10,720	11.6	2.8	2.0 ^e
50-64 years	34,659	34.8	34.3	-1.1 ^e	29,299	34.0	33.9	-1.4 ^e	3,337	40.0	35.3	-0.4	1,332	37.9	30.7	-0.1	146	42.0	35.3	-4.4 ^e	2,736	37.6	31.6	-0.2	31,923	34.6	34.6	-1.2 ^e
65+ years	52,874	53.1	81.9	-3.6 ^e	47,107	54.7	82.4	-3.8 ^e	3,549	42.5	73.9	-2.2 ^e	1,589	45.2	71.5	-3.4 ^e	141	40.5	71.0	-5.1 ^e	3,214	44.1	76.5	-2.3 ^e	49,660	53.8	82.3	-3.7 ^e
Total	99,584	100.0	17.4	-2.4 ^e	86,108	100.0	17.4	-2.6 ^e	8,346	100.0	16.7	-1.3 ^e	3,512	100.0	15.5	-2.0 ^e	348	100.0	16.3	-4.2 ^e	7,281	100.0	16.0	-1.3 ^e	92,303	100.0	17.6	-2.4 ^e
Others (C18.1, C18.8-C18.9, C26.0)																												
< 50 years	2,487	11.7	0.6	1.2	1,968	11.1	0.5	1.3	381	14.1	0.7	-0.6	74	18.2	0.3	‡‡	^f	^f	^f	^g	267	18.3	0.4	1.5	2,220	11.3	0.6	1.3 ^e
50-64 years	5,498	25.9	5.4	-2.6 ^e	4,412	24.9	5.1	-2.4 ^e	846	31.3	9.0	-3.9 ^e	114	28.0	2.6	-1.0	30	^f	7.4	^g	427	29.2	4.9	-1.3	5,071	25.7	5.5	-2.7 ^e
65+ years	13,203	62.3	21.1	-4.5 ^e	11,306	63.9	20.3	-4.6 ^e	1,472	54.5	32.2	-4.2 ^e	219	53.8	10.5	-3.5	53	^f	30.4	^g	769	52.6	19.5	-2.1	12,434	63.0	21.2	-4.6 ^e
Total	21,188	100.0	3.9	-3.6 ^e	17,686	100.0	3.7	-3.6 ^e	2,699	100.0	6.0	-3.9 ^e	407	100.0	1.9	-2.3	^f	^f	5.3	-7.1 ^e	1,463	100.0	3.5	-1.7	19,725	100.0	3.9	-3.7 ^e
Colorectal total (all subsites)																												
< 50 years	30,170	9.2	6.7	1.2 ^e	23,955	8.5	6.5	1.4 ^e	4,240	13.1	8.2	-0.1	1,292	13.8	5.6	0.6	162	15.1	7.3	4.0	3,304	15.4	5.3	1.8	26,866	8.8	6.9	1.3 ^e
50-64 years	95,662	29.2	94.8	-1.5 ^e	79,212	28.1	91.7	-1.7 ^e	11,642	36.1	124.0	-1.0 ^e	3,029	32.3	70.1	-0.4	395	36.9	96.1	-1.3	7,164	33.5	83.1	-0.1	88,498	28.9	95.9	-1.6 ^e
65+ years	201,885	61.6	316.3	-3.4 ^e	178,250	63.3	314.8	-3.5 ^e	16,363	50.7	347.3	-2.1 ^e	5,067	54.0	233.6	-3.4 ^e	514	48.0	278.7	-4.3 ^e	10,923	51.1	266.5	-2.1 ^e	190,962	62.3	319.5	-3.4 ^e
Total	327,717	100.0	59.0	-2.6 ^e	281,417	100.0	58.2	-2.8 ^e	32,245	100.0	68.4	-1.7 ^e	9,388	100.0	44.1	-2.4 ^e	1,071	100.0	55.0	-2.9 ^e	21,391	100.0	50.0	-1.3 ^e	306,326	100.0	59.8	-2.7 ^e
Female colorectal cancer																												
Proximal (C18.0, C18.2-C18.5)																												
< 50 years	7,438	5.1	1.6	0.5	5,410	4.3	1.5	0.5	1,601	9.8	2.7	-0.2	304	9.9	1.2	2.0	42	9.5	1.8	^g	778	10.5	1.3	0.1	6,660	4.8	1.7	0.6
50-64 years	26,045	17.9	24.1	-1.3 ^e	20,205	16.2	22.2	-1.9 ^e	4,764	29.3	41.3	0.8	702	22.9	14.2	0.1	117	26.4	26.1	1.1	1,809	24.5	19.4	0.2	24,236	17.5	24.5	-1.4 ^e
65+ years	112,283	77.0	118.7	-1.7 ^e	99,338	79.5	118.8	-1.7 ^e	9,902	60.9	126.7	-1.0 ^e	2,065	67.2	71.3	-1.3	285	64.2	114.9	1.5	4,805	65.0	85.4	-1.8 ^e	107,478	77.7	120.8	-1.6 ^e
Total	145,766	100.0	19.8	-1.5 ^e	124,953	100.0	19.4	-1.6 ^e	16,267	100.0	24.2	-0.5	3,071	100.0	12.0	-0.8	444	100.0	19.7	1.4	7,392	100.0	14.7	-1.3 ^e	138,374	100.0	20.2	-1.4 ^e
Distal (C18.6-C18.7)																												
< 50 years	7,804	10.8	1.7	1.4 ^e	5,970	10.0	1.6	1.6 ^e	1,208	14.3	2.1	-0.5	440	16.2	1.8	1.1	52	20.2	2.3	^g	891	18.8	1.5	1.8	6,913	10.3	1.7	1.4 ^e
50-64 years	19,300	26.8	17.9	-2.0 ^e	15,252	25.5	16.9	-2.3 ^e	2,794	33.1	24.2	-1.9 ^e	886	32.6	17.8	-1.6 ^e	89	34.6	19.6	^g	1,619	34.2	17.3	-0.4	17,681	26.3	18.0	-2.2 ^e
65+ years	44,938	62.4	48.6	-4.1 ^e	38,588	64.5	47.4	-4.3 ^e	4,429	52.5	56.6	-3.4 ^e	1,393	51.2	46.9	-3.0 ^e	116	45.1	46.4	-5.1	2,220	46.9	38.8	-4.1 ^e	42,718	63.5	49.2	-4.0 ^e
Total	72,042	100.0	10.1	-3.0 ^e	59,810	100.0	9.7	-3.2 ^e	8,431	100.0	12.3	-2.6 ^e	2,719	100.0	9.9	-2.2 ^e	257	100.0	10.4	-3.5	4,730	100.0	8.6	-2.4 ^e	67,312	100.0	10.2	-3.0 ^e

(Table continues)

Table 2 (continued)

Sex/colorectal subsite/age group	All races/ethnicities				White ^b				Black ^b				API ^b				AI/AN (CHSDA) ^b				Hispanic ^b				Non-Hispanic ^b			
	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d
Rectum (C19.9, C20.9)																												
< 50 years	9,780	12.9	2.2	2.0 ^e	7,791	12.1	2.1	2.1 ^e	1,245	16.5	2.1	1.7	473	17.5	1.9	-2.0	65	22.5	2.8	^g	1,015	20.3	1.7	0.8	8,765	12.4	2.2	2.3 ^e
50-64 years	21,926	29.0	20.4	-0.5 ^e	17,766	27.7	19.7	-1.0 ^e	2,717	36.1	23.5	0.8	938	34.7	18.8	0.9	106	36.7	23.2	^g	1,670	33.4	17.8	0.8	20,256	28.6	20.6	-0.6 ^e
65+ years	44,026	58.1	47.6	-3.5 ^e	38,612	60.2	47.5	-3.6 ^e	3,573	47.4	45.6	-3.2 ^e	1,289	47.7	43.5	-1.9 ^e	118	40.8	47.0	-8.3 ^e	2,316	46.3	40.5	-2.7 ^e	41,710	59.0	48.0	-3.5 ^e
Total	75,732	100.0	10.6	-2.0 ^e	64,169	100.0	10.5	-2.2 ^e	7,535	100.0	10.8	-1.3 ^e	2,700	100.0	9.7	-1.1 ^e	289	100.0	11.5	-4.4 ^e	5,001	100.0	9.0	-1.3 ^e	70,731	100.0	10.8	-2.0 ^e
Others (C18.1, C18.8-C18.9, C26.0)																												
< 50 years	2,479	10.8	0.6	2.6 ^e	1,974	10.3	0.5	3.3 ^e	371	12.4	0.6	-0.5	70	16.8	0.3	††	^f	^f	^f	^g	274	18.8	0.5	2.0	2,205	10.2	0.6	2.8 ^e
50-64 years	4,384	19.0	4.1	-0.8	3,417	17.8	3.8	-1.0 ^e	761	25.4	6.6	-0.5	102	24.5	2.0	-1.0	16	^f	3.5	^g	375	25.7	4.0	1.3	4,009	18.6	4.1	-1.0 ^e
65+ years	16,159	70.2	16.5	-3.9 ^e	13,856	72.0	15.9	-4.0 ^e	1,866	62.2	23.6	-2.9 ^e	244	58.7	8.4	-3.7	42	^f	17.1	^g	812	55.6	14.6	-3.7 ^e	15,347	71.2	16.6	-3.8 ^e
Total	23,022	100.0	3.1	-2.6 ^e	19,247	100.0	3.0	-2.7 ^e	2,998	100.0	4.4	-2.2 ^e	416	100.0	1.6	-2.6	^f	^f	3.1	-5.3	1,461	100.0	2.8	-2.1 ^e	21,561	100.0	3.1	-2.6 ^e
Colorectal total (all subsites)																												
< 50 years	27,501	8.7	6.1	1.5 ^e	21,145	7.9	5.8	1.7 ^e	4,425	12.6	7.6	0.2	1,287	14.5	5.1	0.1	172	16.2	7.4	3.3	2,958	15.9	5.0	1.1 ^e	24,543	8.2	6.2	1.6 ^e
50-64 years	71,655	22.6	66.4	-1.3 ^e	56,640	21.1	62.6	-1.7 ^e	11,036	31.3	95.6	0.0	2,628	29.5	52.9	-0.2	328	30.9	72.5	-0.9	5,473	29.5	58.5	0.3	66,182	22.2	67.2	-1.4 ^e
65+ years	217,406	68.7	231.3	-2.8 ^e	190,394	71.0	229.6	-2.8 ^e	19,770	56.1	252.5	-2.1 ^e	4,991	56.0	170.1	-2.1 ^e	561	52.9	225.4	-2.9 ^e	10,153	54.6	179.3	-2.7 ^e	207,253	69.6	234.6	-2.7 ^e
Total	316,562	100.0	43.6	-2.1 ^e	268,179	100.0	42.6	-2.2 ^e	35,231	100.0	51.7	-1.3 ^e	8,906	100.0	33.1	-1.4 ^e	1,061	100.0	44.7	-1.8	18,584	100.0	35.1	-1.6 ^e	297,978	100.0	44.2	-2.0 ^e
Male & female colorectal cancer																												
Proximal (C18.0, C18.2-C18.5)																												
< 50 years	15,914	5.9	1.8	0.5 ^e	11,910	5.2	1.6	0.4	3,132	10.6	2.8	0.6	608	10.8	1.3	0.4	84	10.8	1.9	^g	1,712	11.9	1.4	1.0	14,202	5.6	1.8	0.5 ^e
50-64 years	55,472	20.6	26.5	-1.4 ^e	44,095	19.1	24.9	-1.7 ^e	9,249	31.3	44.3	0.2	1,322	23.6	14.3	-0.8	233	29.9	27.3	2.7	3,844	26.6	21.5	0.3	51,628	20.3	27.0	-1.5 ^e
65+ years	197,585	73.5	125.3	-2.0 ^e	175,046	75.8	125.4	-2.1 ^e	17,152	58.1	137.3	-1.1 ^e	3,682	65.6	73.6	-1.9 ^e	462	59.3	108.7	-0.3	8,873	61.5	92.2	-1.5 ^e	188,712	74.1	127.4	-2.0 ^e
Total	268,971	100.0	21.1	-1.8 ^e	231,051	100.0	20.7	-1.9 ^e	29,533	100.0	26.1	-0.6	5,612	100.0	12.4	-1.6 ^e	779	100.0	19.2	0.7	14,429	100.0	15.9	-1.0 ^e	254,542	100.0	21.5	-1.7 ^e
Distal (C18.6-C18.7)																												
< 50 years	14,960	9.6	1.7	1.2 ^e	11,755	9.0	1.6	1.6 ^e	2,076	12.7	1.9	-1.7 ^e	763	13.5	1.6	1.3	99	18.0	2.2	^g	1,663	16.1	1.4	1.6	13,297	9.1	1.7	1.3 ^e
50-64 years	45,378	29.1	21.7	-2.0 ^e	36,863	28.1	20.8	-2.2 ^e	5,768	35.2	27.5	-1.8 ^e	1,849	32.7	19.9	-0.8	192	34.9	22.2	-3.4	3,585	34.7	19.9	-0.2	41,793	28.7	21.9	-2.1 ^e
65+ years	95,444	61.3	61.1	-4.1 ^e	82,717	63.0	60.1	-4.2 ^e	8,521	52.1	67.6	-3.1 ^e	3,035	53.7	58.7	-3.6 ^e	259	47.1	59.3	-4.0	5,092	49.2	51.5	-3.6 ^e	90,352	62.1	61.7	-4.1 ^e
Total	155,782	100.0	12.2	-3.1 ^e	131,335	100.0	11.9	-3.2 ^e	16,365	100.0	14.0	-2.6 ^e	5,647	100.0	11.6	-2.5 ^e	550	100.0	12.4	-3.0	10,340	100.0	10.5	-2.3 ^e	145,442	100.0	12.3	-3.1 ^e
Rectum (C19.9, C20.9)																												
< 50 years	21,831	12.5	2.4	1.9 ^e	17,493	11.6	2.4	2.1 ^e	2,705	17.0	2.5	1.1	1,064	17.1	2.2	-0.8	126	19.8	2.8	3.5	2,346	19.1	1.9	1.5	19,485	12.0	2.5	2.1 ^e
50-64 years	56,585	32.3	27.1	-0.9 ^e	47,065	31.3	26.6	-1.2 ^e	6,054	38.1	28.8	0.1	2,270	36.5	24.4	0.3	252	39.6	29.0	-3.2 ^e	4,406	35.9	24.4	0.3	52,179	32.0	27.4	-1.0 ^e
65+ years	96,900	55.3	62.1	-3.5 ^e	85,719	57.0	62.3	-3.6 ^e	7,122	44.8	56.4	-2.7 ^e	2,878	46.3	55.4	-2.7 ^e	259	40.7	57.4	-6.5 ^e	5,530	45.0	55.7	-2.4 ^e	91,370	56.0	62.5	-3.5 ^e
Total	175,316	100.0	13.7	-2.1 ^e	150,277	100.0	13.6	-2.3 ^e	15,881	100.0	13.2	-1.3 ^e	6,212	100.0	12.3	-1.6 ^e	637	100.0	13.6	-4.4 ^e	12,282	100.0	12.1	-1.2 ^e	163,034	100.0	13.8	-2.1 ^e
Others (C18.1, C18.8-C18.9, C26.0)																												
< 50 years	4,966	11.2	0.6	1.9 ^e	3,942	10.7	0.5	2.2 ^e	752	13.2	0.7	-0.5	144	17.5	0.3	3.4	25	15.1	0.5	††	541	18.5	0.4	1.8	4,425	10.7	0.6	2.1 ^e
50-64 years	9,882	22.4	4.7	-1.8 ^e	7,829	21.2	4.4	-1.8 ^e	1,607	28.2	7.7	-2.3 ^e	216	26.2	2.3	-1.0	46	27.7	5.3	††	802	27.4	4.5	-0.2	9,080	22.0	4.8	-2.0 ^e
65+ years	29,362	66.4	18.4	-4.1 ^e	25,162	68.1	17.8	-4.2 ^e	3,338	58.6	27.0	-3.5 ^e	463	56.3	9.3	-3.8 ^e	95	57.2	22.5	-7.9 ^e	1,581	54.1	16.7	-3.0 ^e	27,781	67.3	18.5	-4.2 ^e
Total	44,210	100.0	3.4	-3.1 ^e	36,933	100.0	3.3	-3.1 ^e	5,697	100.0	5.0	-3.0 ^e	823	100.0	1.7	-2.5	166	100.0	4.0	-5.8 ^e	2,924	100.0	3.1	-1.9 ^e	41,286	100.0	3.5	-3.1 ^e

(Table continues)

Table 2 (continued)

Sex/colorectal subsite/age group	All races/ethnicities				White ^b				Black ^b				API ^b				AI/AN (CHSDA) ^b				Hispanic ^b				Non-Hispanic ^b			
	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d	Count	Pct	Rate ^c	APC ^d
Colorectal total (all subsites)																												
< 50 years	57,671	9.0	6.4	1.3 ^e	45,100	8.2	6.1	1.5 ^e	8,665	12.8	7.8	0.1	2,579	14.1	5.4	0.3	334	15.7	7.4	3.4 ^e	6,262	15.7	5.2	1.4 ^e	51,409	8.5	6.6	1.5 ^e
50-64 years	167,317	26.0	80.1	-1.4 ^e	135,852	24.7	76.7	-1.7 ^e	22,678	33.6	108.3	-0.5	5,657	30.9	60.9	-0.3	723	33.9	83.8	-1.2	12,637	31.6	70.3	0.1	154,680	25.6	81.0	-1.5 ^e
65+ years	419,291	65.1	266.9	-3.0 ^e	368,644	67.1	265.6	-3.1 ^e	36,133	53.5	288.3	-2.1 ^e	10,058	55.0	197.0	-2.8 ^e	1,075	50.4	247.9	-3.5 ^e	21,076	52.7	216.1	-2.3 ^e	398,215	65.9	270.1	-3.0 ^e
Total	644,279	100.0	50.4	-2.3 ^e	549,596	100.0	49.5	-2.4 ^e	67,476	100.0	58.3	-1.5 ^e	18,294	100.0	37.9	-1.9 ^e	2,132	100.0	49.2	-2.3 ^e	39,975	100.0	41.6	-1.4 ^e	604,304	100.0	51.0	-2.3 ^e

API: Asian/Pacific Islander; AI/AN: American Indian/Alaska Native; IHS: Indian Health Service; CHSDA: IHS Contract Health Services Delivery Area; APC: annual percent change; NOS: not otherwise specified; SEER: Surveillance, Epidemiology and End Results; NPCR: National Program of Cancer Registries; NAACCR: North American Association of Central Cancer Registries.

^a Source: SEER and NPCR areas reported by NAACCR as meeting high-quality data standards for the specified time periods.

^b White, black, API, and AI/AN include Hispanic and non-Hispanic; the race and ethnicity categories are not mutually exclusive.

^c Rates are per 100,000 persons and were age-adjusted to the 2000 U.S. standard population (19 age groups – Census p25-1130).

^d APC is based on rates that were age-adjusted to the 2000 U.S. standard population (19 age groups – Census p25-1130).

^e APC is statistically significantly different from zero (2-sided $P < .05$).

^f Statistic not displayed due to fewer than 16 cases.

^g Statistic could not be calculated. The annual percent change is based on fewer than 10 cases for at least 1 year within the time interval.

2002–2006 counts and rates for all races/ethnicities, white, black, AI/AN, API, Hispanic, and non-Hispanic (43 states): Alabama, Alaska, Arkansas, California, Colorado, Connecticut, Delaware, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Massachusetts, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, North Dakota, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, South Dakota, Texas, Utah, Virginia, Washington, West Virginia, Wyoming.

1997–2006 APCs for all races/ethnicities, white, black, AI/AN, API, Hispanic, and non-Hispanic (33 states/regions): Alaska, California, Colorado, Connecticut, Delaware, Florida, Metropolitan Atlanta, Hawaii, Idaho, Illinois, Iowa, Kentucky, Louisiana, Maine, Massachusetts, Michigan, Minnesota, Montana, Nebraska, Nevada, New Jersey, New Mexico, New York, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, Texas, Utah, Washington, West Virginia, Wyoming.