

Table XXVII-12  
 CHILDHOOD CANCER (Invasive, <20 Years old at diagnosis)

Estimated United States Cancer Prevalence Counts<sup>a</sup> on January 1, 2001  
 By Race/Ethnicity, Sex and Years Since Diagnosis

Years Since Diagnosis	0 to <5	5 to <10	10 to <15	15 to <20	20 to <25	0 to <11 <sup>e</sup>	0 to <26 <sup>e</sup>	>=26 <sup>f</sup>	Complete <sup>g</sup>
<u>Race/Sex</u>									
All Races <sup>b</sup>	54,418	45,273	38,363	32,455	28,901	107,593	204,131	+	+
Males	28,817	23,755	20,104	16,244	13,509	57,026	104,636	+	+
Females	25,601	21,518	18,259	16,211	15,392	50,567	99,495	+	+
White <sup>b</sup>	45,606	37,927	32,874	28,432	25,519	90,272	174,485	+	+
Males	24,091	20,001	17,353	14,394	12,004	47,985	89,833	+	+
Females	21,515	17,926	15,521	14,038	13,515	42,287	84,652	+	+
Black <sup>b</sup>	5,708	4,948	3,684	2,804	2,392	11,380	19,946	+	+
Males	3,026	2,485	1,762	1,294	1,046	5,848	9,760	+	+
Females	2,682	2,463	1,922	1,510	1,346	5,532	10,186	+	+
Asian/Pacific Islander <sup>c</sup>	1,811	1,410	+	+	+	3,497	+	+	+
Males	988	689	+	+	+	1,828	+	+	+
Females	823	721	+	+	+	1,669	+	+	+
Hispanic <sup>d</sup>	8,073	5,728	+	+	+	14,784	+	+	+
Males	4,270	3,137	+	+	+	8,000	+	+	+
Females	3,803	2,591	+	+	+	6,784	+	+	+

<sup>a</sup> US 2001 cancer prevalence counts are based on 2001 cancer prevalence proportions from the SEER registries and 1/1/2001 US population estimates based on the average of 2000 and 2001 population estimates from the US Bureau of the Census. Prevalence was calculated using the First Malignant Primary Only for a person.

<sup>b c d</sup> Statistics based on b) SEER 9 Areas c) SEER 11 Areas d) SEER 11 Areas excluding Hawaii and Detroit.

<sup>e</sup> Maximum limited-duration prevalence: 26 years for 1975-2001 SEER 9 data; 11 years for 1990-2001 SEER 11 data (used to calculate prevalence for Hispanics and Asian Pacific Islanders).

<sup>f g</sup> (f) Cases diagnosed 26 years or more ago were estimated using the completeness index method (Capocaccia et. al. 1997, Merrill et. al. 2000). (g) Complete prevalence is obtained by summing 0 to <26 and >=26.

- Statistic not shown. Statistic based on fewer than 5 cases estimated alive in SEER for the time interval.

+ Not available.