

Table 5.8
Cancer of the Cervix Uteri (Invasive)

Survival Rates^a
By Year of Diagnosis

All Races, Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Relative Survival Rates (SEER ^b)																			
1-year	87.1	87.8	87.6	88.4	89.0	87.5	89.5	88.0	90.0	89.3	89.5	88.7	90.0	88.8	86.2	88.2	87.2	86.8	87.6
2-year	78.3	77.9	78.5	80.1	80.1	78.7	80.2	80.8	82.5	82.5	80.9	81.7	83.3	81.7	79.7	80.0	79.7	77.6	
3-year	73.6	73.4	73.9	76.0	74.9	74.7	76.1	76.9	79.1	78.4	76.4	77.1	79.0	77.0	76.4	75.3	76.2		
4-year	71.0	70.6	71.4	73.9	71.7	71.2	73.4	74.5	76.5	75.3	73.7	74.6	76.9	74.9	74.0	72.9			
5-year	69.3	68.9	69.6	72.9	69.7	69.0	71.6	73.1	75.4	74.4	72.6	73.4	75.5	73.3	71.9				
6-year	68.3	67.1	68.6	71.8	68.2	67.9	71.3	71.6	74.1	73.9	71.1	72.1	74.7	72.6					
7-year	67.4	65.7	67.7	71.1	67.7	67.2	70.7	70.5	73.1	73.1	70.8	71.2	74.4						
8-year	66.8	64.6	66.9	70.3	66.7	66.7	70.3	69.8	72.5	72.2	70.5	71.0							
9-year	66.3	64.1	66.6	68.5	66.0	66.4	70.0	69.7	71.8	71.0	69.3								
10-year	65.4	63.8	66.1	67.3	66.0	66.4	69.7	69.1	71.1	70.5									
11-year	64.9	63.5	65.8	67.1	66.0	65.8	69.7	68.6	71.0										
12-year	64.5	62.9	65.3	67.1	66.0	65.0	69.5	68.2											
13-year	64.2	62.7	65.0	66.8	65.5	64.9	69.4												
14-year	63.9	62.2	64.7	66.3	65.2	64.9													
15-year	63.6	61.7	64.3	66.3	65.1														
16-year	63.3	61.4	64.0	66.3															
17-year	63.0	60.8	63.5																
18-year	62.9	60.2																	
19-year	62.4	60.0																	
20-year	62.1	59.7																	

^a Survival rates are relative rates expressed as percents.
^b Rates are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).