

Table 10.9
Kaposi Sarcoma

Survival Rates^a
By Year of Diagnosis

All Races, Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Relative Survival Rates (SEER ^b)																			
1-year	93.5	91.8	83.6	79.8	89.5	74.7	70.9	82.3	87.4	77.7	72.4	86.9	75.5	81.1	87.0	88.4	69.2	100.0	64.6
2-year	89.7	86.4	78.7	55.6	78.5	53.5	70.9	56.5	85.4	77.7	67.2	86.9	69.5	81.1	68.1	80.0	69.2	97.1	
3-year	89.7	76.4	74.0	55.6	73.9	43.2	50.7	48.3	72.5	62.5	67.2	86.9	65.4	72.0	52.7	69.8	64.5		
4-year	83.8	73.1	73.2	49.9	73.9	31.9	50.7	43.7	66.7	62.5	67.2	86.9	65.4	60.3	52.7	60.2			
5-year	81.7	67.0	72.6	47.6	72.7	31.9	50.7	43.7	46.5	51.2	53.9	86.9	65.4	51.9	52.7				
6-year	81.7	65.3	72.6	42.9	68.9	26.9	50.7	40.6	46.5	44.1	53.9	80.1	65.4	42.7					
7-year	81.7	65.3	69.5	42.9	68.9	26.9	44.5	35.2	46.5	44.1	41.6	57.0	65.4						
8-year	81.7	59.0	60.8	42.9	68.9	22.1	44.5	35.2	46.5	44.1	41.6	30.4							
9-year	81.7	56.4	58.8	42.9	68.9	22.1	40.5	30.7	38.8	44.1	34.7								
11-year	81.7	50.9	50.7	38.9	68.9	22.1	40.5	30.7	33.9	44.1									
10-year	81.7	48.5	43.9	33.9	68.9	22.1	40.5	30.7	26.7										
12-year	81.7	48.5	35.9	33.9	68.9	22.1	33.5	30.7											
13-year	81.7	48.5	31.1	33.9	68.9	22.1	33.5												
14-year	81.7	48.5	21.5	33.9	68.9	22.1													
15-year	81.7	48.5	17.6	13.5	68.9														
16-year	81.7	48.5	17.6	13.5															
17-year	81.7	37.6	16.0																
18-year	81.7	21.2																	
19-year	81.7	21.2																	
20-year	81.7	21.2																	

^a
^b

Survival rates are relative rates expressed as percents.
Rates are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).