

Table 21.15

Cancer of the Ovary (Invasive)Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2002-2006
Females by Race

Histology ^a	All Races		White		Black		Asian/Pacific Islander		American Indian/ Alaska Native ^b		Hispanic ^c	
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Carcinoma	22,480	92.4%	19,225	92.7%	1,496	89.9%	1,545	91.0%	103	92.8%	2,263	86.6%
Epidermoid carcinoma ^d (8051-8131)	186	0.8%	139	0.7%	-	-	28	1.6%	-	-	23	0.9%
Adenocarcinoma ^e	20,667	84.9%	17,735	85.5%	1,313	78.9%	1,432	84.3%	90	81.1%	2,036	77.9%
Adenocarcinoma, NOS (8140)	3,266	13.4%	2,757	13.3%	305	18.3%	177	10.4%	-	-	320	12.2%
Papillary adenocarcinoma, NOS (8050,8260)	687	2.8%	583	2.8%	67	4.0%	31	1.8%	-	-	55	2.1%
Clear cell adenocarcinoma (8310,9110)	1,229	5.0%	989	4.8%	47	2.8%	183	10.8%	-	-	101	3.9%
Endometrioid carcinoma (8380-8383,8570)	2,611	10.7%	2,227	10.7%	121	7.3%	234	13.8%	-	-	250	9.6%
Cystadenocarcinoma, NOS (8440,8450)	168	0.7%	133	0.6%	22	1.3%	-	-	-	-	17	0.7%
Serous cystadenocarcinoma (8441)	2,595	10.7%	2,243	10.8%	144	8.7%	184	10.8%	-	-	228	8.7%
Papillary serous cystadenocarcinoma (8460-8462)	7,462	30.7%	6,607	31.9%	439	26.4%	359	21.1%	30	27.0%	735	28.1%
Mucinous cystadenocarcinoma (8470-8473)	588	2.4%	477	2.3%	30	1.8%	67	3.9%	-	-	90	3.4%
Mucinous adenocarcinoma (8480,8482)	877	3.6%	707	3.4%	79	4.7%	79	4.7%	-	-	106	4.1%
Mucin-producing adenocarcinoma(8481)	92	0.4%	75	0.4%	-	-	-	-	-	-	-	-
Other	1,092	4.5%	937	4.5%	49	2.9%	101	5.9%	-	-	120	4.6%
Other specific carcinomas ^f	541	2.2%	421	2.0%	82	4.9%	32	1.9%	-	-	81	3.1%
Stromal cell tumor (8620-8631,8650)	308	1.3%	225	1.1%	61	3.7%	19	1.1%	-	-	49	1.9%
Other	190	0.8%	160	0.8%	18	1.1%	-	-	-	-	29	1.1%
Unspecified, "Carcinoma, NOS" (8010,8020-8022)	1,086	4.5%	930	4.5%	86	5.2%	53	3.1%	-	-	123	4.7%

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey). Percents may not sum to 100 due to rounding.

^a Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

^b Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

^c Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

^d Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^e Epidermoid carcinoma includes squamous, basal, and transitional cell carcinomas.

^e Adenocarcinoma includes histologies 8050, 8140-8147, 8160-8162, 8180-8221, 8250-8507, 8514, 8520-8551, 8560, 8570-8574, 8576, 8940-8941, 9110.

^f Other specific carcinomas includes histologies 8011-8015, 8030-8046, 8150-8155, 8170-8175, 8230-8231, 8247-8249, 8508, 8510-8513, 8561-8562, 8575, 8580-8671.

- Statistic not shown due to fewer than 16 cases during the time period.

Table 21.15 - continued

Cancer of the Ovary (Invasive)Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2002-2006
Females by Race

Histology ^a	<u>All Races</u>		<u>White</u>		<u>Black</u>		<u>Asian/Pacific Islander</u>		<u>American Indian/ Alaska Native^b</u>		<u>Hispanic^c</u>	
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Sarcoma and other soft tissue tumors (8680-8713,8800-8921, 8990-8991,9040-9044, 9120-9136,9141-9340, 9540-9582)	81	0.3%	61	0.3%	18	1.1%	-	-	-	-	-	-
Other specific types (8240-8246,8720-8790, 8930-8936,8950-8983, 9000-9030,9060-9105, 9350-9364,9380-9513, 9530-9539)	1,595	6.6%	1,298	6.3%	134	8.1%	143	8.4%	-	-	303	11.6%
Mullerian mixed tumor (8950-8951,8980)	675	2.8%	586	2.8%	43	2.6%	42	2.5%	-	-	64	2.4%
Teratoma, malignant (9080-9085,9102)	336	1.4%	246	1.2%	36	2.2%	48	2.8%	-	-	101	3.9%
Other	584	2.4%	466	2.2%	55	3.3%	53	3.1%	-	-	138	5.3%
Unspecified (8000-8005)	182	0.7%	154	0.7%	16	1.0%	-	-	-	-	33	1.3%
Total ^d	24,338	100.0%	20,738	100.0%	1,664	100.0%	1,698	100.0%	111	100.0%	2,614	100.0%

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey). Percents may not sum to 100 due to rounding.

^a Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

^b Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

^c Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^d Total includes carcinoma cases from the previous page.

- Statistic not shown due to fewer than 16 cases during the time period.