

Table 22.19

## Cancer of the Pancreas (Invasive)

Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2002-2006  
Both Sexes by Race

| Histology <sup>a</sup>   | All Races |         | White  |         | Black |         | Asian/Pacific<br>Islander |         | American Indian/<br>Alaska Native <sup>b</sup> |         | Hispanic <sup>c</sup> |         |
|--|-----------|---------|--------|---------|-------|---------|---------------------------|---------|--|---------|-----------------------|---------|
|  | Count     | Percent | Count  | Percent | Count | Percent | Count                     | Percent | Count  | Percent | Count                 | Percent |
| Carcinoma  | 31,670    | 97.9%   | 25,895 | 97.8%   | 3,450 | 98.3%   | 2,064                     | 98.3%   | 131  | 98.5%   | 2,985                 | 97.7%   |
| Epidermoid carcinoma <sup>d</sup><br>(8051-8131)   | 63        | 0.2%    | 46     | 0.2%    | -     | -       | -                         | -       | -  | -       | -                     | -       |
| Adenocarcinoma <sup>e</sup>  | 27,580    | 85.3%   | 22,597 | 85.4%   | 2,978 | 84.8%   | 1,779                     | 84.7%   | 116  | 87.2%   | 2,575                 | 84.3%   |
| Adenocarcinoma, NOS<br>(8140)  | 22,206    | 68.7%   | 18,196 | 68.8%   | 2,454 | 69.9%   | 1,374                     | 65.4%   | 100  | 75.2%   | 2,078                 | 68.0%   |
| Papillary adenocarcinoma,<br>NOS (8260)  | 80        | 0.2%    | 65     | 0.2%    | -     | -       | -                         | -       | -  | -       | -                     | -       |
| Mucinous adenocarcinoma<br>(8480,8482)   | 964       | 3.0%    | 799    | 3.0%    | 83    | 2.4%    | 73                        | 3.5%    | -  | -       | 79                    | 2.6%    |
| Mucin-producing<br>adenocarcinoma (8481)   | 714       | 2.2%    | 579    | 2.2%    | 101   | 2.9%    | 31                        | 1.5%    | -  | -       | 62                    | 2.0%    |
| Infiltrating duct carcinoma<br>(8500-8503,8507,8514)   | 2,705     | 8.4%    | 2,201  | 8.3%    | 249   | 7.1%    | 232                       | 11.0%   | -  | -       | 231                   | 7.6%    |
| Other adenocarcinoma<br>(8050,8141-8147,8160-8162,<br>8180-8221,8250-8259,<br>8261-8479,8483-8499,<br>8504-8506,8520-8551,<br>8560,8570-8574,8576,<br>8940-8941) | 911       | 2.8%    | 757    | 2.9%    | 84    | 2.4%    | 63                        | 3.0%    | -  | -       | 113                   | 3.7%    |
| Other specific carcinomas <sup>f</sup>   | 1,812     | 5.6%    | 1,501  | 5.7%    | 185   | 5.3%    | 107                       | 5.1%    | -  | -       | 178                   | 5.8%    |
| Islet cell carcinoma<br>(8150-8155)  | 369       | 1.1%    | 312    | 1.2%    | 33    | 0.9%    | 19                        | 0.9%    | -  | -       | 31                    | 1.0%    |
| Other carcinomas<br>(8013-8015,8030-8046,<br>8179-8175,8230-8249,<br>8345,8510-8512,<br>8561-8562,8580-8671)   | 1,443     | 4.5%    | 1,189  | 4.5%    | 152   | 4.3%    | 88                        | 4.2%    | -  | -       | 147                   | 4.8%    |
| Unspecified, "Carcinoma,<br>NOS" (8010-8012,<br>8015-8022,8575)  | 2,215     | 6.8%    | 1,751  | 6.6%    | 277   | 7.9%    | 171                       | 8.1%    | -  | -       | 230                   | 7.5%    |

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey). Percents may not sum to 100 due to rounding.

<sup>a</sup> Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

<sup>b</sup> Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

<sup>c</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

<sup>d</sup> Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

<sup>e</sup> Epidermoid carcinoma includes squamous, basal, and transitional cell carcinomas.

- Statistic not shown due to fewer than 16 cases during the time period.

Table 22-19 - continued

Cancer of the Pancreas (Invasive)Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2001-2005  
Both Sexes by Race

| Histology <sup>a</sup>  | <u>All Races</u> |         | <u>White</u> |         | <u>Black</u> |         | <u>Asian/Pacific<br/>Islander</u> |         | <u>American Indian/<br/>Alaska Native<sup>b</sup></u> |         | <u>Hispanic<sup>c</sup></u> |         |
|---|------------------|---------|--------------|---------|--------------|---------|-----------------------------------|---------|---|---------|-----------------------------|---------|
|   | Count            | Percent | Count        | Percent | Count        | Percent | Count                             | Percent | Count   | Percent | Count                       | Percent |
| Sarcoma and other soft tissue tumors (8680-8713,8800-8921, 8990-8991,9040-9055, 9120-9134,9141-9340, 9540-9581)           | 30               | 0.1%    | 26           | 0.1%    | -            | -       | -                                 | -       | -   | -       | -                           | -       |
| Other specific types <sup>d</sup><br>(8720-8790,8930-8933, 8950-8982,9000-9030, 9060-9110,9350-9364, 9380-9513,9530-9539) | 24               | 0.1%    | 22           | 0.1%    | -            | -       | -                                 | -       | -   | -       | -                           | -       |
| Unspecified (8000-8005)   | 616              | 1.9%    | 521          | 2.0%    | 55           | 1.6%    | 35                                | 1.7%    | -   | -       | 63                          | 2.1%    |
| Total   | 32,340           | 100.0%  | 26,464       | 100.0%  | 3,510        | 100.0%  | 2,100                             | 100.0%  | 133   | 100.0%  | 3,054                       | 100.0%  |

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey). Percents may not sum to 100 due to rounding.

<sup>a</sup> Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

<sup>b</sup> Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

<sup>c</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

<sup>d</sup> Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

<sup>e</sup> Epidermoid carcinoma includes squamous, basal, and transitional cell carcinomas.

- Statistic not shown due to fewer than 16 cases during the time period.