

Table A.1

Number of Incidence Cases, 2003-2007

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	39,405	26,964	12,441	32,503	22,432	10,071	3,547	2,418	1,129
Esophagus	16,696	12,726	3,970	14,077	10,866	3,211	1,717	1,188	529
Stomach	28,867	17,439	11,428	20,825	12,818	8,007	3,552	2,036	1,516
Colon & Rectum	177,307	90,161	87,146	144,233	73,811	70,422	18,141	8,687	9,454
Colon	127,157	61,833	65,324	103,741	50,799	52,942	13,628	6,327	7,301
Rectum	50,150	28,328	21,822	40,492	23,012	17,480	4,513	2,360	2,153
Liver & IBD ^a	26,130	18,516	7,614	18,086	12,848	5,238	2,940	2,128	812
Pancreas	43,240	21,232	22,008	35,413	17,560	17,853	4,635	2,116	2,519
Larynx	12,818	10,235	2,583	10,498	8,350	2,148	1,797	1,434	363
Lung & Bronchus	227,671	120,930	106,741	191,397	100,192	91,205	22,579	12,785	9,794
Melanoma of the skin	75,642	43,185	32,457	71,358	41,031	30,327	327	143	184
Breast	251,604	1,946	249,658	208,042	1,629	206,413	23,225	216	23,009
Cervix uteri	15,884	-	15,884	12,054	-	12,054	2,060	-	2,060
Corpus & Uterus, NOS	48,073	-	48,073	40,237	-	40,237	3,834	-	3,834
Ovary ^b	26,368	-	26,368	22,320	-	22,320	1,921	-	1,921
Prostate	257,962	257,962	-	204,524	204,524	-	31,100	31,100	-
Testis	10,524	10,524	-	9,657	9,657	-	255	255	-
Urinary bladder	76,890	57,652	19,238	69,042	52,131	16,911	3,747	2,444	1,303
Kidney & Renal pelvis	52,590	32,515	20,075	44,260	27,417	16,843	5,098	3,110	1,988
Brain & ONS ^a	24,404	13,517	10,887	21,415	11,952	9,463	1,490	772	718
Thyroid	39,133	9,360	29,773	32,407	8,009	24,398	2,327	472	1,855
Hodgkin lymphoma	10,702	5,857	4,845	8,965	4,920	4,045	1,103	584	519
Non-Hodgkin lymphoma	72,966	39,196	33,770	62,237	33,479	28,758	5,096	2,747	2,349
Myeloma	20,813	11,444	9,369	15,847	8,920	6,927	3,587	1,811	1,776
Leukemia	45,780	26,103	19,677	39,021	22,374	16,647	3,264	1,778	1,486
Acute lymphocytic	6,231	3,544	2,687	5,211	2,969	2,242	413	241	172
Chronic lymphocytic	15,258	9,048	6,210	13,470	7,978	5,492	879	527	352
Acute myeloid	12,972	6,962	6,010	10,844	5,905	4,939	1,020	498	522
Chronic myeloid	5,618	3,262	2,356	4,653	2,714	1,939	501	268	233
All others	5,701	3,287	2,414	4,843	2,808	2,035	451	244	207
Kaposi Sarcoma	2,325	2,111	214	1,640	1,485	155	501	462	39
Mesothelioma	3,841	2,941	900	3,505	2,696	809	190	138	52
All Sites	1,717,500	884,076	833,424	1,424,834	732,092	692,742	158,072	83,292	74,780

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.1

Number of Incidence Cases, 2003-2007

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	2,637	1,654	983	164	104	60	2,735	1,835	900
Esophagus	734	555	179	76	46	30	1,130	892	238
Stomach	4,092	2,334	1,758	213	135	78	4,784	2,680	2,104
Colon & Rectum	12,536	6,430	6,106	818	397	421	15,390	8,220	7,170
Colon	8,258	3,959	4,299	586	262	324	10,465	5,316	5,149
Rectum	4,278	2,471	1,807	232	135	97	4,925	2,904	2,021
Liver & IBD ^c	4,700	3,256	1,444	225	153	72	4,591	3,270	1,321
Pancreas	2,808	1,376	1,432	188	88	100	4,013	1,881	2,132
Larynx	389	339	50	31	22	-	981	841	140
Lung & Bronchus	12,012	7,070	4,942	812	418	394	12,041	6,647	5,394
Melanoma of the skin	479	233	246	84	37	47	2,270	915	1,355
Breast	17,224	76	17,148	930	-	923	22,692	127	22,565
Cervix uteri	1,442	-	1,442	100	-	100	3,692	-	3,692
Corpus & Uterus, NOS	3,342	-	3,342	202	-	202	4,549	-	4,549
Ovary ^d	1,844	-	1,844	130	-	130	2,828	-	2,828
Prostate	12,137	12,137	-	638	638	-	21,438	21,438	-
Testis	339	339	-	70	70	-	1,999	1,999	-
Urinary bladder	2,766	2,080	686	144	112	32	4,122	3,048	1,074
Kidney & Renal pelvis	2,416	1,500	916	365	206	159	6,024	3,587	2,437
Brain & ONS ^c	1,220	642	578	92	46	46	3,145	1,706	1,439
Thyroid	3,714	733	2,981	154	34	120	5,313	970	4,343
Hodgkin lymphoma	479	265	214	28	-	-	1,601	906	695
Non-Hodgkin lymphoma	4,197	2,248	1,949	233	116	117	7,526	4,080	3,446
Myeloma	1,028	539	489	86	40	46	2,187	1,160	1,027
Leukemia	2,395	1,322	1,073	158	83	75	5,568	3,121	2,447
Acute lymphocytic	497	276	221	37	22	-	2,108	1,188	920
Chronic lymphocytic	288	169	119	27	17	-	675	378	297
Acute myeloid	985	509	476	46	-	31	1,569	831	738
Chronic myeloid	322	200	122	24	-	-	657	395	262
All others	303	168	135	24	-	-	559	329	230
Kaposi Sarcoma	63	58	-	-	-	-	536	498	38
Mesothelioma	117	87	30	16	-	-	362	247	115
All Sites	101,708	48,402	53,306	6,485	3,028	3,457	153,583	75,523	78,060

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a Incidence data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.^c Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.^d IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^e Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2003-2007

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	39,163	26,658	12,505	32,399	21,674	10,725	5,413	4,072	1,341
Esophagus	66,659	52,085	14,574	57,928	45,780	12,148	7,491	5,368	2,123
Stomach	58,216	34,175	24,041	44,193	26,068	18,125	9,962	5,825	4,137
Colon & Rectum	268,783	135,457	133,326	227,803	115,232	112,571	34,114	16,702	17,412
Liver & IBD ^a	79,773	51,964	27,809	63,222	40,764	22,458	10,459	7,173	3,286
Pancreas	162,878	80,674	82,204	139,510	69,749	69,761	19,010	8,829	10,181
Larynx	18,710	14,818	3,892	15,123	11,870	3,253	3,305	2,711	594
Lung & Bronchus	792,495	447,192	345,303	693,806	388,094	305,712	82,354	49,505	32,849
Melanoma of the skin	41,017	26,354	14,663	40,103	25,913	14,190	626	289	337
Breast	206,983	1,876	205,107	173,403	1,579	171,824	28,804	274	28,530
Cervix uteri	19,690	-	19,690	14,885	-	14,885	3,955	-	3,955
Corpus & Uterus, NOS	35,825	-	35,825	29,012	-	29,012	5,936	-	5,936
Ovary	73,638	-	73,638	65,831	-	65,831	6,014	-	6,014
Prostate	144,926	144,926	-	118,423	118,423	-	24,138	24,138	-
Testis	1,744	1,744	-	1,567	1,567	-	124	124	-
Urinary bladder	66,083	45,817	20,266	60,372	42,580	17,792	4,829	2,649	2,180
Kidney & Renal pelvis	62,198	38,753	23,445	55,112	34,374	20,738	5,722	3,513	2,209
Brain & ONS ^a	65,002	36,026	28,976	59,748	33,175	26,573	3,925	2,109	1,816
Thyroid	7,263	3,046	4,217	6,290	2,742	3,548	624	181	443
Hodgkin lymphoma	6,493	3,615	2,878	5,686	3,154	2,532	667	380	287
Non-Hodgkin lymphoma	104,407	55,522	48,885	94,820	50,421	44,399	7,042	3,728	3,314
Myeloma	53,729	28,222	25,507	43,562	23,306	20,256	9,065	4,342	4,723
Leukemia	108,740	61,288	47,452	97,317	55,141	42,176	9,043	4,800	4,243
Acute lymphocytic	7,071	4,010	3,061	6,189	3,486	2,703	610	373	237
Chronic lymphocytic	22,178	13,095	9,083	20,208	11,921	8,287	1,796	1,060	736
Acute myeloid	41,714	23,230	18,484	37,357	21,012	16,345	3,237	1,589	1,648
Chronic myeloid	5,525	3,043	2,482	4,743	2,597	2,146	649	362	287
All others	32,252	17,910	14,342	28,820	16,125	12,695	2,751	1,416	1,335
All Sites	2,792,820	1,448,140	1,344,680	2,408,304	1,249,331	1,158,973	315,444	163,229	152,215

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2003-2007

By Primary Cancer Site, Race and Sex
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,153	778	375	132	85	47	1,670	1,221	449
Esophagus	946	714	232	210	160	50	2,340	1,869	471
Stomach	3,640	2,023	1,617	345	213	132	6,466	3,687	2,779
Colon & Rectum	5,717	2,892	2,825	825	447	378	12,964	6,976	5,988
Liver & IBD ^c	5,440	3,618	1,822	469	280	189	8,597	5,670	2,927
Pancreas	3,702	1,771	1,931	461	232	229	8,298	4,130	4,168
Larynx	193	166	27	52	45	-	878	798	80
Lung & Bronchus	13,100	7,841	5,259	2,099	1,118	981	21,782	13,773	8,009
Melanoma of the skin	200	99	101	67	41	26	863	497	366
Breast	3,962	19	3,943	560	-	557	9,911	58	9,853
Cervix uteri	696	-	696	116	-	116	2,205	-	2,205
Corpus & Uterus, NOS	761	-	761	87	-	87	1,820	-	1,820
Ovary	1,501	-	1,501	210	-	210	3,596	-	3,596
Prostate	1,844	1,844	-	357	357	-	6,554	6,554	-
Testis	42	42	-	-	-	-	276	276	-
Urinary bladder	734	491	243	87	60	27	2,131	1,463	668
Kidney & Renal pelvis	926	578	348	327	209	118	3,838	2,462	1,376
Brain & ONS ^c	1,122	618	504	133	82	51	3,650	2,001	1,649
Thyroid	319	109	210	22	-	-	596	252	344
Hodgkin lymphoma	115	64	51	18	-	-	540	314	226
Non-Hodgkin lymphoma	2,181	1,188	993	265	127	138	5,587	3,042	2,545
Myeloma	840	436	404	187	97	90	2,880	1,456	1,424
Leukemia	2,001	1,135	866	281	160	121	6,114	3,458	2,656
Acute lymphocytic	217	114	103	43	27	16	1,378	793	585
Chronic lymphocytic	119	83	36	36	22	-	467	273	194
Acute myeloid	982	551	431	102	57	45	2,205	1,219	986
Chronic myeloid	101	62	39	25	18	-	333	196	137
All others	582	325	257	75	36	39	1,731	977	754
All Sites	57,053	29,388	27,665	8,410	4,259	4,151	128,904	67,853	61,051

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Mortality data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.^c Mortality data for Hispanics excludes deaths from District of Columbia, New Hampshire and North Dakota.^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.