

Table 2.9
All Cancer Sites (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males and Females

Survival Time	Year of Diagnosis																			
	1975- 1979	1980- 1984	1985- 1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
1-year	70.1	71.6	74.0	75.8	77.3	77.9	77.3	77.1	77.2	77.7	78.4	78.7	79.3	79.7	80.2	80.4	80.1	80.6	80.8	81.3
2-year	60.6	62.0	65.2	67.4	69.3	70.5	70.1	69.7	70.0	70.9	71.5	72.1	72.9	73.4	74.1	74.5	74.0	74.5	74.7	
3-year	55.7	57.0	60.6	63.1	65.2	66.8	66.3	66.1	66.5	67.5	68.2	68.9	69.8	70.3	71.1	71.6	71.0	71.6		
4-year	52.5	53.8	57.6	60.4	62.7	64.4	64.0	63.7	64.3	65.3	66.1	66.8	67.9	68.4	69.3	69.8	69.2			
5-year	50.3	51.4	55.5	58.6	60.8	62.6	62.2	62.1	62.8	63.8	64.6	65.4	66.5	67.2	68.0	68.5				
6-year	48.6	49.7	53.9	57.1	59.3	61.2	61.0	60.9	61.6	62.7	63.5	64.3	65.4	66.2	67.1					
7-year	47.2	48.2	52.5	55.7	58.1	59.9	59.8	59.8	60.6	61.9	62.7	63.5	64.6	65.3						
8-year	46.1	47.1	51.4	54.7	56.9	58.9	58.9	59.0	59.9	61.2	62.1	62.9	63.9							
9-year	45.2	46.1	50.5	53.7	56.1	58.2	58.0	58.4	59.3	60.5	61.4	62.2								
10-year	44.4	45.3	49.7	52.9	55.4	57.4	57.3	57.7	58.7	59.9	60.9									
11-year	43.8	44.6	49.1	52.2	54.8	56.7	56.7	57.0	58.1	59.5										
12-year	43.2	44.1	48.5	51.7	54.2	56.2	56.1	56.4	57.5											
13-year	42.9	43.7	47.9	51.2	53.6	55.6	55.7	56.0												
14-year	42.6	43.3	47.5	50.7	53.1	55.1	55.2													
15-year	42.2	43.0	47.1	50.3	52.6	54.6														
16-year	42.0	42.6	46.8	49.9	52.1															
17-year	41.8	42.4	46.6	49.6																
18-year	41.7	42.2	46.5																	
19-year	41.7	42.1																		
20-year	41.6	42.0																		

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).