

Table 4.13
Cancer of the Female Breast (*In Situ*)

SEER Incidence^a Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2003-2007</u>			
Age at Diagnosis:			
All ages	30.0	30.5	27.7
Under 65	22.5	22.9	19.1
65 and over	81.9	83.1	87.1
All ages (IARC world std) ^b	22.6	23.0	20.6
<u>Age-Specific Rates, 2003-2007</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.2	-	-
25-29	0.7	0.7	-
30-34	2.6	2.4	2.4
35-39	10.0	10.0	9.9
40-44	36.2	36.8	26.8
45-49	58.5	60.7	42.3
50-54	68.6	70.2	57.1
55-59	77.1	78.3	74.2
60-64	86.5	87.8	83.6
65-69	97.0	98.2	99.3
70-74	91.1	92.9	98.2
75-79	87.8	88.9	95.7
80-84	68.9	70.0	69.4
85+	34.5	34.3	42.7

^a SEER 17 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.