

Table 5.9
Cancer of the Cervix Uteri (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Survival Time																				
1-year	87.2	87.7	87.6	88.4	89.0	87.5	89.4	88.0	90.0	89.3	89.5	88.7	90.0	88.9	86.2	88.3	87.2	86.8	87.6	86.5
2-year	78.4	77.9	78.4	80.1	80.2	78.7	80.2	80.8	82.5	82.5	81.0	81.7	83.4	81.8	79.8	80.1	79.7	77.6	77.8	
3-year	73.7	73.4	73.9	76.0	75.0	74.7	76.0	76.9	79.2	78.4	76.4	77.2	79.1	77.2	76.4	75.3	76.3	73.3		
4-year	71.1	70.5	71.4	73.9	71.7	71.2	73.3	74.5	76.6	75.3	73.7	74.7	77.0	75.1	74.1	73.0	72.9			
5-year	69.4	68.8	69.6	72.9	69.7	69.0	71.5	73.1	75.5	74.4	72.6	73.4	75.6	73.4	71.9	70.4				
6-year	68.4	67.1	68.6	71.7	68.3	67.9	71.3	71.6	74.3	73.9	71.1	72.1	74.8	72.6	71.0					
7-year	67.5	65.7	67.7	71.0	67.8	67.2	70.6	70.5	73.2	73.0	70.8	71.2	74.5	71.8						
8-year	66.8	64.7	66.9	70.2	66.8	66.7	70.2	69.8	72.7	72.0	70.5	70.9	74.2							
9-year	66.3	64.2	66.5	68.5	66.1	66.5	69.9	69.7	71.8	70.9	69.1	70.6								
10-year	65.5	63.9	66.0	67.3	66.1	66.4	69.7	69.1	71.1	70.3	68.6									
11-year	65.0	63.6	65.7	67.1	66.1	65.8	69.7	68.5	71.1	69.9										
12-year	64.6	63.0	65.2	67.1	66.1	65.0	69.4	68.1	70.0											
13-year	64.3	62.7	64.9	66.9	65.8	64.9	69.2	67.6												
14-year	64.0	62.2	64.6	66.3	65.4	64.9	68.7													
15-year	63.7	61.7	64.2	66.3	65.3	64.5														
16-year	63.5	61.4	63.9	66.3	64.3															
17-year	63.2	60.8	63.4	66.3																
18-year	63.0	60.3	63.4																	
19-year	62.6	60.1																		
20-year	62.2	59.7																		

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).