


Table 2.20  
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates by State, All Races, 2004-2008

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	153.25	0.13		
High Five States				
Kentucky	175.08 <sup>b</sup>	1.19	(01)	14.24 <sup>c</sup>
West Virginia	174.05 <sup>b</sup>	1.69	(02)	13.57 <sup>c</sup>
Louisiana	168.57 <sup>b</sup>	1.17	(03)	10.00 <sup>c</sup>
Delaware	167.54 <sup>b</sup>	2.54	(04)	9.33 <sup>c</sup>
Ohio	165.50 <sup>b</sup>	0.68	(05)	7.99 <sup>c</sup>
Low Five States				
New Mexico	136.85 <sup>b</sup>	1.59	(47)	-10.70 <sup>c</sup>
Colorado	135.65 <sup>b</sup>	1.09	(48)	-11.48 <sup>c</sup>
Arizona	132.43 <sup>b</sup>	0.88	(49)	-13.58 <sup>c</sup>
Hawaii	120.66 <sup>b</sup>	1.77	(50)	-21.27 <sup>c</sup>
Utah	112.39 <sup>b</sup>	1.47	(51)	-26.66 <sup>c</sup>

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	158.71 <sup>b</sup>	1.06	(22)	3.56	Montana	152.95	2.30	(32)	-0.19
Alaska	157.23	3.89	(23)	2.60	Nebraska	147.19 <sup>b</sup>	1.68	(40)	-3.95
Arizona	132.43 <sup>b</sup>	0.88	(49)	-13.58 <sup>c</sup>	Nevada	163.02 <sup>b</sup>	1.65	(10)	6.37 <sup>c</sup>
Arkansas	164.07 <sup>b</sup>	1.38	(08)	7.06 <sup>c</sup>	New Hampshire	159.10	2.04	(20)	3.82
California	143.44 <sup>b</sup>	0.40	(45)	-6.40 <sup>c</sup>	New Jersey	160.63 <sup>b</sup>	0.78	(18)	4.81
Colorado	135.65 <sup>b</sup>	1.09	(48)	-11.48 <sup>c</sup>	New Mexico	136.85 <sup>b</sup>	1.59	(47)	-10.70 <sup>c</sup>
Connecticut	152.49	1.18	(33)	-0.49	New York	147.95 <sup>b</sup>	0.50	(38)	-3.46
Delaware	167.54 <sup>b</sup>	2.54	(04)	9.33 <sup>c</sup>	North Carolina	155.47	0.78	(28)	1.45
D.C.	161.10	3.09	(16)	5.12 <sup>c</sup>	North Dakota	146.02	2.72	(41)	-4.72
Florida	143.87 <sup>b</sup>	0.48	(44)	-6.12 <sup>c</sup>	Ohio	165.50 <sup>b</sup>	0.68	(05)	7.99 <sup>c</sup>
Georgia	149.54 <sup>b</sup>	0.81	(37)	-2.42	Oklahoma	161.49 <sup>b</sup>	1.24	(14)	5.37 <sup>c</sup>
Hawaii	120.66 <sup>b</sup>	1.77	(50)	-21.27 <sup>c</sup>	Oregon	158.71 <sup>b</sup>	1.21	(21)	3.57
Idaho	145.67 <sup>b</sup>	1.97	(42)	-4.94	Pennsylvania	161.07 <sup>b</sup>	0.62	(17)	5.10 <sup>c</sup>
Illinois	162.03 <sup>b</sup>	0.67	(13)	5.73 <sup>c</sup>	Rhode Island	155.02	2.13	(29)	1.16
Indiana	164.82 <sup>b</sup>	0.95	(06)	7.55 <sup>c</sup>	South Carolina	153.86	1.09	(31)	0.40
Iowa	151.73	1.27	(34)	-0.99	South Dakota	142.67 <sup>b</sup>	2.43	(46)	-6.90 <sup>c</sup>
Kansas	151.32	1.37	(35)	-1.26	Tennessee	163.98 <sup>b</sup>	0.95	(09)	7.00 <sup>c</sup>
Kentucky	175.08 <sup>b</sup>	1.19	(01)	14.24 <sup>c</sup>	Texas	145.15 <sup>b</sup>	0.51	(43)	-5.29 <sup>c</sup>
Louisiana	168.57 <sup>b</sup>	1.17	(03)	10.00 <sup>c</sup>	Utah	112.39 <sup>b</sup>	1.47	(51)	-26.66 <sup>c</sup>
Maine	164.74 <sup>b</sup>	1.94	(07)	7.50 <sup>c</sup>	Vermont	155.49	2.85	(27)	1.46
Maryland	159.71 <sup>b</sup>	1.01	(19)	4.22	Virginia	155.50	0.86	(26)	1.47
Massachusetts	155.97	0.88	(24)	1.78	Washington	155.71	0.95	(25)	1.60
Michigan	162.05 <sup>b</sup>	0.74	(12)	5.74 <sup>c</sup>	West Virginia	174.05 <sup>b</sup>	1.69	(02)	13.57 <sup>c</sup>
Minnesota	147.63 <sup>b</sup>	1.01	(39)	-3.67	Wisconsin	154.34	0.97	(30)	0.71
Mississippi	161.37 <sup>b</sup>	1.39	(15)	5.30 <sup>c</sup>	Wyoming	150.71	3.28	(36)	-1.66
Missouri	162.66 <sup>b</sup>	0.96	(11)	6.14 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).  
<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant (p<=.0002).  
<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.  
SE Standard error of the rate.  
PD Percent difference between state rate and total U.S. rate.  
- Statistic not shown. Rate based on less than 16 cases for the time interval.