

Table 25.9
Cancer of the Testis (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Survival Time																					
1-year	93.4	96.1	98.1	98.2	98.5	98.0	96.6	97.7	98.3	97.9	97.4	98.2	96.9	97.9	98.5	98.2	98.5	97.9	98.3	98.9	99.0
2-year	88.6	92.7	96.1	96.7	97.0	96.7	95.7	96.5	97.4	96.4	95.6	96.6	96.3	96.7	97.4	97.1	96.8	96.5	97.3	98.5	
3-year	86.5	92.1	95.5	96.2	96.1	95.5	95.0	95.9	96.4	95.8	95.1	96.2	95.7	95.9	97.1	96.8	96.5	95.7	97.1		
4-year	85.6	91.5	94.9	96.1	95.7	95.4	94.9	95.9	96.3	95.8	94.8	96.1	95.6	95.9	96.8	96.7	96.3	95.3			
5-year	85.0	91.2	94.7	96.1	95.7	95.3	94.8	95.7	96.3	95.8	94.8	95.8	95.6	95.9	96.5	96.2	96.0				
6-year	84.7	91.0	94.5	95.8	95.5	94.9	94.8	95.7	96.3	95.8	94.7	95.4	95.5	95.9	96.0	96.0					
7-year	84.5	90.7	94.3	95.7	95.4	94.6	94.8	95.5	96.3	95.8	94.7	95.2	95.5	95.9	96.0						
8-year	84.4	90.5	94.0	95.6	95.2	94.0	94.8	94.8	96.3	95.8	94.7	95.2	95.4	95.9							
9-year	84.4	90.1	93.9	95.5	95.0	94.0	94.5	94.8	96.2	95.8	94.7	95.2	95.1								
10-year	83.6	89.9	93.7	95.4	94.7	93.9	94.5	94.8	96.1	95.8	94.7	94.5									
11-year	83.1	89.7	93.6	95.3	94.7	93.8	94.5	94.8	96.1	95.8	94.7										
12-year	82.8	89.7	93.5	94.9	94.5	93.8	94.5	94.7	96.1	95.8											
13-year	82.5	89.3	93.2	94.9	94.5	93.8	94.5	94.6	96.0												
14-year	81.9	88.8	93.0	94.9	94.5	93.6	94.5	94.5													
15-year	81.6	88.5	93.0	94.9	94.4	93.5	94.5														
16-year	81.1	88.0	92.8	94.9	94.4	92.9															
17-year	80.5	87.7	92.6	94.7	94.4																
18-year	79.9	87.5	92.6	94.7																	
19-year	79.3	87.3	92.4																		
20-year	79.2	86.9																			

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).