

Table 4.13
Cancer of the Female Breast (*In Situ*)

SEER Incidence^a Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2005-2009</u>			
Age at Diagnosis:			
All ages	31.4	31.7	29.4
Under 65	23.5	23.7	20.6
65 and over	85.7	86.4	89.9
All ages (IARC world std) ^b	23.7	23.9	21.9
<u>Age-Specific Rates, 2005-2009</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.1	-	-
25-29	0.7	0.6	1.1
30-34	2.8	2.7	2.7
35-39	11.0	10.8	11.1
40-44	39.2	39.5	31.9
45-49	60.5	62.1	44.5
50-54	72.7	73.8	59.9
55-59	76.9	77.5	73.4
60-64	91.0	91.0	95.1
65-69	102.0	102.7	103.1
70-74	96.2	97.2	104.4
75-79	91.7	93.0	90.4
80-84	70.4	71.7	71.9
85+	34.9	33.8	51.2

^a SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.