


Table 4.24  
Cancer of the Female Breast (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2005-2009

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	23.02	0.05		
High Five States				
D.C.	27.96 <sup>b</sup>	1.29	(01)	21.46 <sup>c</sup>
Louisiana	26.32 <sup>b</sup>	0.46	(02)	14.35 <sup>c</sup>
New Jersey	26.06 <sup>b</sup>	0.31	(03)	13.20 <sup>c</sup>
Ohio	25.22 <sup>b</sup>	0.27	(04)	9.57
Mississippi	24.93	0.55	(05)	8.28
Low Five States				
Vermont	20.70	1.04	(47)	-10.09 <sup>c</sup>
Arizona	20.48 <sup>b</sup>	0.34	(48)	-11.02 <sup>c</sup>
Montana	20.48	0.84	(49)	-11.05 <sup>c</sup>
Colorado	19.92 <sup>b</sup>	0.41	(50)	-13.45 <sup>c</sup>
Hawaii	17.78 <sup>b</sup>	0.69	(51)	-22.79 <sup>c</sup>

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	23.98	0.41	(12)	4.18	Montana	20.48	0.84	(49)	-11.05 <sup>c</sup>
Alaska	23.51	1.41	(20)	2.11	Nebraska	21.20	0.64	(44)	-7.91
Arizona	20.48 <sup>b</sup>	0.34	(48)	-11.02 <sup>c</sup>	Nevada	23.32	0.61	(22)	1.31
Arkansas	23.62	0.53	(17)	2.59	New Hampshire	21.42	0.74	(40)	-6.95
California	22.32 <sup>b</sup>	0.15	(28)	-3.04	New Jersey	26.06 <sup>b</sup>	0.31	(03)	13.20 <sup>c</sup>
Colorado	19.92 <sup>b</sup>	0.41	(50)	-13.45 <sup>c</sup>	New Mexico	21.14	0.62	(45)	-8.16
Connecticut	22.54	0.45	(26)	-2.08	New York	22.53	0.20	(27)	-2.14
Delaware	23.05	0.94	(23)	0.11	North Carolina	23.54	0.30	(19)	2.27
D.C.	27.96 <sup>b</sup>	1.29	(01)	21.46 <sup>c</sup>	North Dakota	21.95	1.07	(30)	-4.65
Florida	21.51 <sup>b</sup>	0.19	(37)	-6.55	Ohio	25.22 <sup>b</sup>	0.27	(04)	9.57
Georgia	22.98	0.31	(24)	-0.17	Oklahoma	23.82	0.48	(16)	3.47
Hawaii	17.78 <sup>b</sup>	0.69	(51)	-22.79 <sup>c</sup>	Oregon	21.48	0.44	(38)	-6.72
Idaho	21.27	0.74	(43)	-7.61	Pennsylvania	24.09 <sup>b</sup>	0.24	(10)	4.64
Illinois	24.17 <sup>b</sup>	0.26	(09)	4.97	Rhode Island	21.93	0.81	(31)	-4.76
Indiana	23.87	0.36	(15)	3.68	South Carolina	23.97	0.43	(14)	4.11
Iowa	21.83	0.48	(34)	-5.17	South Dakota	20.87	0.93	(46)	-9.33
Kansas	22.87	0.53	(25)	-0.64	Tennessee	23.98	0.36	(13)	4.17
Kentucky	23.36	0.43	(21)	1.47	Texas	22.20 <sup>b</sup>	0.20	(29)	-3.56
Louisiana	26.32 <sup>b</sup>	0.46	(02)	14.35 <sup>c</sup>	Utah	21.54	0.63	(36)	-6.41
Maine	21.45	0.70	(39)	-6.84	Vermont	20.70	1.04	(47)	-10.09 <sup>c</sup>
Maryland	24.85 <sup>b</sup>	0.39	(07)	7.96	Virginia	24.79 <sup>b</sup>	0.34	(08)	7.69
Massachusetts	21.87	0.33	(33)	-4.99	Washington	21.90	0.35	(32)	-4.89
Michigan	24.02 <sup>b</sup>	0.29	(11)	4.32	West Virginia	23.59	0.63	(18)	2.48
Minnesota	21.34 <sup>b</sup>	0.38	(42)	-7.32	Wisconsin	21.60 <sup>b</sup>	0.36	(35)	-6.16
Mississippi	24.93	0.55	(05)	8.28	Wyoming	21.39	1.23	(41)	-7.07
Missouri	24.92 <sup>b</sup>	0.38	(06)	8.24					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).  
<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant (p<=.0002).  
<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 10% or more.  
SE Standard error of the rate.  
PD Percent difference between state rate and total U.S. rate.  
- Statistic not shown. Rate based on less than 16 cases for the time interval.