

Table 23.12
Cancer of the Prostate (Invasive)

Age-Adjusted SEER Incidence Rates^a
By Registry, Race and Age

	All Races			Whites			Blacks		
	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+
<u>SEER Incidence Rates^a, 2005-2009</u>									
California	143.00	51.91	772.60	138.53	50.91	744.23	212.11	100.60	982.87
Greater Bay Area	150.99	57.57	796.73	159.02	60.84	837.65	217.75	102.29	1015.90
San Francisco-Oakland	149.50	57.87	782.88	154.32	59.58	809.19	220.02	102.15	1034.79
San Jose-Monterey	153.99	57.00	824.48	167.35	63.04	888.37	197.30	102.29	854.06
Los Angeles	139.08	49.66	757.21	127.00	45.92	687.45	211.11	103.50	954.90
Greater California	141.89	50.85	771.21	136.90	49.80	738.98	211.06	96.96	999.78
Connecticut	165.24	67.94	837.82	158.14	63.60	811.66	236.00	108.66	1116.24
Detroit	186.51	74.23	962.60	161.54	61.13	855.54	258.56	114.89	1251.72
Georgia	167.83	68.91	851.61	143.47	56.09	747.48	260.64	112.04	1287.77
Atlanta	181.54	77.18	902.94	148.82	61.71	750.93	279.23	117.20	1399.27
Rural Georgia	191.43	78.16	974.40	171.61	65.78	903.15	227.08	101.35	1096.14
Greater Georgia	160.80	64.31	827.81	140.56	53.45	742.68	250.09	108.35	1229.84
Hawaii	128.35	40.59	734.99	142.88	51.04	777.75	196.06	125.50	683.80
Iowa	142.24	53.83	753.38	137.42	51.56	730.97	219.43	101.81	1032.46
Kentucky	138.96	53.93	726.66	133.02	48.61	716.51	203.18	102.31	900.41
Louisiana	173.88	68.19	904.39	155.92	58.57	828.83	240.38	99.48	1214.34
New Jersey	172.40	69.61	882.95	161.94	64.68	834.18	235.81	106.47	1129.80
New Mexico	141.65	53.44	751.36	144.61	55.27	762.21	108.13	68.56	381.62
Seattle-Puget Sound	163.46	60.02	878.45	164.16	59.91	884.75	237.05	106.10	1142.25
Utah	169.77	63.06	907.42	173.07	64.57	923.03	110.35	52.41	510.83
9 SEER Areas ^b	161.22	62.78	841.66	155.44	59.51	818.55	249.38	111.33	1203.63
11 SEER Areas ^b	156.02	59.61	822.41	150.41	56.97	796.35	238.19	109.42	1128.28
13 SEER Areas ^b	156.00	59.62	822.23	150.49	57.00	796.78	238.05	109.31	1127.97
18 SEER Areas ^b	154.83	59.12	816.42	146.92	55.38	779.65	235.98	106.04	1134.14

^a

Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

^b

The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 11 areas comprise the SEER 9 areas plus San Jose-Monterey and Los Angeles.

The SEER 13 areas comprise the SEER 11 areas plus the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

-

Statistic not shown. Rate based on less than 16 cases for the time interval.