


Table 26.18
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2005-2009

Males and Females

State	Rate	SE	Rank	PD
TOTAL U.S.	0.50	0.01		
High Five States				
Vermont	0.72	0.14	(01)	43.36 ^c
Idaho	0.67	0.10	(02)	34.09 ^c
Colorado	0.63	0.06	(03)	26.40 ^c
Wyoming	0.63	0.15	(04)	25.10 ^c
California	0.60 ^b	0.02	(05)	20.11 ^c
Low Five States				
Florida	0.42 ^b	0.02	(45)	-15.99 ^c
Nebraska	0.40	0.06	(46)	-21.21 ^c
Georgia	0.39	0.03	(47)	-21.84 ^c
South Carolina	0.36	0.04	(48)	-27.39 ^c
Montana	0.33	0.08	(49)	-35.14 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	0.43	0.04	(43)	-13.49	Montana	0.33	0.08	(49)	-35.14 ^c
Alaska	-	-	(-)	-	Nebraska	0.40	0.06	(46)	-21.21 ^c
Arizona	0.55	0.04	(10)	9.07	Nevada	0.45	0.06	(37)	-10.53
Arkansas	0.45	0.05	(38)	-10.71	New Hampshire	0.54	0.09	(12)	6.69
California	0.60 ^b	0.02	(05)	20.11 ^c	New Jersey	0.49	0.03	(26)	-1.89
Colorado	0.63	0.06	(03)	26.40 ^c	New Mexico	0.55	0.07	(09)	10.28
Connecticut	0.47	0.05	(30)	-5.60	New York	0.53	0.02	(14)	5.26
Delaware	0.49	0.10	(28)	-3.06	North Carolina	0.45	0.03	(39)	-10.78
D.C.	-	-	(-)	-	North Dakota	0.49	0.11	(25)	-1.61
Florida	0.42 ^b	0.02	(45)	-15.99 ^c	Ohio	0.53	0.03	(13)	5.62
Georgia	0.39	0.03	(47)	-21.84 ^c	Oklahoma	0.46	0.05	(34)	-7.65
Hawaii	0.60	0.09	(06)	20.10 ^c	Oregon	0.46	0.05	(33)	-7.59
Idaho	0.67	0.10	(02)	34.09 ^c	Pennsylvania	0.51	0.03	(18)	2.31
Illinois	0.50	0.03	(23)	-0.17	Rhode Island	0.43	0.08	(44)	-13.77
Indiana	0.46	0.04	(35)	-8.48	South Carolina	0.36	0.04	(48)	-27.39 ^c
Iowa	0.47	0.05	(31)	-6.21	South Dakota	0.50	0.11	(22)	0.06
Kansas	0.58	0.06	(07)	16.18 ^c	Tennessee	0.50	0.04	(24)	-0.23
Kentucky	0.51	0.05	(19)	1.81	Texas	0.52	0.02	(16)	3.25
Louisiana	0.46	0.05	(32)	-7.58	Utah	0.52	0.07	(17)	2.98
Maine	0.51	0.08	(20)	1.75	Vermont	0.72	0.14	(01)	43.36 ^c
Maryland	0.49	0.04	(27)	-2.57	Virginia	0.44	0.03	(41)	-11.39
Massachusetts	0.48	0.04	(29)	-4.91	Washington	0.56	0.04	(08)	12.33
Michigan	0.50	0.03	(21)	0.39	West Virginia	0.44	0.06	(42)	-13.14
Minnesota	0.54	0.04	(11)	7.00	Wisconsin	0.52	0.04	(15)	3.40
Mississippi	0.45	0.05	(40)	-10.80	Wyoming	0.63	0.15	(04)	25.10 ^c
Missouri	0.46	0.04	(36)	-8.78					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.