


Table 27.19
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2005-2009

Males

State	Rate	SE	Rank	PD
TOTAL U.S.	7.66	0.04		
High Five States				
Vermont	10.94 ^b	0.89	(01)	42.80 ^c
Maine	10.33 ^b	0.57	(02)	34.84 ^c
Rhode Island	9.75	0.64	(03)	27.33 ^c
Massachusetts	9.12 ^b	0.26	(04)	19.12 ^c
Ohio	9.04 ^b	0.19	(05)	18.05 ^c
Low Five States				
Texas	6.65 ^b	0.13	(47)	-13.22
Utah	6.05 ^b	0.39	(48)	-21.05 ^c
Alaska	5.87	0.89	(49)	-23.29 ^c
New Mexico	5.83 ^b	0.37	(50)	-23.93 ^c
Hawaii	4.62 ^b	0.38	(51)	-39.67 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	6.77	0.27	(43)	-11.65	Montana	7.71	0.58	(24)	0.71
Alaska	5.87	0.89	(49)	-23.29 ^c	Nebraska	6.93	0.42	(41)	-9.55
Arizona	6.72 ^b	0.22	(45)	-12.19	Nevada	8.69	0.43	(09)	13.48
Arkansas	6.94	0.33	(40)	-9.35	New Hampshire	8.80	0.57	(07)	14.97
California	7.03 ^b	0.10	(38)	-8.26	New Jersey	8.82 ^b	0.22	(06)	15.19 ^c
Colorado	6.89	0.30	(42)	-10.09	New Mexico	5.83 ^b	0.37	(50)	-23.93 ^c
Connecticut	8.69	0.34	(10)	13.47	New York	7.83	0.14	(22)	2.27
Delaware	8.80	0.68	(08)	14.96	North Carolina	7.13	0.21	(37)	-6.93
D.C.	7.17	0.84	(35)	-6.36	North Dakota	7.81	0.68	(23)	1.99
Florida	7.35	0.12	(29)	-3.99	Ohio	9.04 ^b	0.19	(05)	18.05 ^c
Georgia	7.18	0.23	(34)	-6.25	Oklahoma	7.35	0.31	(30)	-4.02
Hawaii	4.62 ^b	0.38	(51)	-39.67 ^c	Oregon	8.20	0.31	(16)	7.05
Idaho	7.48	0.50	(28)	-2.29	Pennsylvania	8.45 ^b	0.17	(14)	10.40
Illinois	7.97	0.18	(20)	4.08	Rhode Island	9.75	0.64	(03)	27.33 ^c
Indiana	8.05	0.25	(19)	5.17	South Carolina	6.76	0.28	(44)	-11.74
Iowa	8.48	0.34	(12)	10.75	South Dakota	7.54	0.62	(27)	-1.52
Kansas	6.97	0.34	(39)	-9.00	Tennessee	7.65	0.25	(25)	-0.14
Kentucky	8.13	0.31	(18)	6.19	Texas	6.65 ^b	0.13	(47)	-13.22
Louisiana	7.30	0.30	(32)	-4.71	Utah	6.05 ^b	0.39	(48)	-21.05 ^c
Maine	10.33 ^b	0.57	(02)	34.84 ^c	Vermont	10.94 ^b	0.89	(01)	42.80 ^c
Maryland	8.18	0.29	(17)	6.82	Virginia	7.34	0.23	(31)	-4.16
Massachusetts	9.12 ^b	0.26	(04)	19.12 ^c	Washington	8.21	0.25	(15)	7.17
Michigan	8.61 ^b	0.21	(11)	12.45	West Virginia	7.94	0.42	(21)	3.74
Minnesota	7.24	0.26	(33)	-5.45	Wisconsin	8.47	0.27	(13)	10.62
Mississippi	6.70	0.35	(46)	-12.51	Wyoming	7.15	0.81	(36)	-6.67
Missouri	7.59	0.24	(26)	-0.88					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.