


Table 27.20
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2005-2009

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	2.19	0.02		
High Five States				
Maine	3.06	0.25	(01)	39.61 ^c
D.C.	2.81	0.40	(02)	27.96 ^c
Nevada	2.69	0.21	(03)	22.63 ^c
Massachusetts	2.64 ^b	0.11	(04)	20.23 ^c
Maryland	2.61	0.13	(05)	18.92 ^c
Low Five States				
South Dakota	1.69	0.25	(47)	-22.79 ^c
New Mexico	1.53 ^b	0.16	(48)	-30.27 ^c
Alaska	1.52	0.39	(49)	-30.59 ^c
Hawaii	1.38 ^b	0.18	(50)	-37.22 ^c
Utah	1.35 ^b	0.16	(51)	-38.37 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	1.95	0.11	(38)	-11.18	Montana	1.99	0.25	(35)	-9.20
Alaska	1.52	0.39	(49)	-30.59 ^c	Nebraska	1.99	0.18	(36)	-9.51
Arizona	1.69 ^b	0.10	(46)	-22.77 ^c	Nevada	2.69	0.21	(03)	22.63 ^c
Arkansas	2.27	0.16	(22)	3.30	New Hampshire	2.43	0.24	(13)	10.85
California	2.06	0.05	(32)	-6.24	New Jersey	2.56 ^b	0.09	(07)	16.72 ^c
Colorado	1.75 ^b	0.12	(44)	-20.17 ^c	New Mexico	1.53 ^b	0.16	(48)	-30.27 ^c
Connecticut	2.60	0.15	(06)	18.53 ^c	New York	2.24	0.06	(25)	2.02
Delaware	2.43	0.29	(14)	10.56	North Carolina	2.27	0.09	(21)	3.56
D.C.	2.81	0.40	(02)	27.96 ^c	North Dakota	1.80	0.28	(43)	-17.78 ^c
Florida	2.15	0.06	(28)	-1.81	Ohio	2.52 ^b	0.08	(09)	14.65
Georgia	2.12	0.10	(29)	-3.21	Oklahoma	1.84	0.13	(42)	-16.18 ^c
Hawaii	1.38 ^b	0.18	(50)	-37.22 ^c	Oregon	2.26	0.14	(23)	2.90
Idaho	2.01	0.22	(34)	-8.59	Pennsylvania	2.36	0.07	(17)	7.76
Illinois	2.37	0.08	(16)	7.83	Rhode Island	2.53	0.26	(08)	15.36 ^c
Indiana	2.35	0.11	(19)	7.05	South Carolina	2.17	0.13	(27)	-1.19
Iowa	2.06	0.14	(33)	-6.31	South Dakota	1.69	0.25	(47)	-22.79 ^c
Kansas	1.88	0.15	(40)	-14.18	Tennessee	2.06	0.10	(31)	-5.92
Kentucky	2.25	0.13	(24)	2.58	Texas	1.90 ^b	0.06	(39)	-13.57
Louisiana	2.37	0.14	(15)	7.94	Utah	1.35 ^b	0.16	(51)	-38.37 ^c
Maine	3.06	0.25	(01)	39.61 ^c	Vermont	2.44	0.34	(12)	11.31
Maryland	2.61	0.13	(05)	18.92 ^c	Virginia	2.07	0.10	(30)	-5.72
Massachusetts	2.64 ^b	0.11	(04)	20.23 ^c	Washington	2.33	0.11	(20)	6.06
Michigan	2.36	0.09	(18)	7.67	West Virginia	2.48	0.19	(11)	12.88
Minnesota	1.87	0.11	(41)	-14.60	Wisconsin	2.50	0.12	(10)	14.01
Mississippi	1.73	0.14	(45)	-21.17 ^c	Wyoming	2.19	0.39	(26)	-0.03
Missouri	1.98	0.10	(37)	-9.71					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.