

Table A.1

Number of Incidence Cases, 2006-2010

By Primary Cancer Site, Race and Sex
18 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	47,286	32,823	14,463	39,036	27,272	11,764	4,347	2,990	1,357
Esophagus	18,984	14,702	4,282	15,804	12,447	3,357	2,124	1,480	644
Stomach	31,599	19,124	12,475	22,409	13,978	8,431	4,487	2,528	1,959
Colon & Rectum	190,166	97,800	92,366	150,959	78,148	72,811	22,330	10,905	11,425
Colon	135,206	66,533	68,673	107,785	53,377	54,408	16,476	7,792	8,684
Rectum	54,960	31,267	23,693	43,174	24,771	18,403	5,854	3,113	2,741
Liver & IBD ^a	33,637	24,234	9,403	23,597	17,078	6,519	4,155	3,076	1,079
Pancreas	51,395	25,697	25,698	41,407	20,931	20,476	6,140	2,949	3,191
Larynx	14,693	11,764	2,929	11,886	9,489	2,397	2,189	1,747	442
Lung & Bronchus	255,990	135,823	120,167	213,157	111,501	101,656	27,624	15,664	11,960
Melanoma of the skin	89,930	52,234	37,696	84,487	49,368	35,119	410	186	224
Breast	287,687	2,296	285,391	233,249	1,838	231,411	30,343	305	30,038
Cervix uteri	17,288	-	17,288	13,011	-	13,011	2,434	-	2,434
Corpus & Uterus, NOS	57,190	-	57,190	46,747	-	46,747	5,380	-	5,380
Ovary ^b	29,070	-	29,070	24,333	-	24,333	2,336	-	2,336
Prostate	295,797	295,797	-	229,848	229,848	-	41,027	41,027	-
Testis	11,637	11,637	-	10,518	10,518	-	335	335	-
Urinary bladder	85,752	64,895	20,857	76,384	58,222	18,162	4,662	3,129	1,533
Kidney & Renal pelvis	65,613	41,079	24,534	54,067	34,031	20,036	7,455	4,519	2,936
Brain & ONS ^a	27,410	15,270	12,140	23,772	13,357	10,415	1,914	970	944
Thyroid	52,338	12,517	39,821	42,902	10,631	32,271	3,391	649	2,742
Hodgkin lymphoma	11,775	6,498	5,277	9,649	5,330	4,319	1,405	776	629
Non-Hodgkin lymphoma	83,105	45,135	37,970	70,162	38,158	32,004	6,242	3,403	2,839
Myeloma	25,028	13,914	11,114	18,637	10,655	7,982	4,715	2,373	2,342
Leukemia	53,448	30,545	22,903	45,054	25,918	19,136	4,093	2,225	1,868
Acute lymphocytic	6,974	3,924	3,050	5,831	3,262	2,569	520	318	202
Chronic lymphocytic	18,082	10,777	7,305	15,764	9,386	6,378	1,088	642	446
Acute myeloid	15,392	8,246	7,146	12,709	6,939	5,770	1,310	635	675
Chronic myeloid	6,803	3,973	2,830	5,501	3,228	2,273	668	356	312
All others	6,197	3,625	2,572	5,249	3,103	2,146	507	274	233
Kaposi Sarcoma	2,283	2,061	222	1,570	1,416	154	520	472	48
Mesothelioma	4,184	3,201	983	3,823	2,943	880	217	156	61
All Sites	1,968,702	1,018,709	949,993	1,609,615	832,408	777,207	202,866	107,583	95,283

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.1

Number of Incidence Cases, 2006-2010

By Primary Cancer Site, Race and Sex
18 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	3,022	1,959	1,063	191	133	58	3,416	2,238	1,178
Esophagus	841	622	219	91	62	29	1,307	1,050	257
Stomach	4,251	2,350	1,901	225	130	95	5,328	3,061	2,267
Colon & Rectum	14,017	7,197	6,820	909	462	447	17,882	9,633	8,249
Colon	9,172	4,432	4,740	619	292	327	12,078	6,213	5,865
Rectum	4,845	2,765	2,080	290	170	120	5,804	3,420	2,384
Liver & IBD ^c	5,308	3,662	1,646	325	230	95	6,090	4,351	1,739
Pancreas	3,377	1,601	1,776	235	111	124	4,884	2,357	2,527
Larynx	441	383	58	59	45	-	1,102	951	151
Lung & Bronchus	13,390	7,686	5,704	869	450	419	13,605	7,251	6,354
Melanoma of the skin	494	259	235	98	48	50	2,522	1,105	1,417
Breast	20,455	123	20,332	1,097	-	1,090	27,616	150	27,466
Cervix uteri	1,475	-	1,475	118	-	118	3,840	-	3,840
Corpus & Uterus, NOS	4,195	-	4,195	295	-	295	5,849	-	5,849
Ovary ^d	2,063	-	2,063	142	-	142	3,400	-	3,400
Prostate	13,010	13,010	-	756	756	-	25,092	25,092	-
Testis	412	412	-	82	82	-	2,548	2,548	-
Urinary bladder	3,143	2,377	766	167	133	34	4,771	3,527	1,244
Kidney & Renal pelvis	3,026	1,867	1,159	473	274	199	7,889	4,737	3,152
Brain & ONS ^c	1,387	766	621	104	57	47	3,544	1,935	1,609
Thyroid	5,069	1,017	4,052	218	49	169	7,495	1,381	6,114
Hodgkin lymphoma	551	298	253	32	-	18	1,890	1,056	834
Non-Hodgkin lymphoma	4,894	2,613	2,281	291	153	138	9,202	4,941	4,261
Myeloma	1,279	677	602	85	41	44	2,577	1,388	1,189
Leukemia	2,788	1,516	1,272	196	106	90	6,727	3,734	2,993
Acute lymphocytic	506	277	229	42	24	18	2,511	1,391	1,120
Chronic lymphocytic	367	221	146	30	21	-	860	484	376
Acute myeloid	1,178	582	596	69	31	38	1,862	974	888
Chronic myeloid	428	279	149	33	-	18	824	486	338
All others	309	157	152	22	-	-	670	399	271
Kaposi Sarcoma	75	71	-	-	-	-	519	470	49
Mesothelioma	117	81	36	-	-	-	388	280	108
All Sites	116,445	53,985	62,460	7,687	3,638	4,049	183,428	89,606	93,822

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Incidence data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

^c Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^d IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

^e Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2006-2010

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	40,202	27,551	12,651	33,656	22,849	10,807	5,055	3,709	1,346
Esophagus	69,389	54,764	14,625	60,874	48,556	12,318	7,132	5,164	1,968
Stomach	56,659	33,513	23,146	42,473	25,287	17,186	9,931	5,823	4,108
Colon & Rectum	263,165	134,617	128,548	221,000	113,322	107,678	34,282	17,280	17,002
Liver & IBD ^a	91,540	61,096	30,444	72,268	47,739	24,529	12,469	8,751	3,718
Pancreas	175,321	87,775	87,546	149,690	75,717	73,973	20,571	9,619	10,952
Larynx	18,536	14,648	3,888	15,035	11,813	3,222	3,178	2,557	621
Lung & Bronchus	792,203	441,505	350,698	691,770	382,146	309,624	82,214	48,757	33,457
Melanoma of the skin	43,878	28,649	15,229	42,902	28,165	14,737	653	314	339
Breast	205,715	2,036	203,679	170,984	1,683	169,301	29,545	321	29,224
Cervix uteri	19,853	-	19,853	14,951	-	14,951	4,000	-	4,000
Corpus & Uterus, NOS	38,630	-	38,630	30,905	-	30,905	6,627	-	6,627
Ovary	72,848	-	72,848	64,692	-	64,692	6,084	-	6,084
Prostate	142,584	142,584	-	116,179	116,179	-	23,840	23,840	-
Testis	1,817	1,817	-	1,659	1,659	-	104	104	-
Urinary bladder	70,284	49,317	20,967	64,110	45,731	18,379	5,089	2,850	2,239
Kidney & Renal pelvis	64,191	40,626	23,565	56,479	35,825	20,654	6,016	3,681	2,335
Brain & ONS ^a	68,184	38,034	30,150	62,470	35,001	27,469	4,164	2,185	1,979
Thyroid	8,122	3,448	4,674	6,926	3,057	3,869	747	239	508
Hodgkin lymphoma	6,250	3,519	2,731	5,486	3,077	2,409	640	361	279
Non-Hodgkin lymphoma	102,172	55,151	47,021	92,254	49,749	42,505	7,180	3,927	3,253
Myeloma	53,902	29,001	24,901	43,364	23,733	19,631	9,314	4,592	4,722
Leukemia	111,736	63,548	48,188	99,627	56,981	42,646	9,305	5,021	4,284
Acute lymphocytic	7,094	4,001	3,093	6,237	3,504	2,733	588	349	239
Chronic lymphocytic	22,407	13,355	9,052	20,358	12,101	8,257	1,862	1,130	732
Acute myeloid	44,442	25,005	19,437	39,601	22,540	17,061	3,396	1,691	1,705
Chronic myeloid	5,083	2,870	2,213	4,365	2,454	1,911	565	326	239
All others	32,710	18,317	14,393	29,066	16,382	12,684	2,894	1,525	1,369
All Sites	2,830,559	1,475,960	1,354,599	2,431,059	1,269,792	1,161,267	321,652	166,047	155,605

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2006-2010

By Primary Cancer Site, Race and Sex
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,271	848	423	145	96	49	1,862	1,360	502
Esophagus	1,074	804	270	216	164	52	2,727	2,211	516
Stomach	3,831	2,135	1,696	345	218	127	6,938	3,933	3,005
Colon & Rectum	6,517	3,314	3,203	992	498	494	14,641	8,050	6,591
Liver & IBD ^c	6,012	4,072	1,940	569	378	191	10,357	6,925	3,432
Pancreas	4,339	2,075	2,264	531	260	271	9,639	4,827	4,812
Larynx	225	196	29	61	52	-	941	828	113
Lung & Bronchus	14,688	8,652	6,036	2,324	1,252	1,072	23,406	14,519	8,887
Melanoma of the skin	226	115	111	71	42	29	1,006	583	423
Breast	4,338	25	4,313	568	-	562	10,868	70	10,798
Cervix uteri	716	-	716	140	-	140	2,369	-	2,369
Corpus & Uterus, NOS	946	-	946	109	-	109	2,284	-	2,284
Ovary	1,730	-	1,730	236	-	236	3,980	-	3,980
Prostate	1,995	1,995	-	379	379	-	7,193	7,193	-
Testis	38	38	-	-	-	-	335	335	-
Urinary bladder	887	601	286	125	89	36	2,389	1,632	757
Kidney & Renal pelvis	1,195	789	406	395	255	140	4,217	2,706	1,511
Brain & ONS ^c	1,288	710	578	181	93	88	4,166	2,304	1,862
Thyroid	416	136	280	25	-	-	698	281	417
Hodgkin lymphoma	104	65	39	-	-	-	589	340	249
Non-Hodgkin lymphoma	2,376	1,284	1,092	270	140	130	6,210	3,396	2,814
Myeloma	981	544	437	166	90	76	3,181	1,697	1,484
Leukemia	2,382	1,301	1,081	299	185	114	6,735	3,701	3,034
Acute lymphocytic	221	125	96	37	16	21	1,445	786	659
Chronic lymphocytic	133	89	44	34	24	-	513	282	231
Acute myeloid	1,263	667	596	125	79	46	2,526	1,375	1,151
Chronic myeloid	122	68	54	25	19	-	321	191	130
All others	643	352	291	78	47	31	1,930	1,067	863
All Sites	64,441	33,138	31,303	9,437	4,852	4,585	143,769	75,631	68,138

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Mortality data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Mortality data for Hispanics excludes deaths from District of Columbia, North Dakota and South Carolina.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.