

Table 23.12
Cancer of the Prostate (Invasive)

Age-Adjusted SEER Incidence Rates^a
By Registry, Race and Age

	All Races			Whites			Blacks		
	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+
<u>SEER Incidence Rates^a, 2006-2010</u>									
California	140.29	51.48	754.17	136.65	50.69	730.82	203.00	97.03	935.48
Greater Bay Area	152.49	57.68	807.85	162.71	61.98	859.01	215.22	98.42	1022.58
San Francisco-Oakland	149.68	57.56	786.39	156.94	60.40	824.30	218.43	98.62	1046.59
San Jose-Monterey	158.06	57.89	850.46	172.88	64.73	920.45	189.63	96.34	834.44
Los Angeles	134.32	48.76	725.75	124.39	45.43	670.19	206.24	101.13	932.82
Greater California	138.68	50.46	748.50	133.84	49.36	717.81	193.48	92.59	890.88
Connecticut	160.00	67.27	800.94	152.32	62.75	771.49	224.84	103.19	1065.74
Detroit	191.71	77.17	983.48	169.73	65.30	891.61	256.04	114.54	1234.20
Georgia	165.68	68.88	834.79	142.24	56.73	733.37	253.53	107.65	1261.94
Atlanta	191.08	81.15	950.98	163.23	67.33	826.18	271.98	116.24	1348.48
Rural Georgia	173.90	73.22	869.82	151.40	57.53	800.25	219.05	103.11	1020.49
Greater Georgia	155.12	62.88	792.73	135.12	52.69	704.96	242.93	101.39	1221.31
Hawaii	119.94	36.30	698.07	123.97	43.81	678.11	175.59	112.56	611.26
Iowa	137.15	52.89	719.60	132.53	50.83	697.32	184.73	79.26	913.79
Kentucky	134.58	52.89	699.26	129.17	48.20	688.85	190.76	91.56	876.46
Louisiana	169.25	67.25	874.31	152.25	58.32	801.56	229.96	94.96	1163.14
New Jersey	169.20	69.93	855.32	161.99	66.55	821.73	233.75	101.95	1144.79
New Mexico	134.06	50.35	712.65	135.52	51.74	714.61	117.64	66.88	468.47
Seattle-Puget Sound	160.89	59.73	860.14	161.69	59.72	866.50	224.92	102.91	1068.29
Utah	175.89	65.18	941.11	175.48	65.99	932.32	174.71	65.97	926.37
9 SEER Areas ^b	159.94	62.74	831.86	154.64	59.93	809.27	244.16	109.01	1178.35
11 SEER Areas ^b	154.27	59.43	809.85	149.58	57.26	787.71	233.05	106.99	1104.45
13 SEER Areas ^b	154.18	59.40	809.33	149.59	57.26	787.78	232.87	106.94	1103.32
18 SEER Areas ^b	151.97	58.79	796.08	144.85	55.50	762.46	228.48	101.77	1104.29

^a

Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

^b

The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 11 areas comprise the SEER 9 areas plus San Jose-Monterey and Los Angeles.

The SEER 13 areas comprise the SEER 11 areas plus the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

-

Statistic not shown. Rate based on less than 16 cases for the time interval.