

Table 27.7
Cancer of the Urinary Bladder (Invasive and *In Situ*)

SEER Incidence^a and U.S. Death^b Rates, Age-Adjusted and Age-Specific Rates, by Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
SEER Incidence									
Age at Diagnosis									
Age-Adjusted Rates, 2006-2010									
All ages	20.7	36.6	8.9	22.5	39.8	9.5	12.5	21.0	7.1
Under 65	5.5	8.7	2.6	6.1	9.5	2.9	3.5	5.5	1.7
65 and over	125.3	229.9	52.3	136.2	249.7	55.5	75.2	127.7	44.1
All ages (IARC world std) ^c	12.0	20.5	5.2	13.2	22.3	5.6	7.3	12.0	4.0
Age-Specific Rates, 2006-2010									
<1	-	-	-	-	-	-	-	-	-
1-4	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-
15-19	0.1	-	-	0.1	-	-	-	-	-
20-24	0.2	0.2	0.1	0.2	0.3	-	-	-	-
25-29	0.4	0.5	0.2	0.4	0.6	0.3	-	-	-
30-34	0.7	1.0	0.3	0.7	1.1	0.4	-	-	-
35-39	1.4	2.0	0.8	1.6	2.2	0.9	0.9	1.4	-
40-44	2.9	4.2	1.7	3.3	4.6	1.9	1.4	2.3	-
45-49	6.8	10.3	3.5	7.6	11.3	3.8	4.0	5.6	2.5
50-54	13.8	20.9	6.9	15.0	22.5	7.5	10.0	15.1	5.4
55-59	25.8	41.2	11.4	28.5	44.9	12.7	16.8	27.6	7.7
60-64	45.8	74.2	19.7	50.6	81.2	21.7	27.8	45.9	13.0
65-69	76.6	126.8	32.4	84.2	139.0	34.8	48.5	76.3	27.0
70-74	108.4	187.5	43.3	120.1	206.5	47.3	61.6	101.4	33.1
75-79	147.1	262.3	60.6	160.8	285.7	64.7	81.6	133.6	48.7
80-84	174.5	331.8	72.7	186.9	355.5	76.1	114.3	201.3	68.1
85+	172.9	371.0	76.5	183.1	398.1	78.6	106.0	200.5	68.7
U.S. Mortality									
Age at Death									
Age-Adjusted Rates, 2006-2010									
All ages	4.4	7.7	2.2	4.6	8.1	2.2	3.7	5.5	2.6
Under 65	0.7	1.1	0.4	0.7	1.1	0.4	0.7	1.0	0.5
65 and over	30.0	53.4	15.0	31.3	56.1	15.1	24.1	36.5	17.4
All ages (IARC world std) ^c	2.2	3.7	1.1	2.3	3.8	1.1	1.9	2.7	1.3
Age-Specific Rates, 2006-2010									
<1	-	-	-	-	-	-	-	-	-
1-4	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-
25-29	0.0	-	-	-	-	-	-	-	-
30-34	0.0	0.1	0.0	0.0	0.1	-	-	-	-
35-39	0.1	0.2	0.1	0.1	0.2	0.1	-	-	-
40-44	0.3	0.4	0.2	0.3	0.4	0.2	0.3	0.4	0.3
45-49	0.8	1.1	0.5	0.8	1.2	0.5	1.0	1.1	0.8
50-54	1.7	2.6	1.0	1.8	2.7	0.9	1.9	2.6	1.3
55-59	3.4	5.3	1.6	3.5	5.5	1.6	3.7	5.3	2.4
60-64	6.4	10.1	2.9	6.7	10.7	3.0	5.4	8.1	3.3
65-69	11.1	17.8	5.2	11.7	18.8	5.3	9.2	13.5	6.0
70-74	18.2	29.5	8.7	19.1	31.4	8.7	15.3	21.5	10.9
75-79	30.3	50.7	14.9	31.7	53.2	15.0	24.9	35.5	18.3
80-84	47.6	85.0	23.4	49.6	88.8	23.6	36.7	57.9	25.6
85+	75.1	149.5	40.1	77.7	156.5	40.3	58.9	94.6	45.2

^a SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^c Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.