


Table 27.18
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2006-2010

Males and Females

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
TOTAL U.S.	4.41	0.02							
High Five States									
Maine	6.12	0.27	(01)	38.79 ^c					
Vermont	5.62	0.40	(02)	27.39 ^c					
Nevada	5.42	0.22	(03)	22.93 ^c					
Massachusetts	5.19	0.12	(04)	17.74 ^c					
Rhode Island	5.10	0.29	(05)	15.60 ^c					
Low Five States									
Utah	3.62	0.20	(47)	-17.87 ^c					
Mississippi	3.58	0.16	(48)	-18.81 ^c					
Alaska	3.49	0.44	(49)	-20.84 ^c					
New Mexico	3.39	0.18	(50)	-23.15 ^c					
Hawaii	2.78	0.19	(51)	-37.09 ^c					
State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	3.82	0.12	(46)	-13.38	Montana	4.57	0.28	(21)	3.62
Alaska	3.49	0.44	(49)	-20.84 ^c	Nebraska	4.04	0.20	(39)	-8.54
Arizona	3.99	0.11	(41)	-9.57	Nevada	5.42	0.22	(03)	22.93 ^c
Arkansas	4.38	0.17	(27)	-0.79	New Hampshire	5.01	0.27	(07)	13.60
California	4.02	0.05	(40)	-8.96	New Jersey	4.93	0.10	(08)	11.73
Colorado	3.85	0.14	(43)	-12.84	New Mexico	3.39	0.18	(50)	-23.15 ^c
Connecticut	4.77	0.15	(13)	8.19	New York	4.48	0.07	(25)	1.65
Delaware	4.91	0.32	(09)	11.24	North Carolina	4.20	0.10	(34)	-4.69
D.C.	4.20	0.39	(35)	-4.74	North Dakota	4.65	0.34	(18)	5.38
Florida	4.51	0.06	(23)	2.24	Ohio	5.09	0.09	(06)	15.37 ^c
Georgia	4.18	0.11	(36)	-5.21	Oklahoma	4.29	0.15	(30)	-2.84
Hawaii	2.78	0.19	(51)	-37.09 ^c	Oregon	4.63	0.15	(19)	5.02
Idaho	4.32	0.24	(28)	-2.10	Pennsylvania	4.81	0.08	(11)	8.99
Illinois	4.49	0.08	(24)	1.89	Rhode Island	5.10	0.29	(05)	15.60 ^c
Indiana	4.63	0.12	(20)	4.96	South Carolina	4.14	0.13	(37)	-6.23
Iowa	4.51	0.16	(22)	2.30	South Dakota	3.90	0.29	(42)	-11.54
Kansas	3.82	0.16	(45)	-13.35	Tennessee	4.28	0.12	(31)	-3.03
Kentucky	4.74	0.15	(14)	7.45	Texas	3.85	0.06	(44)	-12.84
Louisiana	4.25	0.14	(32)	-3.60	Utah	3.62	0.20	(47)	-17.87 ^c
Maine	6.12	0.27	(01)	38.79 ^c	Vermont	5.62	0.40	(02)	27.39 ^c
Maryland	4.79	0.13	(12)	8.67	Virginia	4.23	0.11	(33)	-4.19
Massachusetts	5.19	0.12	(04)	17.74 ^c	Washington	4.72	0.12	(15)	7.01
Michigan	4.82	0.09	(10)	9.27	West Virginia	4.66	0.20	(17)	5.61
Minnesota	4.10	0.12	(38)	-7.13	Wisconsin	4.66	0.12	(16)	5.65
Mississippi	3.58	0.16	(48)	-18.81 ^c	Wyoming	4.43	0.40	(26)	0.38
Missouri	4.31	0.11	(29)	-2.35					



Age-Adjusted Death
Rates per 100,000
Quantile Interval

- 4.92 - 6.12
- 4.67 - 4.91
- 4.44 - 4.66
- 4.21 - 4.43
- 3.86 - 4.20
- 2.78 - 3.85

U.S. Rate: 4.41

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.