


Table 27.20
Cancer of the Urinary Bladder (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2006-2010

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	2.22	0.02		
High Five States				
Maine	3.03	0.25	(01)	36.89 ^c
Nevada	2.84	0.22	(02)	28.07 ^c
D.C.	2.77	0.41	(03)	25.16 ^c
Vermont	2.69	0.36	(04)	21.47 ^c
Massachusetts	2.63	0.11	(05)	18.70 ^c
Low Five States				
Arizona	1.75	0.10	(47)	-20.82 ^c
South Dakota	1.66	0.24	(48)	-25.00 ^c
Utah	1.52	0.17	(49)	-31.22 ^c
New Mexico	1.46	0.16	(50)	-33.94 ^c
Hawaii	1.30	0.18	(51)	-41.20 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	1.99	0.12	(39)	-10.22	Montana	1.87	0.24	(43)	-15.62 ^c
Alaska	1.77	0.43	(46)	-19.95 ^c	Nebraska	2.10	0.19	(33)	-5.47
Arizona	1.75	0.10	(47)	-20.82 ^c	Nevada	2.84	0.22	(02)	28.07 ^c
Arkansas	2.34	0.16	(17)	5.77	New Hampshire	2.53	0.25	(09)	13.95
California	2.07	0.05	(35)	-6.82	New Jersey	2.60	0.10	(06)	17.34 ^c
Colorado	1.81	0.12	(44)	-18.54 ^c	New Mexico	1.46	0.16	(50)	-33.94 ^c
Connecticut	2.46	0.14	(12)	11.22	New York	2.27	0.06	(24)	2.62
Delaware	2.41	0.29	(13)	8.94	North Carolina	2.25	0.09	(25)	1.67
D.C.	2.77	0.41	(03)	25.16 ^c	North Dakota	2.07	0.30	(34)	-6.81
Florida	2.19	0.06	(27)	-1.09	Ohio	2.50	0.08	(10)	12.73
Georgia	2.14	0.10	(29)	-3.39	Oklahoma	2.04	0.13	(36)	-7.75
Hawaii	1.30	0.18	(51)	-41.20 ^c	Oregon	2.22	0.13	(26)	0.38
Idaho	1.95	0.22	(40)	-12.22	Pennsylvania	2.41	0.07	(14)	8.92
Illinois	2.33	0.08	(20)	5.29	Rhode Island	2.59	0.26	(08)	16.81 ^c
Indiana	2.38	0.11	(16)	7.33	South Carolina	2.31	0.13	(22)	4.03
Iowa	2.00	0.14	(37)	-9.92	South Dakota	1.66	0.24	(48)	-25.00 ^c
Kansas	1.99	0.15	(38)	-10.05	Tennessee	2.10	0.11	(31)	-5.21
Kentucky	2.29	0.13	(23)	3.30	Texas	1.90	0.06	(42)	-14.31
Louisiana	2.34	0.14	(18)	5.57	Utah	1.52	0.17	(49)	-31.22 ^c
Maine	3.03	0.25	(01)	36.89 ^c	Vermont	2.69	0.36	(04)	21.47 ^c
Maryland	2.59	0.13	(07)	17.07 ^c	Virginia	2.13	0.10	(30)	-3.91
Massachusetts	2.63	0.11	(05)	18.70 ^c	Washington	2.40	0.12	(15)	8.26
Michigan	2.33	0.09	(19)	5.31	West Virginia	2.49	0.19	(11)	12.23
Minnesota	1.92	0.11	(41)	-13.49	Wisconsin	2.33	0.11	(21)	4.96
Mississippi	1.78	0.14	(45)	-19.52 ^c	Wyoming	2.10	0.37	(32)	-5.37
Missouri	2.17	0.11	(28)	-1.91					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.