

Table 1.25
Age-Adjusted SEER Incidence Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

			Males					
All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2007-2011	2002-2011		2007-2011	2002-2011		2007-2011	2002-2011
All Sites	529.4	-1.2*	All Sites	532.1	-1.2*	All Sites	600.9	-1.9*
Prostate	147.8	-2.3*	Prostate	139.9	-2.6*	Prostate	223.9	-2.5*
Lung and Bronchus	72.2	-2.4*	Lung and Bronchus	72.4	-2.3*	Lung and Bronchus	93.0	-2.8*
Colon and Rectum	50.6	-3.0*	Colon and Rectum	49.6	-3.2*	Colon and Rectum	62.3	-2.8*
Urinary Bladder	36.2	-0.8*	Urinary Bladder	39.4	-0.8*	Kidney and Renal Pelvis	24.7	2.1*
Melanoma of the Skin	27.7	1.6*	Melanoma of the Skin	32.3	1.6*	Urinary Bladder	21.3	0.1
Non-Hodgkin Lymphoma	23.9	0.0	Non-Hodgkin Lymphoma	24.9	-0.1	Non-Hodgkin Lymphoma	17.4	-0.5
Kidney and Renal Pelvis	21.2	1.8*	Kidney and Renal Pelvis	21.7	1.8*	Pancreas	17.2	0.3
Leukemia	16.7	-0.3	Leukemia	17.5	-0.3	Liver & IBD ^f	15.6	3.6*
Oral Cavity and Pharynx	16.5	0.4*	Oral Cavity and Pharynx	17.0	0.8*	Stomach	15.3	-3.1*
Pancreas	14.0	0.9*	Pancreas	14.0	1.0*	Myeloma	14.8	-0.3
Liver & IBD ^f	12.4	3.7*	Liver & IBD ^f	10.8	4.3*	Oral Cavity and Pharynx	14.7	-2.9*
Stomach	10.3	-1.6*	Stomach	9.2	-1.2*	Leukemia	12.9	-1.3
Myeloma	7.7	0.7*	Brain and ONS ^f	8.4	-0.5	Larynx	9.0	-3.5*
Esophagus	7.7	-0.7	Esophagus	8.0	-0.1	Esophagus	7.9	-4.8*
Brain and ONS ^f	7.6	-0.5*	Myeloma	7.2	0.7*	Brain and ONS ^f	4.7	-0.5
Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2007-2011	2002-2011		2007-2011	2002-2011		2007-2011	2002-2011
All Sites	331.0	-1.8*	All Sites	348.1	-0.7	All Sites	405.0	-1.6*
Prostate	79.3	-3.8*	Prostate	71.5	-3.9*	Prostate	121.8	-3.4*
Lung and Bronchus	49.4	-2.2*	Lung and Bronchus	49.5	-2.4	Colon and Rectum	44.3	-2.0*
Colon and Rectum	43.1	-2.4*	Colon and Rectum	45.5	0.2	Lung and Bronchus	39.6	-3.1*
Liver & IBD ^f	21.6	-0.7	Kidney and Renal Pelvis	25.3	2.4	Non-Hodgkin Lymphoma	20.6	0.4
Non-Hodgkin Lymphoma	16.3	0.0	Liver & IBD ^f	20.7	5.1	Kidney and Renal Pelvis	20.2	1.4
Urinary Bladder	15.5	-2.0*	Urinary Bladder	15.4	-	Urinary Bladder	20.0	-1.1*
Stomach	14.9	-4.1*	Non-Hodgkin Lymphoma	14.1	1.4	Liver & IBD ^f	18.7	3.2*
Kidney and Renal Pelvis	11.5	2.6*	Stomach	12.9	-4.3*	Stomach	14.8	-1.7*
Oral Cavity and Pharynx	10.9	-0.3	Pancreas	12.6	-	Leukemia	12.4	-0.3
Pancreas	10.7	0.8	Oral Cavity and Pharynx	12.5	4.1	Pancreas	12.2	1.0
Leukemia	9.4	0.1	Leukemia	8.6	1.7	Oral Cavity and Pharynx	9.8	0.9
Thyroid	5.7	5.7*	Esophagus	4.8	-	Myeloma	6.9	-0.6
Myeloma	4.5	1.8*	Testis	4.5	-	Brain and ONS ^f	5.8	-1.4*
Brain and ONS ^f	4.2	0.8	Larynx	4.3	-	Esophagus	5.2	-1.1
Esophagus	3.7	-1.2	Myeloma	4.3	-	Testis	4.8	3.0*

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Top 15 cancer sites selected based on 2007-2011 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^f IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.