

Table 4.13  
Cancer of the Female Breast (*In Situ*)

SEER Incidence<sup>a</sup> Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2007-2011</u>			
Age at Diagnosis:			
All ages	31.7	32.1	29.9
Under 65	23.6	23.9	20.9
65 and over	87.7	88.4	92.0
All ages (IARC world std) <sup>b</sup>	23.9	24.2	22.3
<u>Age-Specific Rates, 2007-2011</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.1	-	-
25-29	0.7	0.6	0.9
30-34	2.7	2.5	3.3
35-39	10.9	10.9	10.5
40-44	40.4	40.9	32.6
45-49	61.4	63.2	46.5
50-54	74.0	75.8	60.7
55-59	74.8	75.4	73.4
60-64	89.5	89.5	96.4
65-69	105.4	106.2	104.1
70-74	100.2	101.0	108.6
75-79	92.6	93.4	95.3
80-84	70.0	71.0	78.3
85+	34.8	34.5	41.4

<sup>a</sup> SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

<sup>b</sup> Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.