



Table 5.14
Cancer of the Cervix Uteri (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011


Females

State	Rate	SE	Rank	PD
TOTAL U.S.	2.33	0.02		
High Five States				
Mississippi	3.46 ^b	0.21	(01)	48.24 ^c
Arkansas	3.39 ^b	0.21	(02)	45.57 ^c
West Virginia	3.27 ^b	0.26	(03)	40.28 ^c
Louisiana	3.13 ^b	0.16	(04)	34.36 ^c
Kentucky	3.06 ^b	0.16	(05)	31.28 ^c
Low Five States				
Rhode Island	1.39 ^b	0.21	(47)	-40.25 ^c
Massachusetts	1.38 ^b	0.08	(48)	-40.94 ^c
North Dakota	1.35 ^b	0.27	(49)	-42.28 ^c
Vermont	1.27 ^b	0.27	(50)	-45.54 ^c
Utah	1.21 ^b	0.15	(51)	-47.95 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	3.05 ^b	0.15	(06)	30.71 ^c	Montana	1.49 ^b	0.24	(45)	-35.94 ^c
Alaska	2.35	0.40	(20)	0.97	Nebraska	1.87	0.20	(37)	-19.78 ^c
Arizona	1.97	0.11	(35)	-15.63 ^c	Nevada	2.14	0.18	(26)	-8.16
Arkansas	3.39 ^b	0.21	(02)	45.57 ^c	New Hampshire	1.77	0.22	(40)	-23.89 ^c
California	2.29	0.05	(23)	-1.73	New Jersey	2.33	0.10	(21)	-0.17
Colorado	1.62 ^b	0.11	(41)	-30.60 ^c	New Mexico	2.10	0.20	(28)	-9.83
Connecticut	1.56 ^b	0.12	(43)	-33.30 ^c	New York	2.31	0.06	(22)	-1.02
Delaware	2.53	0.32	(18)	8.54	North Carolina	2.10	0.09	(29)	-9.89
D.C.	2.55	0.41	(16)	9.58	North Dakota	1.35 ^b	0.27	(49)	-42.28 ^c
Florida	2.63 ^b	0.07	(15)	12.68	Ohio	2.65	0.09	(13)	13.58
Georgia	2.71 ^b	0.11	(12)	16.28 ^c	Oklahoma	2.82	0.17	(08)	21.13 ^c
Hawaii	1.83	0.22	(39)	-21.67 ^c	Oregon	1.98	0.14	(34)	-15.04 ^c
Idaho	2.13	0.24	(27)	-8.54	Pennsylvania	2.14	0.08	(25)	-8.15
Illinois	2.63 ^b	0.09	(14)	12.98	Rhode Island	1.39 ^b	0.21	(47)	-40.25 ^c
Indiana	2.39	0.12	(19)	2.72	South Carolina	2.85	0.15	(07)	22.07 ^c
Iowa	2.05	0.16	(33)	-11.95	South Dakota	2.07	0.31	(31)	-11.20
Kansas	1.88	0.16	(36)	-19.26 ^c	Tennessee	2.82 ^b	0.13	(09)	20.87 ^c
Kentucky	3.06 ^b	0.16	(05)	31.28 ^c	Texas	2.80 ^b	0.07	(10)	20.28 ^c
Louisiana	3.13 ^b	0.16	(04)	34.36 ^c	Utah	1.21 ^b	0.15	(51)	-47.95 ^c
Maine	1.60 ^b	0.19	(42)	-31.36 ^c	Vermont	1.27 ^b	0.27	(50)	-45.54 ^c
Maryland	2.23	0.12	(24)	-4.40	Virginia	2.07	0.10	(32)	-11.21
Massachusetts	1.38 ^b	0.08	(48)	-40.94 ^c	Washington	1.86 ^b	0.10	(38)	-20.03 ^c
Michigan	2.08	0.09	(30)	-10.84	West Virginia	3.27 ^b	0.26	(03)	40.28 ^c
Minnesota	1.41 ^b	0.10	(46)	-39.43 ^c	Wisconsin	1.55 ^b	0.10	(44)	-33.63 ^c
Mississippi	3.46 ^b	0.21	(01)	48.24 ^c	Wyoming	2.79	0.46	(11)	19.55 ^c
Missouri	2.53	0.13	(17)	8.64					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.