

Table 8.14
Cancer of the Esophagus (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.23	0.21	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.18	0.16
	10	0.00	0.00	0.00	0.23	0.21		10	0.00	0.00	0.00	0.18	0.16
	20	0.00	0.00	0.01	0.23	0.21		20	0.00	0.00	0.00	0.18	0.16
	30	0.00	0.01	0.03	0.23	0.21		30	0.00	0.00	0.01	0.19	0.16
	40	0.01	0.03	0.08	0.23	0.22		40	0.00	0.01	0.03	0.19	0.16
	50	0.02	0.07	0.15	0.23	0.22		50	0.01	0.03	0.08	0.18	0.16
	60	0.05	0.13	0.20	0.22	0.21		60	0.02	0.07	0.13	0.18	0.16
	70	0.08	0.16	-	0.18	0.18		70	0.05	0.11	-	0.16	0.15
80	0.10	-	-	0.13	0.14	80	0.07	-	-	0.13	0.12		
White	0	0.00	0.00	0.00	0.23	0.21	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.16	0.23
	10	0.00	0.00	0.00	0.23	0.21		10	0.00	0.00	0.01	0.17	0.24
	20	0.00	0.00	0.01	0.23	0.22		20	0.00	0.01	0.02	0.17	0.24
	30	0.00	0.01	0.03	0.23	0.22		30	0.01	0.02	0.04	0.17	0.24
	40	0.01	0.03	0.07	0.23	0.22		40	0.01	0.03	0.08	0.16	0.24
	50	0.02	0.07	0.14	0.23	0.22		50	0.02	0.07	0.13	0.16	0.24
	60	0.05	0.13	0.20	0.22	0.21		60	0.05	0.11	0.14	0.14	0.24
	70	0.08	0.16	-	0.18	0.18		70	0.07	0.11	-	0.11	0.23
80	0.10	-	-	0.13	0.14	80	0.04	-	-	0.04	0.22		
Black	0	0.00	0.00	0.00	0.28	0.22	Hispanic ^b	0	0.00	0.00	0.00	0.17	0.15
	10	0.00	0.00	0.00	0.29	0.22		10	0.00	0.00	0.00	0.17	0.15
	20	0.00	0.00	0.01	0.29	0.22		20	0.00	0.00	0.01	0.17	0.15
	30	0.00	0.01	0.06	0.29	0.22		30	0.00	0.01	0.02	0.17	0.15
	40	0.01	0.06	0.14	0.29	0.22		40	0.00	0.02	0.05	0.17	0.15
	50	0.06	0.13	0.22	0.29	0.22		50	0.01	0.04	0.08	0.17	0.15
	60	0.08	0.18	0.23	0.25	0.20		60	0.03	0.07	0.14	0.16	0.15
	70	0.11	0.18	-	0.20	0.17		70	0.05	0.12	-	0.14	0.14
80	0.09	-	-	0.12	0.12	80	0.09	-	-	0.11	0.13		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.