


Table 8.19
Cancer of the Esophagus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Males

State	Rate	SE	Rank	PD
TOTAL U.S.	7.53	0.03		
High Five States				
Maine	10.52 ^b	0.53	(01)	39.82 ^c
New Hampshire	10.41 ^b	0.57	(02)	38.29 ^c
Rhode Island	9.25	0.60	(03)	22.97 ^c
Indiana	9.19 ^b	0.25	(04)	22.13 ^c
Ohio	9.12 ^b	0.18	(05)	21.14 ^c
Low Five States				
Texas	6.28 ^b	0.12	(47)	-16.55 ^c
California	6.01 ^b	0.09	(48)	-20.11 ^c
Hawaii	5.88 ^b	0.41	(49)	-21.87 ^c
New Mexico	5.55 ^b	0.34	(50)	-26.30 ^c
Utah	5.02 ^b	0.33	(51)	-33.34 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	7.38	0.26	(38)	-1.96	Montana	7.72	0.54	(25)	2.55
Alaska	7.63	0.89	(28)	1.42	Nebraska	8.11	0.43	(21)	7.71
Arizona	6.96	0.21	(44)	-7.50	Nevada	8.19	0.38	(18)	8.81
Arkansas	6.46 ^b	0.30	(46)	-14.21	New Hampshire	10.41 ^b	0.57	(02)	38.29 ^c
California	6.01 ^b	0.09	(48)	-20.11 ^c	New Jersey	7.01	0.18	(42)	-6.83
Colorado	6.98	0.27	(43)	-7.29	New Mexico	5.55 ^b	0.34	(50)	-26.30 ^c
Connecticut	7.50	0.29	(34)	-0.29	New York	7.35	0.13	(39)	-2.39
Delaware	7.66	0.59	(26)	1.84	North Carolina	7.03	0.18	(41)	-6.59
D.C.	8.30	0.85	(15)	10.32	North Dakota	7.87	0.68	(22)	4.55
Florida	7.28	0.11	(40)	-3.23	Ohio	9.12 ^b	0.18	(05)	21.14 ^c
Georgia	6.75 ^b	0.19	(45)	-10.30	Oklahoma	8.19	0.30	(19)	8.81
Hawaii	5.88 ^b	0.41	(49)	-21.87 ^c	Oregon	7.80	0.29	(23)	3.59
Idaho	7.45	0.46	(36)	-1.06	Pennsylvania	8.91 ^b	0.16	(09)	18.34 ^c
Illinois	8.17 ^b	0.17	(20)	8.62	Rhode Island	9.25	0.60	(03)	22.97 ^c
Indiana	9.19 ^b	0.25	(04)	22.13 ^c	South Carolina	7.53	0.27	(33)	0.06
Iowa	8.77 ^b	0.33	(10)	16.59 ^c	South Dakota	8.93	0.66	(07)	18.68 ^c
Kansas	7.75	0.34	(24)	2.94	Tennessee	7.50	0.23	(35)	-0.36
Kentucky	8.19	0.28	(17)	8.84	Texas	6.28 ^b	0.12	(47)	-16.55 ^c
Louisiana	7.56	0.28	(31)	0.42	Utah	5.02 ^b	0.33	(51)	-33.34 ^c
Maine	10.52 ^b	0.53	(01)	39.82 ^c	Vermont	8.63	0.74	(12)	14.74
Maryland	7.41	0.24	(37)	-1.50	Virginia	7.64	0.21	(27)	1.48
Massachusetts	8.92 ^b	0.24	(08)	18.56 ^c	Washington	8.33	0.24	(14)	10.74
Michigan	8.66 ^b	0.19	(11)	15.08 ^c	West Virginia	9.06 ^b	0.42	(06)	20.34 ^c
Minnesota	7.58	0.25	(30)	0.66	Wisconsin	8.47 ^b	0.25	(13)	12.55
Mississippi	7.61	0.34	(29)	1.09	Wyoming	8.20	0.81	(16)	8.96
Missouri	7.54	0.23	(32)	0.19					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.