Table 13.3 Leukemia

Trends in SEER Incidence^{ab} and U.S. Mortality^c Using the Joinpoint Regression Program, 1975-2011 With up to Five Joinpoints, 1992-2011 With up to Three Joinpoints, Females by Race/Ethnicity

| | JP Trend 1 | JP Ti | JP Trend 2 | | JP Trend 3 | | JP Trend 4 | | JP Trend 5 | | JP Trend 6 | | AAPC ^d | |
|--|-------------------------------|-------------|------------|---------|------------|-------|------------|-------|------------|-------|------------|---------|-------------------|--|
| | Years AF | C Years | APC | Years | APC | Years | APC | Years | APC | Years | APC | 2002-11 | 2007-11 | |
| SEER 9 Delay-Adjusted Incidence ^a , 1975-2011 | | | | | | | | | | | | | | |
| All Races | | 4* | | | | | | | | | | 0.4* | 0.4* | |
| White | 1975-11 0. | 6* | | | | | | | | | | 0.6* | 0.6* | |
| Black | 1975-11 0. | 1 | | | | | | | | | | 0.1 | 0.1 | |
| SEER 13 Delay-Adj | usted Incidence ^k | , 1992-2011 | | | | | | | | | | | | |
| All Races | | 6* | | | | | | | | | | 0.6* | 0.6* | |
| White | 1992-11 0. | 9* | | | | | | | | | | 0.9* | 0.9* | |
| Black | 1992-11 0. | 5 | | | | | | | | | | 0.5 | 0.5 | |
| SEER 9 Observed Incidence ^a , 1975-2011 | | | | | | | | | | | | | | |
| All Races | 1975-11 0. | 2* | | | | | | | | | | 0.2* | 0.2* | |
| White | 1975-11 0. | 3* | | | | | | | | | | 0.3* | 0.3* | |
| Black | 1975-11 -0. | 1 | | | | | | | | | | -0.1 | -0.1 | |
| SEER 13 Observed Incidence ^b , 1992-2011 | | | | | | | | | | | | | | |
| All Races | 1992-11 0. | 2 | | | | | | | | | | 0.2 | 0.2 | |
| White | 1992-11 0. | 3* | | | | | | | | | | 0.3* | 0.3* | |
| White NH ^{ef} | 1992-11 0. | 4* | | | | | | | | | | 0.4* | 0.4* | |
| Black | 1992-11 -0. | 1 | | | | | | | | | | -0.1 | -0.1 | |
| Black NH ^{ef} | 1992-11 -0. | 1 | | | | | | | | | | -0.1 | -0.1 | |
| API ^e | 1992-11 -0. | 4 | | | | | | | | | | -0.4 | -0.4 | |
| AI/AN ^{eg} | 1992-11 1. | 4 | | | | | | | | | | 1.4 | 1.4 | |
| Hispanic ^f | 1992-11 0. | 5 | | | | | | | | | | 0.5 | 0.5 | |
| U.S. Cancer Mortality ^c , 1975-2011 | | | | | | | | | | | | | | |
| All Races | 1975-80 0. | 7 1980-99 | -0.4* | 1999-11 | -1.2* | | | | | | | -1.2* | -1.2* | |
| White | 1975-99 -0. | 3* 1999-11 | -1.1* | | | | | | | | | -1.1* | -1.1* | |
| Black | 1975-93 0. | 4 1993-11 | -1.2* | | | | | | | | | -1.2* | -1.2* | |
| U.S. Cancer Morta | lity ^c , 1992-2011 | | | | | | | | | | | | | |
| All Races | 1992-01 -0. | 4* 2001-04 | -2.0 | 2004-11 | -0.9* | | | | | | | -1.1* | -0.9* | |
| White | 1992-00 -0. | 4* 2000-11 | -1.1* | | | | | | | | | -1.1* | -1.1* | |
| White NH ^{ef} | 1992-00 -0. | 3 2000-11 | -1.1* | | | | | | | | | -1.1* | -1.1* | |
| Black | 1992-11 -1. | | | | | | | | | | | -1.1* | -1.1* | |
| Black NH ^{ef} | 1992-11 -1. | 0* | | | | | | | | | | -1.0* | -1.0* | |
| API ^e | 1992-11 -0. | 7 | | | | | | | | | | -0.7 | -0.7 | |
| AI/AN ^{eg} | 1992-11 -0. | 9 | | | | | | | | | | -0.9 | -0.9 | |
| Hispanic ^f | 1992-11 -0. | 6* | | | | | | | | | | -0.6* | -0.6* | |
| | | | | | | | | | | | | | | |

Joinpoint Regression Program Version 4.1.0, April 2014, National Cancer Institute. (http://surveillance.cancer.gov/joinpoint/). The APC is the Annual Percent Change based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130). Trends are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

Trends are from the SEER 13 areas (SEER 9 Areas, Los Angeles, San Jose-Monterey, Rural Georgia, and the Alaska Native Registry).

Trends are from US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

d The AAPC is the Average Annual Percent Change and is based on the APCs calculated by Joinpoint.

API - Asian/Pacific Islander, AI/AN - American Indian/Alaska Native, NH - Non-Hispanic

Hispanic and Non-Hispanic are not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics and Non-Hispanics are based on NHIA and exclude cases from the Alaska Native Registry. The Hispanic and Non-Hispanic mortality trends exclude deaths from New Hampshire and Oklahoma.

Data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

^{*} The APC/AAPC is significantly different from zero (p<.05).</p>

⁻ Joinpoint regression line analysis could not be performed on data series.